

Pc

C_s^2

m





Monoclinic

No. 7

$P1c1$

Patterson symmetry $P12/m1$

UNIQUE AXIS b , CELL CHOICE 1



Origin on glide plane c

Asymmetric unit $0 \leq x \leq 1; 0 \leq y \leq \frac{1}{2}; 0 \leq z \leq 1$

Symmetry operations

- (1) 1 (2) $c \ x, 0, z$

Generators selected (1); $t(1,0,0)$; $t(0,1,0)$; $t(0,0,1)$; (2)

Positions

Multiplicity, Wyckoff letter, Site symmetry	Coordinates	Reflection conditions
		General:
2 <i>a</i> 1	(1) x, y, z (2) $x, \bar{y}, z + \frac{1}{2}$	$h0l : l = 2n$ $00l : l = 2n$

Symmetry of special projections

Along [001] $p11m$ $\mathbf{a}' = \mathbf{a}_p$ $\mathbf{b}' = \mathbf{b}$ Origin at 0, 0, z	Along [100] $p1g1$ $\mathbf{a}' = \mathbf{b}$ $\mathbf{b}' = \mathbf{c}_p$ Origin at $x, 0, 0$	Along [010] $p1$ $\mathbf{a}' = \frac{1}{2}\mathbf{c}$ $\mathbf{b}' = \mathbf{a}$ Origin at 0, $y, 0$
--	--	---

Maximal non-isomorphic subgroups

- I** [2] $P1(1)$ 1
IIa none
IIb [2] $C1c1$ ($\mathbf{a}' = 2\mathbf{a}, \mathbf{b}' = 2\mathbf{b}$) ($Cc, 9$)

Maximal isomorphic subgroups of lowest index

- IIc** [2] $P1c1$ ($\mathbf{b}' = 2\mathbf{b}$) ($Pc, 7$); [2] $P1c1$ ($\mathbf{a}' = 2\mathbf{a}$ or $\mathbf{a}' = 2\mathbf{a}, \mathbf{c}' = 2\mathbf{a} + \mathbf{c}$) ($Pc, 7$)

Minimal non-isomorphic supergroups

- I** [2] $P2/c$ (13); [2] $P2_1/c$ (14); [2] $Pmc2_1$ (26); [2] $Pcc2$ (27); [2] $Pma2$ (28); [2] $Pca2_1$ (29); [2] $Pnc2$ (30); [2] $Pmn2_1$ (31);
 [2] $Pba2$ (32); [2] $Pna2_1$ (33); [2] $Pnn2$ (34); [2] $Aem2$ (39); [2] $Aea2$ (41)
II [2] $C1c1$ ($Cc, 9$); [2] $A1m1$ ($Cm, 8$); [2] $I1c1$ ($Cc, 9$); [2] $P1m1$ ($\mathbf{c}' = \frac{1}{2}\mathbf{c}$) ($Pm, 6$)

Pc



C_s^2

m

Monoclinic


No. 7

UNIQUE AXIS b , DIFFERENT CELL CHOICES



$P1c1$

UNIQUE AXIS b , CELL CHOICE 1



Origin on glide plane c

Asymmetric unit $0 \leq x \leq 1; 0 \leq y \leq \frac{1}{2}; 0 \leq z \leq 1$

Generators selected (1); $t(1,0,0)$; $t(0,1,0)$; $t(0,0,1)$; (2)

Positions

Multiplicity,
Wyckoff letter,
Site symmetry

Coordinates

Reflection conditions

2 a 1

(1) x, y, z

(2) $x, \bar{y}, z + \frac{1}{2}$


General:

$h0l : l = 2n$

$00l : l = 2n$

$P1n1$ UNIQUE AXIS b , CELL CHOICE 2**Origin** on glide plane n **Asymmetric unit** $0 \leq x \leq 1; 0 \leq y \leq \frac{1}{2}; 0 \leq z \leq 1$ **Generators selected** (1); $t(1,0,0)$; $t(0,1,0)$; $t(0,0,1)$; (2)**Positions**Multiplicity,
Wyckoff letter,
Site symmetry

Coordinates

2 a 1 (1) x, y, z (2) $x + \frac{1}{2}, \bar{y}, z + \frac{1}{2}$ 

Reflection conditions

General:


$$h0l : h + l = 2n$$

$$h00 : h = 2n$$

$$00l : l = 2n$$

 $P1a1$ UNIQUE AXIS b , CELL CHOICE 3**Origin** on glide plane a **Asymmetric unit** $0 \leq x \leq 1; 0 \leq y \leq \frac{1}{2}; 0 \leq z \leq 1$ **Generators selected** (1); $t(1,0,0)$; $t(0,1,0)$; $t(0,0,1)$; (2)**Positions**Multiplicity,
Wyckoff letter,
Site symmetry

Coordinates

2 a 1 (1) x, y, z (2) $x + \frac{1}{2}, \bar{y}, z$ 

Reflection conditions

General:

$$h0l : h = 2n$$

$$h00 : h = 2n$$