

## REFERENCES

## 2.3 (cont.)

- Woolfson, M. M. (1970). *An introduction to X-ray crystallography*. London: Cambridge University Press.
- Wrinch, D. M. (1939). *The geometry of discrete vector maps*. *Philos. Mag.* **27**, 98–122.
- Wunderlich, J. A. (1965). A new expression for sharpening Patterson functions. *Acta Cryst.* **19**, 200–202.

## 2.4

- Adams, M. J. (1968). DPhil thesis, Oxford University, England.
- Agard, D. A. & Stroud, R. M. (1982).  $\alpha$ -Bungarotoxin structure revealed by a rapid method for averaging electron density of non-crystallographically translationally related molecules. *Acta Cryst.* **A38**, 186–194.
- Arndt, U. W. (1986). X-ray position-sensitive detectors. *J. Appl. Cryst.* **19**, 145–163.
- Arndt, U. W. & Wonacott, A. J. (1977). *The rotation method in crystallography*. Amsterdam: North-Holland.
- Ashida, T. (1976). Some remarks on the phase angle determination by the isomorphous replacement method. In *Crystallographic computing techniques*, edited by F. R. Ahmed, pp. 282–284. Copenhagen: Munksgaard.
- Bhat, T. N. & Blow, D. M. (1982). A density-modification method for improvement of poorly resolved protein electron-density maps. *Acta Cryst.* **A38**, 21–29.
- Bijvoet, J. M. (1949). Phase determination in direct Fourier-synthesis of crystal structures. *Proc. K. Ned. Akad. Wet. (B)*, **52**, 313–314.
- Bijvoet, J. M. (1954). Structure of optically active compounds in the solid state. *Nature (London)*, **173**, 888–891.
- Bijvoet, J. M., Peerdeman, A. F. & van Bommel, A. J. (1951). Determination of the absolute configuration of optically active compounds by means of X-rays. *Nature (London)*, **168**, 271–272.
- Blow, D. M. & Crick, F. H. C. (1959). The treatment of errors in the isomorphous replacement method. *Acta Cryst.* **12**, 794–802.
- Blow, D. M. & Matthews, B. W. (1973). Parameter refinement in the multiple isomorphous-replacement method. *Acta Cryst.* **A29**, 56–62.
- Blow, D. M. & Rossmann, M. G. (1961). The single isomorphous replacement method. *Acta Cryst.* **14**, 1195–1202.
- Blundell, T. L. & Johnson, L. N. (1976). *Protein crystallography*. London: Academic Press.
- Bokhoven, C., Schoone, J. C. & Bijvoet, J. M. (1951). The Fourier synthesis of the crystal structure of strychnine sulphate penta-hydrate. *Acta Cryst.* **4**, 275–280.
- Bradley, A. J. & Rodgers, J. W. (1934). The crystal structure of the Heusler alloys. *Proc. R. Soc. London Ser. A*, **144**, 340–359.
- Cannillo, E., Oberti, R. & Ungaretti, L. (1983). Phase extension and refinement by density modification in protein crystallography. *Acta Cryst.* **A39**, 68–74.
- Chacko, K. K. & Srinivasan, R. (1970). On the Fourier refinement of anomalous dispersion corrections in X-ray diffraction data. *Z. Kristallogr.* **131**, 88–94.
- Collins, D. M. (1975). Efficiency in Fourier phase refinement for protein crystal structures. *Acta Cryst.* **A31**, 388–389.
- Cork, J. M. (1927). The crystal structure of some of the alums. *Philos. Mag.* **4**, 688–698.
- Coster, D., Knol, K. S. & Prins, J. A. (1930). Unterschiede in der Intensität der Röntgenstrahlenreflexion an den beiden 111-Flächen der Zinkblende. *Z. Phys.* **63**, 345–369.
- Cromer, D. T. (1965). Anomalous dispersion corrections computed from self-consistent field relativistic Dirac-Slater wave functions. *Acta Cryst.* **18**, 17–23.
- Cruickshank, D. W. J. & McDonald, W. S. (1967). Parameter errors in polar space groups caused by neglect of anomalous scattering. *Acta Cryst.* **23**, 9–11.
- Cullis, A. F., Muirhead, H., Perutz, M. F., Rossmann, M. G. & North, A. C. T. (1961a). The structure of haemoglobin. VIII. A three-dimensional Fourier synthesis at 5.5 Å resolution: determination of the phase angles. *Proc. R. Soc. London Ser. A*, **265**, 15–38.

- Cullis, A. F., Muirhead, H., Perutz, M. F., Rossmann, M. G. & North, A. C. T. (1961b). The structure of haemoglobin. IX. A three-dimensional Fourier synthesis at 5.5 Å resolution: description of the structure. *Proc. R. Soc. London Ser. A*, **265**, 161–187.
- Dale, D., Hodgkin, D. C. & Venkatesan, K. (1963). The determination of the crystal structure of factor V 1a. In *Crystallography and crystal perfection*, edited by G. N. Ramachandran, pp. 237–242. New York and London: Academic Press.
- Dickerson, R. E., Kendrew, J. C. & Strandberg, B. E. (1961). The crystal structure of myoglobin: phase determination to a resolution of 2 Å by the method of isomorphous replacement. *Acta Cryst.* **14**, 1188–1195.
- Dickerson, R. E., Weinzierl, J. E. & Palmer, R. A. (1968). A least-squares refinement method for isomorphous replacement. *Acta Cryst.* **B24**, 997–1003.
- Dodson, E., Evans, P. & French, S. (1975). The use of anomalous scattering in refining heavy atom parameters in proteins. In *Anomalous scattering*, edited by S. Ramaseshan & S. C. Abrahams, pp. 423–436. Copenhagen: Munksgaard.
- Dodson, E. & Vijayan, M. (1971). The determination and refinement of heavy-atom parameters in protein heavy-atom derivatives. Some model calculations using acentric reflexions. *Acta Cryst.* **B27**, 2402–2411.
- Einstein, J. E. (1977). An improved method for combining isomorphous replacement and anomalous scattering diffraction data for macromolecular crystals. *Acta Cryst.* **A33**, 75–85.
- Flook, R. J., Freeman, H. C. & Scudder, M. L. (1977). An X-ray and neutron diffraction study of aqua(L-glutamato) cadmium(II) hydrate. *Acta Cryst.* **B33**, 801–809.
- Gilli, G. & Cruickshank, D. W. J. (1973). Effect of neglect of dispersion in centrosymmetric structures: results for  $OsO_4$ . *Acta Cryst.* **B29**, 1983–1985.
- Green, D. W., Ingram, V. M. & Perutz, M. F. (1954). The structure of haemoglobin. IV. Sign determination by the isomorphous replacement method. *Proc. R. Soc. London Ser. A*, **225**, 287–307.
- Green, E. A. (1979). A new statistical model for describing errors in isomorphous replacement data: the case of one derivative. *Acta Cryst.* **A35**, 351–359.
- Harker, D. (1956). The determination of the phases of the structure factors of non-centrosymmetric crystals by the method of double isomorphous replacement. *Acta Cryst.* **9**, 1–9.
- Helliwell, J. R. (1984). Synchrotron X-radiation protein crystallography: instrumentation, methods and applications. *Rep. Prog. Phys.* **47**, 1403–1497.
- Helliwell, J. R. (1985). Protein crystallography with synchrotron radiation. *J. Mol. Struct.* **130**, 63–91.
- Hendrickson, W. A. (1979). Phase information from anomalous scattering measurements. *Acta Cryst.* **A35**, 245–247.
- Hendrickson, W. A. & Karle, J. (1973). Carp muscle calcium-binding protein. III. Phase refinement using the tangent formula. *J. Biol. Chem.* **248**, 3327–3334.
- Hendrickson, W. A. & Konnert, J. H. (1980). Incorporation of stereochemical information into crystallographic refinement. In *Computing in crystallography*, edited by R. Diamond, S. Ramaseshan & K. Venkatesan, pp. 13.01–13.23. Bangalore: Indian Academy of Sciences.
- Hendrickson, W. A. & Lattman, E. E. (1970). Representation of phase probability distributions in simplified combinations of independent phase information. *Acta Cryst.* **B26**, 136–143.
- Hendrickson, W. A. & Sheriff, S. (1987). General density function corresponding to X-ray diffraction with anomalous scattering included. *Acta Cryst.* **A43**, 121–125.
- Hendrickson, W. A. & Teeter, M. M. (1981). Structure of the hydrophobic protein crambin determined directly from the anomalous scattering of sulphur. *Nature (London)*, **290**, 107–113.
- Hoppe, W. & Gassmann, J. (1968). Phase correction, a new method to solve partially known structures. *Acta Cryst.* **B24**, 97–107.
- Huber, R., Kukla, D., Bode, W., Schwager, P., Bartels, K., Deisenhofer, J. & Steigemann, W. (1974). Structure of the complex formed by bovine trypsin and bovine pancreatic trypsin inhibitor. II. Crystallographic refinement at 1.9 Å resolution. *J. Mol. Biol.* **89**, 73–101.

## 2. RECIPROCAL SPACE IN CRYSTAL-STRUCTURE DETERMINATION

### 2.4 (cont.)

- Ibers, J. A. & Hamilton, W. C. (1964). *Dispersion corrections and crystal structure refinements*. *Acta Cryst.* **17**, 781–782.
- International Tables for Crystallography* (2001). Vol. F. *Macromolecular crystallography*, edited by M. G. Rossmann & E. Arnold. In the press.
- International Tables for X-ray Crystallography* (1974). Vol. IV, pp. 148–151. Birmingham: Kynoch Press. (Present distributor Kluwer Academic Publishers, Dordrecht.)
- Isaacs, N. W. & Agarwal, R. C. (1978). *Experience with fast Fourier least squares in the refinement of the crystal structure of rhombohedral 2-zinc insulin at 1.5 Å resolution*. *Acta Cryst.* **A34**, 782–791.
- Jack, A. & Levitt, M. (1978). *Refinement of large structures by simultaneous minimization of energy and R factor*. *Acta Cryst.* **A34**, 931–935.
- Karle, J. & Hauptman, H. (1950). *The phases and magnitudes of the structure factors*. *Acta Cryst.* **3**, 181–187.
- Kartha, G. (1961). *Isomorphous replacement in non-centrosymmetric structures*. *Acta Cryst.* **14**, 680–686.
- Kartha, G. (1965). *Combination of multiple isomorphous replacement and anomalous dispersion data for protein structure determination. III. Refinement of heavy atom positions by the least-squares method*. *Acta Cryst.* **19**, 883–885.
- Kartha, G. (1975). *Application of anomalous scattering studies in protein structure analysis*. In *Anomalous scattering*, edited by S. Ramaseshan & S. C. Abrahams, pp. 363–392. Copenhagen: Munksgaard.
- Kartha, G. (1976). *Protein phase evaluation: multiple isomorphous series and anomalous scattering methods*. In *Crystallographic computing techniques*, edited by F. R. Ahmed, pp. 269–281. Copenhagen: Munksgaard.
- Kartha, G. & Parthasarathy, R. (1965). *Combination of multiple isomorphous replacement and anomalous dispersion data for protein structure determination. I. Determination of heavy-atom positions in protein derivatives*. *Acta Cryst.* **18**, 745–749.
- Kendrew, J. C., Dickerson, R. E., Strandberg, B. E., Hart, R. G., Phillips, D. C. & Shore, V. C. (1960). *Structure of myoglobin. A three-dimensional Fourier synthesis at 2 Å resolution*. *Nature (London)*, **185**, 422–427.
- Kitagawa, Y., Tanaka, N., Hata, Y., Katsume, Y. & Satow, Y. (1987). *Distinction between Cu<sup>2+</sup> and Zn<sup>2+</sup> ions in a crystal of spinach superoxide dismutase by use of anomalous dispersion and tuneable synchrotron radiation*. *Acta Cryst.* **B43**, 272–275.
- Koetzle, T. F. & Hamilton, W. C. (1975). *Neutron diffraction study of NaSmEDTA·8H<sub>2</sub>O: an evaluation of methods of phase determination based on three-wavelength anomalous dispersion data*. In *Anomalous scattering*, edited by S. Ramaseshan & S. C. Abrahams, pp. 489–502. Copenhagen: Munksgaard.
- Kraut, J. (1968). *Bijvoet-difference Fourier function*. *J. Mol. Biol.* **35**, 511–512.
- Kraut, J., Sieker, L. C., High, D. F. & Freer, S. T. (1962). *Chymotrypsin: a three-dimensional Fourier synthesis at 5 Å resolution*. *Proc. Natl Acad. Sci. USA*, **48**, 1417–1424.
- McPherson, A. (1982). *Preparation and analysis of protein crystals*. New York: John Wiley.
- Mark, H. & Szillard, L. (1925). *Ein einfacher versuch zur auffindung eines selectiven effecktes bei der zerstrenzung von Röntgenstrahlen*. *Z. Phys.* **33**, 688–691.
- Matthews, B. W. (1966). *The determination of the position of anomalously scattering heavy atom groups in protein crystals*. *Acta Cryst.* **20**, 230–239.
- Moon, P. B. (1961). *Developments in gamma-ray optics*. *Nature (London)*, **185**, 427–429.
- Muirhead, H., Cox, J. M., Mazzarella, L. & Perutz, M. F. (1967). *Structure and function of haemoglobin. III. A three-dimensional Fourier synthesis of human deoxyhaemoglobin at 5.5 Å resolution*. *J. Mol. Biol.* **28**, 156–177.
- Narayan, R. & Ramaseshan, S. (1981). *Optimum choice of wavelengths in the anomalous scattering technique with synchrotron radiation*. *Acta Cryst.* **A37**, 636–641.
- Navia, M. A. & Sigler, P. B. (1974). *The application of direct methods to the analysis of heavy-atom derivatives*. *Acta Cryst.* **A30**, 706–712.
- North, A. C. T. (1965). *The combination of isomorphous replacement and anomalous scattering data in phase determination of non-centrosymmetric reflexions*. *Acta Cryst.* **18**, 212–216.
- Okaya, Y. & Pepinsky, R. (1956). *New formulations and solution of the phase problem in X-ray analysis for noncentric crystals containing anomalous scatterers*. *Phys. Rev.* **103**, 1645–1657.
- Parthasarathy, S. (1967). *Expectation value of the Bijvoet ratio*. *Acta Cryst.* **22**, 98–103.
- Parthasarathy, S. & Srinivasan, R. (1964). *The probability distribution of Bijvoet differences*. *Acta Cryst.* **17**, 1400–1407.
- Patterson, A. L. (1963). *Treatment of anomalous dispersion in X-ray diffraction data*. *Acta Cryst.* **16**, 1255–1256.
- Peerdeman, A. F. & Bijvoet, J. M. (1956). *The indexing of reflexions in investigations involving the use of the anomalous scattering effect*. *Acta Cryst.* **9**, 1012–1015.
- Peerdeman, A. F., van Bommel, A. J. & Bijvoet, J. M. (1951). *Determination of the absolute configuration of optically active compounds by means of X-rays*. *Proc. K. Ned. Akad. Wet. (B)*, **54**, 16–19.
- Pepinsky, R., Okaya, Y. & Takeuchi, Y. (1957). *Theory and application of the P<sub>s</sub>(**u**) function and anomalous dispersion in direct determination of structures and absolute configuration in non-centric crystals*. *Acta Cryst.* **10**, 756.
- Phillips, D. C. (1966). *Advances in protein crystallography*. In *Advances in structure research by diffraction methods*, Vol. 2, edited by R. Brill & R. Mason, pp. 75–140. New York and London: Interscience.
- Raghavan, N. V. & Tulinsky, A. (1979). *The structure of α-chymotrypsin. II. Fourier phase refinement and extension of the dimeric structure at 1.8 Å resolution by density modification*. *Acta Cryst.* **B35**, 1776–1785.
- Raghavan, R. S. (1961). *On the possibility of a new phase-determining method applying the Mössbauer effect*. *Proc. Indian Acad. Sci. Sect. A*, **53**, 265–271.
- Raiz, V. Sh. & Andreeva, N. S. (1970). *Determining the coefficients of the Fourier series of the electron density function of protein crystals*. *Sov. Phys. Crystallogr.* **15**, 206–210.
- Ramachandran, G. N. & Raman, S. (1956). *A new method for the structure analysis of non-centrosymmetric crystals*. *Curr. Sci.* **25**, 348–351.
- Ramachandran, G. N. & Raman, S. (1959). *Syntheses for the deconvolution of the Patterson function. Part I. General principles*. *Acta Cryst.* **12**, 957–964.
- Ramachandran, G. N. & Srinivasan, R. (1970). *Fourier methods in crystallography*. New York: Wiley–Interscience.
- Ramaseshan, S. (1963). *The use of anomalous scattering in crystal structure analysis*. In *Advanced methods of crystallography*, edited by G. N. Ramachandran, pp. 67–95. London and New York: Academic Press.
- Ramaseshan, S. (1966). *The use of anomalous scattering of neutrons in the solution of crystal structures containing large molecules*. *Curr. Sci.* **35**, 87–91.
- Ramaseshan, S. (1982). *Use of the multi-wavelength anomalous scattering method in crystallography*. In *Computational crystallography*, edited by D. Sayre, pp. 201–208. Oxford: Clarendon Press.
- Ramaseshan, S. & Abrahams, S. C. (1975). *Anomalous scattering*. Copenhagen: Munksgaard.
- Ramaseshan, S. & Venkatesan, K. (1957). *The use of anomalous scattering without phase change in crystal structure analysis*. *Curr. Sci.* **26**, 352–353.
- Ramaseshan, S., Venkatesan, K. & Mani, N. V. (1957). *The use of anomalous scattering for the determination of crystal structures – KMnO<sub>4</sub>*. *Proc. Indian Acad. Sci.* **46**, 95–111.
- Rango, C. de, Mauguen, Y. & Tsoucaris, G. (1975). *Use of high-order probability laws in phase refinement and extension of protein structures*. *Acta Cryst.* **A31**, 227–233.

## REFERENCES

### 2.4 (cont.)

- Robertson, J. M. (1936). *An X-ray study of the phthalocyanines. Part II. Quantitative structure determination of the metal-free compound.* *J. Chem. Soc.* pp. 1195–1209.
- Robertson, J. M. & Woodward, I. (1937). *An X-ray study of the phthalocyanines. Part III. Quantitative structure determination of nickel phthalocyanine.* *J. Chem. Soc.* pp. 219–230.
- Rossmann, M. G. (1960). *The accurate determination of the position and shape of heavy-atom replacement groups in proteins.* *Acta Cryst.* **13**, 221–226.
- Rossmann, M. G. (1961). *The position of anomalous scatterers in protein crystals.* *Acta Cryst.* **14**, 383–388.
- Rossmann, M. G. & Blow, D. M. (1961). *The refinement of structures partially determined by the isomorphous replacement method.* *Acta Cryst.* **14**, 641–647.
- Sayre, D. (1952). *The squaring method: a new method for phase determination.* *Acta Cryst.* **5**, 60–65.
- Sayre, D. (1974). *Least-squares phase refinement. II. High-resolution phasing of a small protein.* *Acta Cryst.* **A30**, 180–184.
- Schevitz, R. W., Podjarny, A. D., Zwick, M., Hughes, J. J. & Sigler, P. B. (1981). *Improving and extending the phases of medium- and low-resolution macromolecular structure factors by density modification.* *Acta Cryst.* **A37**, 669–677.
- Schoenborn, B. P. (1975). *Phasing of neutron protein data by anomalous dispersion.* In *Anomalous scattering*, edited by S. Ramaseshan & S. C. Abrahams, pp. 407–416, Copenhagen: Munksgaard.
- Sheriff, S. & Hendrickson, W. A. (1987). *Location of iron and sulfur atoms in myohemerythrin from anomalous-scattering measurements.* *Acta Cryst.* **B43**, 209–212.
- Sikka, S. K. (1969). *On the application of the symbolic addition procedure in neutron diffraction structure determination.* *Acta Cryst.* **A25**, 539–543.
- Sikka, S. K. & Rajagopal, H. (1975). *Application of neutron anomalous dispersion in the structure determination of cadmium tartrate pentahydrate.* In *Anomalous scattering*, edited by S. Ramaseshan & S. C. Abrahams, pp. 503–514. Copenhagen: Munksgaard.
- Singh, A. K. & Ramaseshan, S. (1966). *The determination of heavy atom positions in protein derivatives.* *Acta Cryst.* **21**, 279–280.
- Singh, A. K. & Ramaseshan, S. (1968). *The use of neutron anomalous scattering in crystal structure analysis. I. Non-centrosymmetric structures.* *Acta Cryst.* **B24**, 35–39.
- Srinivasan, R. (1972). *Applications of X-ray anomalous scattering in structural studies.* In *Advances in structure research by diffraction methods*, Vol. 4, edited by W. Hoppe & R. Mason, pp. 105–197. Braunschweig: Freidr. Vieweg & Sohn; and Oxford: Pergamon Press.
- Srinivasan, R. & Chacko, K. K. (1970). *On the determination of phases of a noncentrosymmetric crystal by the anomalous dispersion method.* *Z. Kristallogr.* **131**, 29–39.
- Sussman, J. L., Holbrook, S. R., Church, G. M. & Kim, S.-H. (1977). *A structure-factor least-squares refinement procedure for macromolecular structures using constrained and restrained parameters.* *Acta Cryst.* **A33**, 800–804.
- Templeton, D. H., Templeton, L. K., Phillips, J. C. & Hodgson, K. O. (1980). *Anomalous scattering of X-rays by cesium and cobalt measured with synchrotron radiation.* *Acta Cryst.* **A36**, 436–442.
- Templeton, L. K., Templeton, D. H. & Phizackerley, R. P. (1980).  *$L_3$ -edge anomalous scattering of X-rays by praseodymium and samarium.* *J. Am. Chem. Soc.* **102**, 1185–1186.
- Templeton, L. K., Templeton, D. H., Phizackerley, R. P. & Hodgson, K. O. (1982).  *$L_3$ -edge anomalous scattering by gadolinium and samarium measured at high resolution with synchrotron radiation.* *Acta Cryst.* **A38**, 74–78.
- Terwilliger, T. C. & Eisenberg, D. (1983). *Unbiased three-dimensional refinement of heavy-atom parameters by correlation of origin-removed Patterson functions.* *Acta Cryst.* **A39**, 813–817.
- Ueki, T., Zalkin, A. & Templeton, D. H. (1966). *Crystal structure of thorium nitrate pentahydrate by X-ray diffraction.* *Acta Cryst.* **20**, 836–841.
- Vijayan, M. (1980a). *On the Fourier refinement of protein structures.* *Acta Cryst.* **A36**, 295–298.
- Vijayan, M. (1980b). *Phase evaluation and some aspects of the Fourier refinement of macromolecules.* In *Computing in crystallography*, edited by R. Diamond, S. Ramaseshan & K. Venkatesan, pp. 19.01–19.25. Bangalore: Indian Academy of Sciences.
- Vijayan, M. (1981). *X-ray analysis of 2Zn insulin: some crystallographic problems.* In *Structural studies on molecules of biological interest*, edited by G. Dodson, J. P. Glusker & D. Sayre, pp. 260–273. Oxford: Clarendon Press.
- Vijayan, M. (1987). *Anomalous scattering methods.* In *Direct methods, macromolecular crystallography and crystallographic statistics*, edited by H. Schenk, A. J. C. Wilson & S. Parthasarathy, pp. 121–139. Singapore: World Scientific Publishing Co. Pte. Ltd.
- Vos, A. (1975). *Anomalous scattering and chemical crystallography.* In *Anomalous scattering*, edited by S. Ramaseshan & S. C. Abrahams, pp. 307–317. Copenhagen: Munksgaard.
- Wang, B. C. (1985). *Resolution of phase ambiguity in macromolecular crystallography.* *Methods Enzymol.* **115**, 90–112.
- Watenpaugh, K. D., Sieker, L. C., Herriot, J. R. & Jensen, L. H. (1973). *Refinement of the model of a protein: rubredoxin at 1.5 Å resolution.* *Acta Cryst.* **B29**, 943–956.
- Watenpaugh, K. D., Sieker, L. C. & Jensen, L. H. (1975). *Anomalous scattering in protein structure analysis.* In *Anomalous scattering*, edited by S. Ramaseshan & S. C. Abrahams, pp. 393–405. Copenhagen: Munksgaard.
- Wilson, A. J. C. (1942). *Determination of absolute from relative X-ray intensity data.* *Nature (London)*, **150**, 151–152.
- Wilson, A. J. C. (1975). *Effect of neglect of dispersion on apparent scale and temperature parameters.* In *Anomalous scattering*, edited by S. Ramaseshan & S. C. Abrahams, pp. 325–332. Copenhagen: Munksgaard.
- Zachariasen, W. H. (1965). *Dispersion in quartz.* *Acta Cryst.* **18**, 714–716.

### 2.5

- Avilov, A. S. (1979). *Electrical measurement of reflection intensities on electron diffraction from mosaic single crystals.* *Sov. Phys. Crystallogr.* **24**, 103–104.
- Avilov, A. S., Kuligin, A. K., Pietsch, U., Spence, J. C. H., Tsirelson, V. G. & Zuo, J. M. (1999). *Scanning system for high-energy electron diffractometry.* *J. Appl. Cryst.* **32**, 1033–1038.
- Avilov, A. S., Parmon, V. S., Semiletov, S. A. & Sirota, M. I. (1984). *Calculation of reflected intensities in multiple-beam diffraction of fast electrons by polycrystalline specimens.* *Sov. Phys. Crystallogr.* **29**, 5–7.
- Bando, Y. (1981). *Weak asymmetry in  $\beta\text{-Si}_3\text{N}_4$  as revealed by convergent beam electron diffraction.* *Acta Cryst.* **B39**, 185–189.
- Bethe, H. A. (1928). *Theorie der Beugung von Elektronen an Kristallen.* *Ann. Phys. (Leipzig)*, **87**, 55–129.
- Bilhorn, D. E., Foldy, L. L., Thaler, R. M. & Tobacman, W. (1964). *Remarks concerning reciprocity in quantum mechanics.* *J. Math. Phys.* **5**, 435–441.
- Blackman, M. (1939). *On the intensities of electron diffraction rings.* *Proc. R. Soc. London Ser. A*, **173**, 68–82.
- Bracewell, B. N. (1956). *Strip integration in radio astronomy.* *Austr. J. Phys.* **9**, 198–217.
- Bricogne, G. & Gilmore, C. J. (1990). *A multisolution method of phase determination by combined maximization of entropy and likelihood. I. Theory, algorithms and strategy.* *Acta Cryst.* **A46**, 284–297.
- Brisse, F. (1989). *Electron diffraction of synthetic polymers: the model compound approach to polymer structure.* *J. Electron Microsc. Tech.* **11**, 272–279.
- Buxton, B., Eades, J. A., Steeds, J. W. & Rackham, G. M. (1976). *The symmetry of electron diffraction zone axis patterns.* *Philos. Trans. R. Soc. London Ser. A*, **181**, 171–193.