

3.6. Specimens for neutron diffraction

BY B. T. M. WILLIS

Specimen preparation for neutron diffraction presents few of the problems encountered in electron diffraction and electron microscopy (Chapter 3.5). This is because – with the exception of a few isotopes – the atomic absorption cross section for slow neutrons is several orders of magnitude less than that for electrons. Whereas thin sections must be prepared from bulk samples for examination by electron microscopy, the bulk samples themselves are used in neutron diffraction.

For structural studies with single crystals, the size of crystal required depends on the magnitude of the incident neutron flux. The fluxes available worldwide from different sources are tabulated by Bacon (1987). If a flux of 10^{14} neutrons $\text{cm}^{-2} \text{s}^{-1}$ is assumed, a crystal of linear dimension about 1 mm is necessary. Corrections for extinction, absorption, and multiple scattering are easier to apply if the crystal is in the form of a flat plate or sphere. Crystals containing hydrogen give rise to a uniform background from incoherent scattering. This background can be removed by deuteration, but for measuring Bragg intensities this is rarely essential. The sample can be examined *in vacuo* or in an inert atmosphere by sealing it inside a silica tube, which causes very little attenuation of the neutron beam for a wall thickness of 0.5 mm.

Structural studies on polycrystalline samples are often undertaken using a cylindrical volume of material, enclosed in a holder of aluminium or vanadium. Apart from its cost, vanadium is an

ideal container because its atomic coherent scattering cross section ($3.3 \times 10^{-30} \text{m}^2$) is negligible compared with its incoherent cross section ($530 \times 10^{-30} \text{m}^2$); consequently, the container contributes significantly to the background, but gives no diffraction lines. Aluminium has negligible absorption and incoherent scattering, and weak coherent scattering. It therefore produces no background scattering, but it does give rise to diffraction peaks, which may be superimposed on those of the sample. Unlike in single-crystal work, it is usually necessary to replace hydrogen atoms by deuterium. By using a cylindrical sample, effects due to preferred orientation can be reduced by rotating the cylinder about its vertical axis.

Coherent inelastic scattering studies, used to investigate the lattice dynamics of crystalline solids [see Section 4.1.1 in *IT B* (1992)], require single crystals of high purity and crystalline perfection (mosaic spread less than 0.3°). Counting rates are, perhaps, one thousand times less than for structural studies, so that the crystal size is measured in centimetres rather than millimetres. Crystals up to 50cm^3 in volume may be used. For such large crystals, there is an upper limit of about $10 \times 10^{-30} \text{m}^2$ to the atomic absorption cross section. This is considerably less than the effective absorption cross section of hydrogen (arising from incoherent scattering), so that hydrogenous compounds must be deuterated for neutron work in which coherent inelastic scattering is measured.

References

3.1

- Axelrod, H. J., Feher, G., Allen, J. P., Chirino, A. J., Day, M. W., Hsu, B. T. & Rees, D. C. (1994). *Crystallization and X-ray structure determination of cytochrome c_2 from rhodospirillum rubrum in three crystal forms*. *Acta Cryst.* **D50**, 596–602.
- Bernard, Y., Degoy, S., Lefaucheur, F. & Robert, M. C. (1994). *A gel-mediated feeding technique for protein crystal growth from hanging drops*. *Acta Cryst.* **D50**, 504–507.
- Bishop, A. C. (1972). *An outline of crystal morphology*, 3rd ed., Chap. 11, pp. 254–282. London: Hutchinson Scientific and Technical.
- Blundell, T. L. & Johnson, L. N. (1976). *Protein crystallography*, Chap. 3, pp. 59–82. New York: Academic Press.
- Britton, D. (1972). *Estimation of twinning parameter for twins with exactly superposed reciprocal lattices*. *Acta Cryst.* **A28**, 296–297.
- Bunn, C. W. (1961). *Chemical crystallography: an introduction to optical and X-ray methods*, 2nd ed., Chaps. 2, 3, 4, pp. 11–106. Oxford University Press.
- Carter, C. W. Jr & Carter, C. W. (1979). *Protein crystallisation using incomplete factorial experiments*. *J. Biol. Chem.* **254**, 12219–12223.
- Carter, C. W. Jr & Yin, Y. (1994). *Quantitative analysis in the characterization and optimization of protein crystal growth*. *Acta Cryst.* **D50**, 572–590.
- Chayen, N. E., Shaw Stewart, P. D. & Baldock, P. (1994). *New developments of the IMPAX small-volume automated crystallization system*. *Acta Cryst.* **D50**, 456–458.
- Chayen, N. E., Shaw Stewart, P. D., Maeder, D. L. & Blow, D. M. (1990). *An automated system for micro-batch protein crystallization and screening*. *J. Appl. Cryst.* **23**, 297–302.
- Cox, M. J. & Weber, P. C. (1987). *Experiments with automated protein crystallization*. *J. Appl. Cryst.* **20**, 366–373.
- Cudney, B., Patel, S. & McPherson, A. (1994). *Crystallization of macromolecules and silica gels*. *Acta Cryst.* **D50**, 479–483.
- Diller, T. C., Shaw, A., Stura, E. A., Vacquier, V. D. & Stout, C. D. (1994). *Acid pH crystallization of the basic protein lysin from the spermatozoa of red abalone (*Haliotis refescens*)*. *Acta Cryst.* **D50**, 627–631.
- Ducruix, A. & Giegé, R. (1992). Editors. *Crystallisation of nucleic acids and proteins: a practical approach*. Oxford University Press.
- Eiselé, J.-L. (1993). *Preparation of protein crystallization buffers with a computer-controlled motorized pipette: PIPEX*. *J. Appl. Cryst.* **26**, 92–96.
- Ferré-D'Amaré, A. R. & Burley, S. K. (1994). *Use of dynamic light scattering to assess crystallisability of macromolecules and macromolecular assemblies*. *Structure*, **2**(5), 357–359.
- Fisher, R. G. & Sweet, R. M. (1980). *Treatment of diffraction data from protein crystals twinned by merohedry*. *Acta Cryst.* **A36**, 755–760.
- Forsythe, E., Ewing, F. & Pusey, M. (1994). *Studies on tetragonal lysozyme crystal growth rates*. *Acta Cryst.* **D50**, 614–619.
- Garavito, R. M. & Picot, D. (1990). *Methods: a companion to methods in enzymology*, Vol. 1, pp. 57–69. New York: Academic Press.

3. PREPARATION AND EXAMINATION OF SPECIMENS

3.1 (cont.)

- García-Ruiz, J. M. & Moreno, A. (1994). *Investigations on protein crystal growth by the gel acupuncture method*. *Acta Cryst.* **D50**, 484–490.
- Giegé, R. & Ducruix, A. (1992). *Crystallisation of nucleic acids and proteins: a practical approach*, edited by A. Ducruix & R. Giegé, pp. 1–15. Oxford University Press.
- Giegé, R., Theobald-Dietrich, A. & Lorber, B. (1993). *Novel trends in protein and nucleic acid crystallisation: biochemical and physico-chemical aspects*. *Data collection and processing. Proceedings of the CCP4 Study Weekend*, edited by L. Sawyer, N. Isaacs & S. Bailey, pp. 12–19. SERC Daresbury Laboratory, Warrington WA4 4AD, England.
- Gilliland, G. L., Tung, M., Blakeslee, D. M. & Ladner, J. E. (1994). *Biological macromolecule crystallization database, Version 3.0: new features, data and the NASA archive for protein crystal growth data*. *Acta Cryst.* **D50**, 408–413.
- Hampton Research (1994). *Crystallisation research tools*, Vol. 4, No. 2. Hampton Research, 5225 Canyon Crest Drive, Suite 71–336, Riverside, CA 92597, USA.
- Harlos, K. (1992). *Micro-bridges for sitting-drop crystallizations*. *J. Appl. Cryst.* **25**, 536–538.
- Hartshorne, N. H. & Stuart, A. (1960). *Crystals and the polarising microscope*, 3rd ed. London: Arnold.
- Helliwell, J. R. (1992). *Macromolecular crystallography with synchrotron radiation*, Chap. 2, pp. 11–23. Cambridge University Press.
- Helliwell, M., Kaucic, V., Cheetham, G. M. T., Harding, M. M., Kariuki, B. M. & Rizkallah, P. J. (1993). *Structure determination from small crystals of two aluminophosphates, CrAPO-14 and SAPO-43*. *Acta Cryst.* **B49**, 413–420.
- Hennig, M. & Schlesier, B. (1994). *Crystallization of seed globulins from legumes*. *Acta Cryst.* **D50**, 627–631.
- Hodeau, J. L., Tu, H. Y., Bordet, P., Fournier, T., Strobel, P., Marezio, M. & Chandrashekar, G. V. (1992). *Structure and twinning of Sr₃CuPtO₆*. *Acta Cryst.* **B48**, 1–11.
- Jancarik, J. & Kim, S.-H. (1991). *Sparse matrix sampling: a screening method for crystallization of proteins*. *J. Appl. Cryst.* **24**, 409–411.
- Jeffery, J. W. (1977). *Methods in X-ray crystallography*, pp. 441–443. London/New York: Academic Press.
- Konnert, J. H., D'Antonio, P. & Ward, K. B. (1994). *Observation of growth steps, spiral dislocations and molecular packing on the surface of lysozyme crystals with the atomic force microscope*. *Acta Cryst.* **D50**, 603–613.
- Ladd, M. F. C. & Palmer, R. A. (1985). *Structure determination by X-ray crystallography*, 2nd ed., Chap. 3, pp. 101–112. New York/London: Plenum.
- Luft, J. & Cody, V. (1989). *A simple capillary vapor diffusion apparatus for surveying macromolecular crystallization conditions*. *J. Appl. Cryst.* **22**, 396.
- Luft, J. R., Arakali, S. V., Kirisits, M. J., Kalenik, J., Waarzak, I., Cody, V., Pangborn, W. A. & DeTitta, G. T. (1994). *A macromolecular crystallization procedure employing diffusion cells of varying depths as reservoirs to tailor the time course of equilibration in hanging- and sitting-drop vapor-diffusion and microdialysis experiments*. *J. Appl. Cryst.* **27**, 443–452.
- McDermott, G. (1993). *Crystallisation of membrane proteins. Data collection and processing. Proceedings of the CCP4 Study Weekend*, edited by L. Sawyer, N. Isaacs & S. Bailey, pp. 20–27. SERC Daresbury Laboratory, Warrington WA4 4AD, England.
- MacGillavry, C. H. & Henry, N. F. M. (1962). *Preliminary investigation and selection of crystals for X-ray study*. *International tables for X-ray crystallography*, Vol. III, pp. 5–13. Birmingham: Kynoch Press.
- McPherson, A. (1976). *The growth and preliminary investigation of protein and nucleic acid crystals for X-ray diffraction*. *Methods Biochem. Anal.*, **25**, 249–345.
- McPherson, A. (1982). *The preparation and analysis of protein crystals*. New York: John Wiley.
- McPherson, A. (1985a). *Crystallisation of macromolecules: general principles*. *Methods in enzymology*, Vol. 114, pp. 112–120. New York: Academic Press.
- McPherson, A. (1985b). *Crystallisation of proteins by variation of pH and temperature*. *Methods in enzymology*, Vol. 114, pp. 125–127. New York: Academic Press.
- McPherson, A. (1990). *Current approaches to macromolecular crystallisation*. *Eur. J. Biochem.* **189**, 1–23.
- Makarova, I. P., Verin, I. A. & Aleksandrov, K. S. (1993). *Structure and twinning of RbLiCrO₄ crystals*. *Acta Cryst.* **B49**, 19–28.
- Mikol, V., Rodeau, J.-L. & Giegé, R. (1989). *Changes of pH during biomacromolecule crystallization by vapour diffusion using ammonium sulfate as the precipitant*. *J. Appl. Cryst.* **22**, 155–161.
- Monaco, H. L. (1994). *The use of ammonium succinate in protein crystallography*. *J. Appl. Cryst.* **27**, 1068.
- Oldfield, T. J., Ceska, T. A. & Brady, R. L. (1991). *A flexible approach to automated protein crystallization*. *J. Appl. Cryst.* **24**, 255–260.
- Phillips, F. C. (1971). *An introduction to crystallography*, 4th ed., Chap. 7, pp. 171–193. Edinburgh: Oliver & Boyd.
- Przybylska, M. (1989). *A double cell for controlling nucleation and growth of protein crystals*. *J. Appl. Cryst.* **22**, 115–118.
- Redinbo, M. R. & Yeates, T. O. (1993). *Structure determination of plastocyanin from a specimen with a hemihedral twinning fraction of one-half*. *Acta Cryst.*, **D49**, 375–380.
- Reynolds, R. A., Remington, S. J., Weaver, L. H., Fisher, R. G., Anderson, W. F., Ammon, H. L. & Matthews, B. W. (1985). *Structure of a serine protease from rat mast cells determined from twinned crystals by isomorphous and molecular replacement*. *Acta Cryst.* **B41**, 139–147.
- Riek, C. (1993). *Beamline I: microfocussing beamline*. In Annual Report of the European Synchrotron Radiation Facility, Grenoble, France.
- Ries-Kautt, M. & Ducruix, A. (1992). *Crystallisation of nucleic acids and proteins: a practical approach*, edited by A. Ducruix & R. Giegé, pp. 195–218. Oxford University Press.
- Robert, M. C., Bernard, Y. & Lefaucheux, F. (1994). *Study of nucleation-related phenomena in lysozyme solutions. Application to gel growth*. *Acta Cryst.* **D50**, 496–503.
- Robert, M. C., Provost, K. & Lefaucheux, F. (1992). *Crystallisation of nucleic acids and proteins: a practical approach*, edited by A. Ducruix & R. Giegé, pp. 127–143. Oxford University Press.
- Sadaoui, N., Janin, J. & Lewit-Bentley, A. (1994). *TAOS: an automated system for protein crystallization*. *J. Appl. Cryst.* **27**, 622–626.
- Scarborough, G. A. (1994). *Large single crystals of the *Neurospora crassa* plasma membrane H⁺-ATPase: an approach to the crystallization of integral membrane proteins*. *Acta Cryst.* **D50**, 643–649.
- Schick, B. & Journak, F. (1994). *Extension of the diffraction resolution of crystals*. *Acta Cryst.* **D50**, 563–568.

REFERENCES

3.1 (cont.)

- Sica, F., Demasi, D., Mazzarella, L., Zagari, A., Capasso, S., Pearl, L. H., D'Auria, S., Raia, C. A. & Rossi, M. (1994). Elimination of twinning in crystals of *sulfolobus solfataricus* alcohol dehydrogenase holo-enzyme by growth in agarose gels. *Acta Cryst.* **D50**, 508–511.
- Sluis, P. van der, Hezemans, A. M. F. & Kroon, J. (1989). Crystallization of low-molecular-weight compounds for X-ray crystallography. *J. Appl. Cryst.* **22**, 340–344.
- Soriano, T. M. B. & Fontecilla-Camps, J. C. (1993). ASTEC: an automated system for sitting-drop protein crystallization. *J. Appl. Cryst.* **26**, 558–562.
- Spangfort, M. D., Surin, B. P., Dixon, N. E. & Svensson, L. A. (1994). Internal symmetry of the molecular chaperone *cpn60* (*GroEL*) determined by X-ray crystallography. *Acta Cryst.* **D50**, 591–595.
- Stout, G. H. & Jensen, L. H. (1968). *X-ray structure determination: a practical guide*, Chap. 4, pp. 62–82. London: Macmillan.
- Thaller, C., Eichelle, G., Weaver, L. H., Wilson, E., Karlsson, R. & Jansonius, J. N. (1985). Seed enlargement and repeated seeding. *Methods in enzymology*, Vol. 114, pp. 132–135. New York: Academic Press.
- Thatcher, D. R. (1993). *Protein purification and analysis for crystallographic studies. Data collection and processing. Proceedings of the CCP4 Study Weekend*, edited by L. Sawyer, N. Isaacs & S. Bailey, pp. 2–11. SERC Daresbury Laboratory, Warrington WA4 4AD, England.
- Thiessen, M. J. (1994). The use of two novel methods to grow protein crystals by microdialysis and vapor diffusion in an agarose gel. *Acta Cryst.* **D50**, 491–495.
- Tipson, R. S. (1956). *Techniques of organic chemistry*, Vol. III, Part I, Chap. 3. New York: Interscience.
- Tissen, J. T. W. M., Fraaije, J. G. E. M., Drenth, J. & Berendsen, H. J. C. (1994). Mesoscopic theories for protein crystal growth. *Acta Cryst.* **D50**, 569–571.

3.2

- Berman, H. (1939). A torsion microbalance for the determination of specific gravities of minerals. *Am. Mineral.* **24**, 434–440.
- Bernal, J. D. & Crowfoot, D. (1934). Use of the centrifuge in determining the density of small crystals. *Nature (London)*, **134**, 809–810.
- British Standards Institution (1964). *Concentration gradient density columns*. British Standard 3715, pp. 1–17. British Standards Institution, London, England.
- Graubner, H. (1986). *Densitometer for absolute measurements of the temperature dependence of density, partial volumes and thermal expansivity of solids and liquids*. *Rev. Sci. Instrum.* **57**, 2817–2826.
- Guo, S. Y. & White, E. T. (1983). Measurement on inclusions in sugar crystals using a density gradient column. *Proc. Austr. Soc. Sugar Cane Technol.* pp. 219–224.
- Hauptmann, H. & Schulze, G. E. R. (1934). Über ein neues Microvolumenometer. *Z. Phys. Chem. Abt. A*, **171**, 36–40.
- Johnston, J. & Adams, L. H. (1912). On the density of solid substances, with especial reference to permanent changes produced by high pressures. *J. Am. Chem. Soc.* **34**, 563–584.
- Kundrot, C. E. & Richards, F. M. (1988). Effect of hydrostatic pressure on the solvent in crystals of hen egg-white lysozyme. *J. Mol. Biol.* **200**, 401–410.

- Kwong, P. D., Pound, A. & Hendrickson, W. A. (1994). Volume-specific amino acid analysis: a method for Z_a determination. *J. Appl. Cryst.* **27**, 504–509.
- Linderstrom-Lang, K. (1937). Dilatometric ultra-microestimation of peptidase activity. *Nature (London)*, **139**, 713–714.
- Linderstrom-Lang, K. & Lanz, H. Jr (1938). Studies on enzymatic histochemistry. XXIX. Dilatometric micro-estimation of peptidase activity. *C. R. Trav. Lab. Carlsberg Ser. Chim.* **21**, 315–338.
- Low, B. W. & Richards, F. M. (1952a). The use of the gradient tube for the determination of crystal densities. *J. Am. Chem. Soc.* **74**, 1660–1666.
- Low, B. W. & Richards, F. M. (1952b). Determination of protein crystal densities. *Nature (London)*, **170**, 412–415.
- Low, B. W. & Richards, F. M. (1954). Measurements of the density, composition and related unit cell dimensions of some protein crystals. *J. Am. Chem. Soc.* **76**, 2511–2518.
- Mason, B. (1944). The determination of the density of solids. *Geol. Foeren. Stockholm Foerh.* **66**, 27–51.
- Matthews, B. W. (1968). Solvent content of protein crystals. *J. Mol. Biol.* **33**, 491–497.
- Meyrowitz, R., Cuttitta, F. & Hickling, N. (1959). A new diluent for bromoform in heavy liquid separation of minerals. *Am. Mineral.* **44**, 884–885.
- Midgley, H. G. (1951). A quick method of determining the density of liquid mixtures. *Acta Cryst.* **4**, 565.
- Rabukhin, V. B. (1982). String method of measuring the density of irradiated metallic crystals. *At. Energ.* **52**, 131–132.
- Reilly, J. & Rae, W. N. (1954). *Physico-chemical methods*, Vol. 1, 5th ed., pp. 577–608. New York: van Nostrand.
- Richards, F. M. (1954). A microbalance for the determination of protein crystal densities. *Rev. Sci. Instrum.* **24**, 1029–1034.
- Richards, F. M. & Thompson, T. E. (1952). Application of Mohr-Westphal balance to rapid calibration of wide range density-gradient columns. *Anal. Chem.* **24**, 1052–1053.
- Sullivan, J. D. (1927). *Heavy liquids for mineralogical analyses*. *US Bur. Mines Tech. Pap.* No. 381.
- Syromyatnikov, F. V. (1935). The micropycnometric method for the determination of specific gravities of minerals. *Am. Mineral.* **20**, 364–370.
- Tutton, A. E. (1922). *Crystallography and practical crystal measurement*, Vol. 1, pp. 625–639. London: Macmillan.
- Westbrook, E. M. (1976). *J. Mol. Biol.* **103**, 659–664.
- Westbrook, E. M. (1985). *Methods Enzymol.* **114**, 187–196.
- Wulff, P. & Heigl, A. (1931). *Methodisches zur Dichtebestimmung fester Stoffe, insbesondere anorganischer Salze*. *Z. Phys. Chem. Abt. A*, **153**, 187–209.
- Wunderlich, J. A. (1957). Un méthode rapide pour mesurer la densité d'un cristal. *Acta Cryst.* **10**, 433–434.

3.3

- Butler, R. D. (1933). Immersion liquids of intermediate refraction. *Am. Mineral.* **18**, 386–401.
- Hartshorne, N. H. & Stuart, A. (1960). *Crystals and the polarising microscope*, 3rd ed. London: Arnold.
- International Tables for X-ray Crystallography* (1962). Vol. III. Birmingham: Kynoch Press.
- Jelley, E. E. (1934). A microfractometer and its use in chemical microscopy. *J. R. Microsc. Soc.* **54**, 234–245.
- Larsen, E. S. Jr & Berman, H. (1934). *The microscopic determination of nonopaque minerals*, 2nd ed. *US Geol. Survey Bull.* No. 848.