

Tetragonal

6. SCANNING TABLES

Laue class $D_{4h} - 4/mmm$ No. 91 $P4_122$ $\mathcal{G} = P4_122$ D_4^3

Orientation orbit (hkl)	Conventional basis of the scanning group $\mathbf{a}' \quad \mathbf{b}' \quad \mathbf{d}$	Scanning group \mathcal{H}	Linear orbit $s\mathbf{d}$	Sectional layer group $\mathcal{L}(s\mathbf{d})$
(001)	$\mathbf{a} \quad \mathbf{b} \quad \mathbf{c}$	$P4_122$	$[0\mathbf{d}, \frac{1}{2}\mathbf{d};$ $\frac{1}{4}\mathbf{d}, \frac{3}{4}\mathbf{d}]$ $[\frac{1}{8}\mathbf{d}, \frac{5}{8}\mathbf{d};$ $\frac{3}{8}\mathbf{d}, \frac{7}{8}\mathbf{d}]$ $[\pm s\mathbf{d}, (\pm s + \frac{1}{4})\mathbf{d},$ $(\pm s + \frac{1}{2})\mathbf{d}, (\pm s + \frac{3}{4})\mathbf{d}]$	$p121$ L08 $p211$ L08 $\widehat{c}211$ L10 $\widehat{c}121$ L10 $p1$ L01
(100)	$\mathbf{b} \quad \mathbf{c} \quad \mathbf{a}$	$P22_12$ $(\mathbf{b}'/4)$	$0\mathbf{d}, \frac{1}{2}\mathbf{d}$ $[s\mathbf{d}, -s\mathbf{d}]$	$p22_12 (\mathbf{b}'/4)$ L20 $p112 (\mathbf{b}'/4)$ L03
	$-\mathbf{a} \quad \mathbf{c} \quad \mathbf{b}$		$0\mathbf{d}, \frac{1}{2}\mathbf{d}$ $[s\mathbf{d}, -s\mathbf{d}]$	$p22_12$ L20 $p112$ L03
(110)	$(-\mathbf{a}+\mathbf{b}) \quad \mathbf{c} \quad (\mathbf{a}+\mathbf{b})$	$B22_12$ $(\mathbf{b}'/8)$	$[0\mathbf{d}, \frac{1}{2}\mathbf{d}]$ $[\frac{1}{4}\mathbf{d}, \frac{3}{4}\mathbf{d}]$ $[\pm s\mathbf{d}, (\pm s + \frac{1}{2})\mathbf{d}]$	$p22_12 (3\mathbf{b}'/8)$ L20 $p2_12_12 (\mathbf{b}'/8)$ L21 $p112 (\mathbf{b}'/8)$ L03
	$(\mathbf{a}+\mathbf{b}) \quad \mathbf{c} \quad (\mathbf{a}-\mathbf{b})$		$[0\mathbf{d}, \frac{1}{2}\mathbf{d}]$ $[\frac{1}{4}\mathbf{d}, \frac{3}{4}\mathbf{d}]$ $[\pm s\mathbf{d}, (\pm s + \frac{1}{2})\mathbf{d}]$	$p22_12 (\mathbf{b}'/8)$ L20 $p2_12_12 (\mathbf{b}'/8)$ L21 $p112 (\mathbf{b}'/8)$ L03

No. 92 $P4_12_12$ $\mathcal{G} = P4_12_12$ D_4^4

Orientation orbit (hkl)	Conventional basis of the scanning group $\mathbf{a}' \quad \mathbf{b}' \quad \mathbf{d}$	Scanning group \mathcal{H}	Linear orbit $s\mathbf{d}$	Sectional layer group $\mathcal{L}(s\mathbf{d})$
(001)	$\mathbf{a} \quad \mathbf{b} \quad \mathbf{c}$	$P4_12_12$	$[0\mathbf{d}, \frac{1}{2}\mathbf{d};$ $\frac{1}{4}\mathbf{d}, \frac{3}{4}\mathbf{d}]$ $[\frac{1}{8}\mathbf{d}, \frac{5}{8}\mathbf{d};$ $\frac{3}{8}\mathbf{d}, \frac{7}{8}\mathbf{d}]$ $[\pm s\mathbf{d}, (\pm s + \frac{1}{4})\mathbf{d},$ $(\pm s + \frac{1}{2})\mathbf{d}, (\pm s + \frac{3}{4})\mathbf{d}]$	$\widehat{c}121$ L10 $\widehat{c}211$ L10 $p12_11 (\mathbf{a}/4)$ L09 $p2_111 (\mathbf{b}/4)$ L09 $p1$ L01
(100)	$\mathbf{b} \quad \mathbf{c} \quad \mathbf{a}$	$P2_12_12_1$ $(3\mathbf{b}'/8 + \mathbf{d}/4)$	$[0\mathbf{d}, \frac{1}{2}\mathbf{d}]$ $[\frac{1}{4}\mathbf{d}, \frac{3}{4}\mathbf{d}]$ $[\pm s\mathbf{d}, (\pm s + \frac{1}{2})\mathbf{d}]$	$p12_11$ L09 $p2_111 (\mathbf{b}'/8)$ L09 $p1$ L01
	$-\mathbf{a} \quad \mathbf{c} \quad \mathbf{b}$		$[0\mathbf{d}, \frac{1}{2}\mathbf{d}]$ $[\frac{1}{4}\mathbf{d}, \frac{3}{4}\mathbf{d}]$ $[\pm s\mathbf{d}, (\pm s + \frac{1}{2})\mathbf{d}]$	$p12_11$ L09 $p2_111 (\mathbf{b}'/8)$ L09 $p1$ L01
(110)	$(-\mathbf{a}+\mathbf{b}) \quad \mathbf{c} \quad (\mathbf{a}+\mathbf{b})$	$B22_12$	$[0\mathbf{d}, \frac{1}{2}\mathbf{d}]$ $[\frac{1}{4}\mathbf{d}, \frac{3}{4}\mathbf{d}]$ $[\pm s\mathbf{d}, (\pm s + \frac{1}{2})\mathbf{d}]$	$p22_12$ L20 $p2_12_12$ L21 $p112$ L03
	$(\mathbf{a}+\mathbf{b}) \quad \mathbf{c} \quad (\mathbf{a}-\mathbf{b})$		$[0\mathbf{d}, \frac{1}{2}\mathbf{d}]$ $[\frac{1}{4}\mathbf{d}, \frac{3}{4}\mathbf{d}]$ $[\pm s\mathbf{d}, (\pm s + \frac{1}{2})\mathbf{d}]$	$p22_12 (\mathbf{b}'/4)$ L20 $p2_12_12 (\mathbf{b}'/4)$ L21 $p112 (\mathbf{b}'/4)$ L03

No. 142 $I4_1/acd$

$$\mathcal{G} = I\frac{4}{a}\frac{1}{c}\frac{2}{d}$$

 D_{4h}^{20}

origin 2

Orientation orbit (hkl)	Conventional basis of the scanning group $\mathbf{a}' \quad \mathbf{b}' \quad \mathbf{d}$	Scanning group \mathcal{H}	Linear orbit $s\mathbf{d}$	Sectional layer group $\mathcal{L}(s\mathbf{d})$
(001)	$\mathbf{a} \quad \mathbf{b} \quad \mathbf{c}$	$I4_1/acd$ (origin 2)	$[0\mathbf{d}, \frac{1}{2}\mathbf{d};$ $\frac{1}{4}\mathbf{d}, \frac{3}{4}\mathbf{d}]$ $[\frac{1}{8}\mathbf{d}, \frac{5}{8}\mathbf{d};$ $\frac{3}{8}\mathbf{d}, \frac{7}{8}\mathbf{d}]$ $[\pm s\mathbf{d}, (\pm s + \frac{1}{4})\mathbf{d},$ $(\pm s + \frac{1}{2})\mathbf{d}, (\pm s + \frac{3}{4})\mathbf{d}]$	$pbab$ L43 $pbaa [(\mathbf{a} + \mathbf{b})/4]$ L43 $p\bar{4}b2 (3\mathbf{b}/4)$ L60 $p\bar{4}b2 (\mathbf{b}/4)$ L60 $pba2 (\mathbf{b}/4)$ L25
(100)	$\mathbf{b} \quad \mathbf{c} \quad \mathbf{a}$	$Ibca$	$[0\mathbf{d}, \frac{1}{2}\mathbf{d}]$ $[\frac{1}{4}\mathbf{d}, \frac{3}{4}\mathbf{d}]$ $[\pm s\mathbf{d}, (\pm s + \frac{1}{2})\mathbf{d}]$	$pbab$ L43 $pbaa [(\mathbf{a}' + \mathbf{b}')/4]$ L43 $pba2 (\mathbf{b}'/4)$ L25
(010)	$-\mathbf{a} \quad \mathbf{c} \quad \mathbf{b}$	$Ibca$ [($\mathbf{a}' + \mathbf{b}' + \mathbf{d}$)/4]	$[0\mathbf{d}, \frac{1}{2}\mathbf{d}]$ $[\frac{1}{4}\mathbf{d}, \frac{3}{4}\mathbf{d}]$ $[\pm s\mathbf{d}, (\pm s + \frac{1}{2})\mathbf{d}]$	$pbaa$ L43 $pbab [(\mathbf{a}' + \mathbf{b}')/4]$ L43 $pba2 (\mathbf{a}'/4)$ L25
(110)	$(-\mathbf{a} + \mathbf{b}) \quad \mathbf{c} \quad (\mathbf{a} + \mathbf{b})$	$Fddd$ (or. 1) [$3(\mathbf{a}' + \mathbf{b}' + \mathbf{d})/8$] or $Fddd$ (or. 2)	$[0\mathbf{d}, \frac{1}{2}\mathbf{d};$ $\frac{1}{4}\mathbf{d}, \frac{3}{4}\mathbf{d}]$ $[\frac{1}{8}\mathbf{d}, \frac{5}{8}\mathbf{d};$ $\frac{3}{8}\mathbf{d}, \frac{7}{8}\mathbf{d}]$ $[\pm s\mathbf{d}, (\pm s + \frac{1}{4})\mathbf{d};$ $(\pm s + \frac{1}{2})\mathbf{d}, (\pm s + \frac{3}{4})\mathbf{d}]$	$\hat{p}112/b$ L16 $\hat{p}112/a (\mathbf{a}'/4 \text{ or } \mathbf{b}'/4)$ L16 $c222 [(\mathbf{a}' + \mathbf{b}')/8]$ L22 $c222 [3(\mathbf{a}' + \mathbf{b}')/8]$ L22
(1 $\bar{1}0$)	$(\mathbf{a} + \mathbf{b}) \quad \mathbf{c} \quad (\mathbf{a} - \mathbf{b})$	$Fddd$ (or. 1) [($\mathbf{a}' + \mathbf{b}' + 3\mathbf{d}$)/8] or $Fddd$ (or. 2) [($\mathbf{a}' + \mathbf{b}'$)/4]	$[0\mathbf{d}, \frac{1}{2}\mathbf{d};$ $\frac{1}{4}\mathbf{d}, \frac{3}{4}\mathbf{d}]$ $[\frac{1}{8}\mathbf{d}, \frac{5}{8}\mathbf{d};$ $\frac{3}{8}\mathbf{d}, \frac{7}{8}\mathbf{d}]$ $[\pm s\mathbf{d}, (\pm s + \frac{1}{4})\mathbf{d};$ $(\pm s + \frac{1}{2})\mathbf{d}, (\pm s + \frac{3}{4})\mathbf{d}]$	$\hat{p}112 [(\mathbf{a}' + \mathbf{b}')/8]$ L03 $\hat{p}112/b$ L16 $\hat{p}112/a (\mathbf{a}'/4 \text{ or } \mathbf{b}'/4)$ L16 $c222 [3(\mathbf{a}' + \mathbf{b}')/8]$ L22 $c222 [(\mathbf{a}' + \mathbf{b}')/8]$ L22 $\hat{p}112 [(\mathbf{a}' + \mathbf{b}')/8]$ L03

Auxiliary tables for Laue class $D_{4h} - 4/mmm$ Centring type P

Orientation orbit (hkl)	Conventional basis of the scanning group $\mathbf{a}' \quad \mathbf{b}' \quad \mathbf{d}$	Auxiliary basis of the scanning group $\hat{\mathbf{a}} \quad \hat{\mathbf{b}} \quad \hat{\mathbf{c}}$
($m n 0$)	\mathbf{c} $n\mathbf{a} - m\mathbf{b}$ $p\mathbf{a} + q\mathbf{b}$	$\mathbf{a} \quad \mathbf{b} \quad \mathbf{c}$
($\bar{n} m 0$)	\mathbf{c} $m\mathbf{a} + n\mathbf{b}$ $-q\mathbf{a} + p\mathbf{b}$	
($\bar{m} \bar{n} 0$)	\mathbf{c} $n\mathbf{a} + m\mathbf{b}$ $-p\mathbf{a} + q\mathbf{b}$	
($n m 0$)	\mathbf{c} $m\mathbf{a} - n\mathbf{b}$ $q\mathbf{a} + p\mathbf{b}$	
($0 m n$)	\mathbf{a} $n\mathbf{b} - m\mathbf{c}$ $p\mathbf{b} + q\mathbf{c}$	$\mathbf{b} \quad \mathbf{c} \quad \mathbf{a}$
($0 \bar{m} \bar{n}$)	\mathbf{a} $n\mathbf{b} + m\mathbf{c}$ $-p\mathbf{b} + q\mathbf{c}$	
($m 0 n$)	\mathbf{b} $m\mathbf{c} - n\mathbf{a}$ $q\mathbf{c} + p\mathbf{a}$	$\mathbf{c} \quad \mathbf{a} \quad \mathbf{b}$
($m 0 \bar{n}$)	\mathbf{b} $m\mathbf{c} + n\mathbf{a}$ $-q\mathbf{c} + p\mathbf{a}$	
($h h l$)	$\mathbf{a} - \mathbf{b}$ $n(\mathbf{a} + \mathbf{b}) - m\mathbf{c}$ $p(\mathbf{a} + \mathbf{b}) + q\mathbf{c}$	$\mathbf{a} + \mathbf{b} \quad \mathbf{c} \quad \mathbf{a} - \mathbf{b}$
($\bar{h} h l$)	$\mathbf{a} - \mathbf{b}$ $n(\mathbf{a} + \mathbf{b}) + m\mathbf{c}$ $-p(\mathbf{a} + \mathbf{b}) + q\mathbf{c}$	
($h \bar{h} l$)	$\mathbf{a} + \mathbf{b}$ $n(\mathbf{b} - \mathbf{a}) - m\mathbf{c}$ $p(\mathbf{b} - \mathbf{a}) + q\mathbf{c}$	$\mathbf{b} - \mathbf{a} \quad \mathbf{c} \quad \mathbf{a} + \mathbf{b}$
($\bar{h} \bar{h} l$)	$\mathbf{a} + \mathbf{b}$ $n(\mathbf{b} - \mathbf{a}) + m\mathbf{c}$ $-p(\mathbf{b} - \mathbf{a}) + q\mathbf{c}$	
l odd $\Rightarrow n = l, m = 2h; l$ even $\Rightarrow n = l/2, m = h$		

Arithmetic class $422P$

Serial No.	89 D_4^1 $P422$	90 D_4^2 $P4_{21}2$	91 D_4^3 $P4_{12}2$	92 D_4^4 $P4_{121}2$	93 D_4^5 $P4_{222}$	94 D_4^6 $P4_{212}2$	95 D_4^7 $P4_{322}$	96 D_4^8 $P4_{321}2$
($mn0$)	$P112$	$P112$	$P112_1$	$P112_1$	$P112$	$P112$	$P112_1$	$P112_1$
($\bar{n}m0$)								
($\bar{m}n0$)								
($nm0$)								
($0mn$)	$P112$	$P112_1$ ($\mathbf{b}/4$)	$P112$ ($\mathbf{c}/4$)	$P112_1$ ($\mathbf{b}/4 + 3\mathbf{c}/8$)	$P112$	$P112_1$ ($\mathbf{b} + \mathbf{c}/4$)	$P112$ ($\mathbf{c}/4$)	$P112_1$ ($\mathbf{b}/4 + \mathbf{c}/8$)
($0\bar{m}n$)		$P112_1$	$P112$	$P112_1$		$P112_1$	$P112$	$P112_1$
($m0n$)		$(\mathbf{a}/4)$		$(\mathbf{a}/4 + \mathbf{c}/8)$		$(\mathbf{a} + \mathbf{c})/4$		$(\mathbf{a}/4 + 3\mathbf{c}/8)$
($m0\bar{n}$)								
(hh l)	$B112$	$B112$	$B112$	$B112$	$B112$	$B112$	$B112$	$B112$
($\bar{h}h$ l)			$(\mathbf{c}/8)$	$(\mathbf{c}/4)$			$(3\mathbf{c}/8)$	$(\mathbf{c}/4)$
($h\bar{h}$ l)			$B112$	$B112$			$B112$	$B112$
($\bar{h}h$ l)				$(3\mathbf{c}/8)$			$(\mathbf{c}/8)$	

Arithmetic class $4mmP$

Serial No.	99 C_{4v}^1 $P4mm$	100 C_{4v}^2 $P4bm$	101 C_{4v}^3 $P4_{2cm}$	102 C_{4v}^4 $P4_{2nm}$	103 C_{4v}^5 $P4cc$	104 C_{4v}^6 $P4nc$	105 C_{4v}^7 $P4_{2mc}$	106 C_{4v}^8 $P4_{2bc}$
($mn0$)	$P112$	$P112$	$P112$	$P112$	$P112$	$P112$	$P112$	$P112$
($\bar{n}m0$)								
($\bar{m}n0$)								
($nm0$)								
($0mn$)	$P11m$	$P11a$ ($\mathbf{a}/4$)	$P11b$	$P11n$	$P11b$	$P11n$	$P11m$	$P11a$ ($\mathbf{a}/4$)
($0\bar{m}n$)		$P11b$	$P11a$		$P11a$			$P11b$ ($\mathbf{b}/4$)
($m0n$)		$(\mathbf{b}/4)$						
($m0\bar{n}$)								
(hh l)	$B11m$	$B11m$ ($\mathbf{a} - \mathbf{b}/4$)	$B11m$	$B11m$	$B11b$	$B11b$ ($\mathbf{a} - \mathbf{b}/4$)	$B11b$	$B11b$ ($\mathbf{a} - \mathbf{b}/4$)
($\bar{h}h$ l)			$B11m$			$B11b$ ($\mathbf{a} + \mathbf{b}/4$)		$B11b$ ($\mathbf{a} + \mathbf{b}/4$)
($h\bar{h}$ l)								
($\bar{h}h$ l)			$(\mathbf{a} + \mathbf{b}/4)$					

Arithmetic classes $\bar{4}2mP$ and $\bar{4}m2P$

Serial No.	111 D_{2d}^1 $P\bar{4}2m$	112 D_{2d}^2 $P\bar{4}2c$	113 D_{2d}^3 $P\bar{4}2_{1m}$	114 D_{2d}^4 $P\bar{4}2_{1c}$	115 D_{2d}^5 $P\bar{4}m2$	116 D_{2d}^6 $P\bar{4}c2$	117 D_{2d}^7 $P\bar{4}b2$	118 D_{2d}^8 $P\bar{4}n2$
($mn0$)	$P112$	$P112$	$P112$	$P112$	$P112$	$P112$	$P112$	$P112$
($\bar{n}m0$)								
($\bar{m}n0$)								
($nm0$)								
($0mn$)	$P112$	$P112$	$(\mathbf{c}/4)$	$P112_1$ ($\mathbf{b}/4$)	$P112_1$ ($\mathbf{b} + \mathbf{c}/4$)	$P11m$	$P11b$	$P11a$ ($\mathbf{a}/4$)
($0\bar{m}n$)				$P112_1$ ($\mathbf{a}/4$)	$P112_1$ ($\mathbf{a} + \mathbf{c}/4$)		$P11a$	$P11b$ ($\mathbf{b}/4$)
($m0n$)								
($m0\bar{n}$)								
(hh l)	$B11m$	$B11b$	$B11m$ ($\mathbf{a} - \mathbf{b}/4$)	$B11b$ ($\mathbf{a} - \mathbf{b}/4$)	$B112$	$B112$ ($\mathbf{c}/4$)	$B112$ ($\mathbf{a} + \mathbf{b}/4$)	$B112$ ($\mathbf{a} + \mathbf{b} + \mathbf{c}/4$)
($\bar{h}h$ l)							$B112$ ($\mathbf{a} - \mathbf{b}/4$)	$B112$ ($\mathbf{a} - \mathbf{b} + \mathbf{c}/4$)
($h\bar{h}$ l)								
($\bar{h}h$ l)				$(\mathbf{a} + \mathbf{b}/4)$	$(\mathbf{a} + \mathbf{b}/4)$			