

REFERENCES

References

16.1

- Anderson, D. H., Weiss, M. S. & Eisenberg, D. (1996). A challenging case for protein crystal structure determination: the mating pheromone *Er-1* from *Euplotes raikovi*. *Acta Cryst.* **D52**, 469–480.
- Aree, T., Usón, I., Schulz, B., Reck, G., Hoier, H., Sheldrick, G. M. & Saenger, W. (1999). Variation of a theme: crystal structure with four octakis(2,3,6-tri-*O*-methyl)- γ -cyclodextrin molecules hydrated differently by a total of 19.3 water. *J. Am. Chem. Soc.* **121**, 3321–3327.
- Baggio, R., Woolfson, M. M., Declercq, J.-P. & Germain, G. (1978). On the application of phase relationships to complex structures. XVI. A random approach to structure determination. *Acta Cryst.* **A34**, 883–892.
- Beurskens, P. T. (1981). A statistical interpretation of rotation and translation functions in reciprocal space. *Acta Cryst.* **A37**, 426–430.
- Bhuiya, A. K. & Stanley, E. (1963). The refinement of atomic parameters by direct calculation of the minimum residual. *Acta Cryst.* **16**, 981–984.
- Blessing, R. H. (1997). *LOCSC*: a program to statistically optimize local scaling of single-isomorphous-replacement and single-wavelength-anomalous-scattering data. *J. Appl. Cryst.* **30**, 176–177.
- Blessing, R. H., Guo, D. Y. & Langs, D. A. (1996). Statistical expectation value of the Debye–Waller factor and $E(hkl)$ values for macromolecular crystals. *Acta Cryst.* **D52**, 257–266.
- Blessing, R. H. & Smith, G. D. (1999). Difference structure-factor normalization for heavy-atom or anomalous-scattering substructure determinations. *J. Appl. Cryst.* **32**, 664–670.
- Bricogne, G. (1998). Bayesian statistical viewpoint on structure determination: basic concepts and examples. *Methods Enzymol.* **276**, 361–423.
- Burla, M. C., Camalli, M., Cascarano, G., Giacovazzo, C., Polidori, G., Spagna, R. & Viterbo, D. (1989). *SIR88* – a direct-methods program for the automatic solution of crystal structures. *J. Appl. Cryst.* **22**, 389–393.
- Chang, C.-S., Weeks, C. M., Miller, R. & Hauptman, H. A. (1997). Incorporating tangent refinement in the Shake-and-Bake formalism. *Acta Cryst.* **A53**, 436–444.
- Cochran, W. (1955). Relations between the phases of structure factors. *Acta Cryst.* **8**, 473–478.
- Dauter, Z., Dauter, M., de La Fortelle, E., Bricogne, G. & Sheldrick, G. M. (1999). Can anomalous signal of sulfur become a tool for solving protein crystal structures? *J. Mol. Biol.* **289**, 83–92.
- Dauter, Z., Sieker, L. C. & Wilson, K. S. (1992). Refinement of rubredoxin from *Desulfovibrio vulgaris* at 1.0 Å with and without restraints. *Acta Cryst.* **B48**, 42–59.
- Deacon, A. M. & Ealick, S. E. (1999). Selenium-based MAD phasing: setting the sites on larger structures. *Structure*, **7**, R161–R166.
- Deacon, A. M., Weeks, C. M., Miller, R. & Ealick, S. E. (1998). The Shake-and-Bake structure determination of triclinic lysozyme. *Proc. Natl Acad. Sci. USA*, **95**, 9284–9289.
- Debaerdemaeker, T., Tate, C. & Woolfson, M. M. (1985). On the application of phase relationships to complex structures. XXIV. The Sayre tangent formula. *Acta Cryst.* **A41**, 286–290.
- Debaerdemaeker, T. & Woolfson, M. M. (1983). On the application of phase relationships to complex structures. XXII. Techniques for random phase refinement. *Acta Cryst.* **A39**, 193–196.
- Debaerdemaeker, T. & Woolfson, M. M. (1989). On the application of phase relationships to complex structures. XXVIII. XMY as a random approach to the phase problem. *Acta Cryst.* **A45**, 349–353.
- DeTitta, G. T., Edmonds, J. W., Langs, D. A. & Hauptman, H. (1975). Use of the negative quartet cosine invariants as a phasing figure of merit: *NQUEST*. *Acta Cryst.* **A31**, 472–479.
- DeTitta, G. T., Weeks, C. M., Thuman, P., Miller, R. & Hauptman, H. A. (1994). Structure solution by minimal-function phase refinement and Fourier filtering. I. Theoretical basis. *Acta Cryst.* **A50**, 203–210.
- Drendel, W. B., Dave, R. D. & Jain, S. (1995). Forced coalescence phasing: a method for *ab initio* determination of crystallographic phases. *Proc. Natl Acad. Sci. USA*, **92**, 547–551.
- Drouin, M. (1998). Personal communication.
- Ekstrom, J. L., Mathews, I. I., Stanley, B. A., Pegg, A. E. & Ealick, S. E. (1999). The crystal structure of human *S*-adenosylmethionine decarboxylase at 2.25 Å resolution reveals a novel fold. *Structure*, **7**, 583–595.
- Fan, H.-F. & Gu, Y.-X. (1985). Combining direct methods with isomorphous replacement or anomalous scattering data. III. The incorporation of partial structure information. *Acta Cryst.* **A41**, 280–284.
- Fan, H.-F., Han, F.-S. & Qian, J.-Z. (1984). Combining direct methods with isomorphous replacement or anomalous scattering data. II. The treatment of errors. *Acta Cryst.* **A40**, 495–498.
- Fan, H.-F., Hao, Q., Gu, Y.-X., Qian, J.-Z., Zheng, C.-D. & Ke, H. (1990). Combining direct methods with isomorphous replacement or anomalous scattering data. VII. *Ab initio* phasing of one-wavelength anomalous scattering data from a small protein. *Acta Cryst.* **A46**, 935–939.
- Fortier, S., Moore, N. J. & Fraser, M. E. (1985). A direct-methods solution to the phase problem in the single isomorphous replacement case: theoretical basis and initial applications. *Acta Cryst.* **A41**, 571–577.
- Frazão, C., Sieker, L., Sheldrick, G. M., Lamzin, V., LeGall, J. & Carrondo, M. A. (1999). *Ab initio* structure solution of a dimeric cytochrome *c3* from *Desulfovibrio gigas* containing disulfide bridges. *J. Biol. Inorg. Chem.* **4**, 162–165.
- Fujinaga, M. & Read, R. J. (1987). Experiences with a new translation-function program. *J. Appl. Cryst.* **20**, 517–521.
- Germain, G., Main, P. & Woolfson, M. M. (1970). On the application of phase relationships to complex structures. II. Getting a good start. *Acta Cryst.* **B26**, 274–285.
- Germain, G. & Woolfson, M. M. (1968). On the application of phase relationships to complex structures. *Acta Cryst.* **B24**, 91–96.
- Gessler, K., Usón, I., Takaha, T., Krauss, N., Smith, S. M., Okada, S., Sheldrick, G. M. & Saenger, W. (1999). *V*-Amylose at atomic resolution: X-ray structure of a cycloamylose with 26 glucoses. *Proc. Natl Acad. Sci. USA*, **96**, 4246–4251.
- Giacovazzo, C. (1976). A probabilistic theory of the cosine invariant $\cos(\varphi_h + \varphi_k + \varphi_l - \varphi_{h+k+l})$. *Acta Cryst.* **A32**, 91–99.
- Giacovazzo, C. (2001). Direct methods. In *International tables for crystallography*, Vol. B. Reciprocal space, edited by U. Shmueli, pp. 210–234. Dordrecht: Kluwer Academic Publishers.
- Giacovazzo, C. & Platas, J. G. (1995). The *ab initio* crystal structure solution of proteins by direct methods. IV. The use of the partial structure. *Acta Cryst.* **A51**, 398–404.
- Giacovazzo, C., Siliqi, D. & Platas, J. G. (1995). The *ab initio* crystal structure solution of proteins by direct methods. V. A new normalizing procedure. *Acta Cryst.* **A51**, 811–820.
- Giacovazzo, C., Siliqi, D., Platas, J. G., Hecht, H.-J., Zanotti, G. & York, B. (1996). The *ab initio* crystal structure solution of proteins by direct methods. VI. Complete phasing up to derivative resolution. *Acta Cryst.* **D52**, 813–825.
- Giacovazzo, C., Siliqi, D. & Ralph, A. (1994). The *ab initio* crystal structure solution of proteins by direct methods. I. Feasibility. *Acta Cryst.* **A50**, 503–510.
- Giacovazzo, C., Siliqi, D. & Spagna, R. (1994). The *ab initio* crystal structure solution of proteins by direct methods. II. The procedure and its first applications. *Acta Cryst.* **A50**, 609–621.
- Giacovazzo, C., Siliqi, D. & Zanotti, G. (1995). The *ab initio* crystal structure solution of proteins by direct methods. III. The phase extension process. *Acta Cryst.* **A51**, 177–188.
- Hauptman, H. (1974). On the theory and estimation of the cosine invariants $\cos(\varphi_1 + \varphi_m + \varphi_n + \varphi_p)$. *Acta Cryst.* **A30**, 822–829.
- Hauptman, H. (1975). A new method in the probabilistic theory of the structure invariants. *Acta Cryst.* **A31**, 680–687.
- Hauptman, H. (1982a). On integrating the techniques of direct methods and isomorphous replacement. I. The theoretical basis. *Acta Cryst.* **A38**, 289–294.

16. DIRECT METHODS

16.1 (cont.)

- Hauptman, H. (1982b). *On integrating the techniques of direct methods with anomalous dispersion. I. The theoretical basis.* *Acta Cryst.* **A38**, 632–641.
- Hauptman, H., Fisher, J., Hancock, H. & Norton, D. A. (1969). *Phase determination for the estriol structure.* *Acta Cryst.* **B25**, 811–814.
- Hauptman, H. A. (1991). *A minimal principle in the phase problem.* In *Crystallographic computing 5: from chemistry to biology*, edited by D. Moras, A. D. Podjarny & J. C. Thierry, pp. 324–332. Oxford: International Union of Crystallography and Oxford University Press.
- Hauptman, H. A. (1996). *The SAS maximal principle: a new approach to the phase problem.* *Acta Cryst.* **A52**, 490–496.
- Hauptman, H. A. & Karle, J. (1953). *Solution of the phase problem. I. The centrosymmetric crystal.* *Am. Crystallogr. Assoc. Monograph No. 3.* Dayton, Ohio: Polycrystal Book Service.
- Hauptman, H. A., Xu, H., Weeks, C. M. & Miller, R. (1999). *Exponential Shake-and-Bake: theoretical basis and applications.* *Acta Cryst.* **A55**, 891–900.
- Hendrickson, W. A. & Ogata, C. M. (1997). *Phase determination from multiwavelength anomalous diffraction measurements.* *Methods Enzymol.* **276**, 494–523.
- Hodel, A., Kim, S.-H. & Brünger, A. T. (1992). *Model bias in macromolecular crystal structures.* *Acta Cryst.* **A48**, 851–858.
- Hu, N.-H. & Liu, Y.-S. (1997). *General expression for probabilistic estimation of multiphase structure invariants in the case of a native protein and multiple derivatives. Application to estimates of the three-phase structure invariants.* *Acta Cryst.* **A53**, 161–167.
- Karle, I. L., Flippen-Anderson, J. L., Uma, K., Balaran, H. & Balaran, P. (1989). *α -Helix and mixed $3_{10}/\alpha$ -helix in cocrystallized conformers of Boc-Aib-Val-Aib-Val-Val-Val-Aib-Val-Aib-Ome.* *Proc. Natl Acad. Sci. USA*, **86**, 765–769.
- Karle, J. (1968). *Partial structural information combined with the tangent formula for noncentrosymmetric crystals.* *Acta Cryst.* **B24**, 182–186.
- Karle, J. & Hauptman, H. (1956). *A theory of phase determination for the four types of non-centrosymmetric space groups $1P222$, $2P22$, $3P_12$, $3P_22$.* *Acta Cryst.* **9**, 635–651.
- Kinneging, A. J. & de Graaf, R. A. G. (1984). *On the automatic extension of incomplete models by iterative Fourier calculation.* *J. Appl. Cryst.* **17**, 364–366.
- Kyriakidis, C. E., Peschar, R. & Schenk, H. (1996). *The estimation of four-phase structure invariants using the single difference of isomorphous structure factors.* *Acta Cryst.* **A52**, 77–87.
- Lamzin, V. S. & Wilson, K. S. (1993). *Automatic refinement of protein models.* *Acta Cryst.* **D49**, 129–147.
- Langs, D. A. (1988). *Three-dimensional structure at 0.86 Å of the uncomplexed form of the transmembrane ion channel peptide gramicidin A.* *Science*, **241**, 188–191.
- Langs, D. A. (1993). *Frequency statistical method for evaluating cosine invariants of three-phase relationships.* *Acta Cryst.* **A49**, 545–557.
- Langs, D. A., Guo, D.-Y. & Hauptman, H. A. (1995). *TDSIR phasing: direct use of phase-invariant distributions in macromolecular crystallography.* *Acta Cryst.* **A51**, 535–542.
- Li, C., Kappock, T. J., Stubbe, J., Weaver, T. M. & Ealick, S. E. (1999). *X-ray crystal structure of aminoimidazole ribonucleotide synthetase (PurM), from the Escherichia coli purine biosynthetic pathway at 2.5 Å resolution.* *Structure*, **7**, 1155–1166.
- Loll, P. J., Bevivino, A. E., Korty, B. D. & Axelsen, P. H. (1997). *Simultaneous recognition of a carboxylate-containing ligand and an intramolecular surrogate ligand in the crystal structure of an asymmetric vancomycin dimer.* *J. Am. Chem. Soc.* **119**, 1516–1522.
- Loll, P. J., Miller, R., Weeks, C. M. & Axelsen, P. H. (1998). *A ligand-mediated dimerization mode for vancomycin.* *Chem. Biol.* **5**, 293–298.
- McCourt, M. P., Ashraf, K., Miller, R., Weeks, C. M., Li, N., Pangborn, W. A. & Dorset, D. L. (1997). *X-ray crystal structures of cytotoxic oxidized cholesterol: 7-ketocholesterol and 25-hydroxycholesterol.* *J. Lipid Res.* **38**, 1014–1021.
- McCourt, M. P., Li, N., Pangborn, W., Miller, R., Weeks, C. M. & Dorset, D. L. (1996). *Crystallography of linear molecule binary solids. X-ray structure of a cholesteryl myristate/cholesteryl pentadecanoate solid solution.* *J. Phys. Chem.* **100**, 9842–9847.
- Main, P. (1976). *Recent developments in the MULTAN system – the use of molecular structure.* In *Crystallographic computing techniques*, edited by F. R. Ahmed, pp. 97–105. Copenhagen: Munksgaard.
- Main, P., Fiske, S. J., Hull, S. E., Lessinger, L., Germain, G., Declercq, J.-P. & Woolfson, M. M. (1980). *MULTAN80: a system of computer programs for the automatic solution of crystal structures from X-ray diffraction data.* Universities of York, England, and Louvain, Belgium.
- Mathiesen, R. H. & Mo, F. (1997). *Application of known triplet phases in the crystallographic study of bovine pancreatic trypsin inhibitor. I: studies at 1.55 and 1.75 Å resolution.* *Acta Cryst.* **D53**, 262–268.
- Mathiesen, R. H. & Mo, F. (1998). *Application of known triplet phases in the crystallographic study of bovine pancreatic trypsin inhibitor. II: study at 2.0 Å resolution.* *Acta Cryst.* **D54**, 237–242.
- Matthews, B. W. & Czerwinski, E. W. (1975). *Local scaling: a method to reduce systematic errors in isomorphous replacement and anomalous scattering measurements.* *Acta Cryst.* **A31**, 480–497.
- Miller, R., DeTitta, G. T., Jones, R., Langs, D. A., Weeks, C. M. & Hauptman, H. A. (1993). *On the application of the minimal principle to solve unknown structures.* *Science*, **259**, 1430–1433.
- Miller, R., Gallo, S. M., Khalak, H. G. & Weeks, C. M. (1994). *SnB: crystal structure determination via Shake-and-Bake.* *J. Appl. Cryst.* **27**, 613–621.
- Mukherjee, A. K., Helliwell, J. R. & Main, P. (1989). *The use of MULTAN to locate the positions of anomalous scatterers.* *Acta Cryst.* **A45**, 715–718.
- Parisini, E., Capozzi, F., Lubini, P., Lamzin, V., Luchinat, C. & Sheldrick, G. M. (1999). *Ab initio solution and refinement of two high potential iron protein structures at atomic resolution.* *Acta Cryst.* **D55**, 1773–1784.
- Pavelčík, F. (1994). *Patterson-oriented automatic structure determination. Deconvolution techniques in space group $P1$.* *Acta Cryst.* **A50**, 467–474.
- Perrakis, A., Sixma, T. K., Wilson, K. S. & Lamzin, V. S. (1997). *wARP: improvement and extension of crystallographic phases by weighted averaging of multiple-refined dummy atomic models.* *Acta Cryst.* **D53**, 448–455.
- Privé, G. G., Anderson, D. H., Wesson, L., Cascio, D. & Eisenberg, D. (1999). *Packed protein bilayers in the 0.9 Å resolution structure of a designed alpha helical bundle.* *Protein Sci.* **8**, 1400–1409.
- Radfar, R., Shin, R., Sheldrick, G. M., Minor, W., Lovell, C. R., Odom, J. D., Dunlap, R. B. & Lebioda, L. (2000). *The crystal structure of N10-formyltetrahydrofolate synthetase from Moorella thermoacetica.* *Biochemistry*, **39**, 3920–3926.
- Read, R. J. (1986). *Improved Fourier coefficients for maps using phases from partial structures with errors.* *Acta Cryst.* **A42**, 140–149.
- Refaat, L. S. & Woolfson, M. M. (1993). *Direct-space methods in phase extension and phase determination. II. Developments of low-density elimination.* *Acta Cryst.* **D49**, 367–371.
- Reibenspiess, J. (1998). Personal communication.
- Schäfer, M. (1998). Personal communication.
- Schäfer, M. & Prange, T. (1998). Personal communication.
- Schäfer, M., Schneider, T. R. & Sheldrick, G. M. (1996). *Crystal structure of vancomycin.* *Structure*, **4**, 1509–1515.
- Schäfer, M., Sheldrick, G. M., Bahner, I. & Lackner, H. (1998). *Crystal structures of actinomycin D and Z3.* *Angew. Chem.* **37**, 2381–2384.
- Schäfer, M., Sheldrick, G. M., Schneider, T. R. & Vértesy, L. (1998). *Structure of balhimycin and its complex with solvent molecules.* *Acta Cryst.* **D54**, 175–183.
- Schenk, H. (1974). *On the use of negative quartets.* *Acta Cryst.* **A30**, 477–481.
- Schneider, T. R. (1998). Personal communication.

REFERENCES

16.1 (cont.)

- Schneider, T. R., Kärcher, J., Pohl, E., Lubini, P. & Sheldrick, G. M. (2000). *Ab initio structure determination of the lantibiotic mersacidin*. *Acta Cryst.* **D56**, 705–713.
- Sha, B.-D., Liu, S.-P., Gu, Y.-X., Fan, H.-F., Ke, H., Yao, J.-X. & Woolfson, M. M. (1995). *Direct phasing of one-wavelength anomalous-scattering data of the protein core streptavidin*. *Acta Cryst.* **D51**, 342–346.
- Sheldrick, G. M. (1982). *Crystallographic algorithms for mini- and maxi-computers*. In *computational crystallography*, edited by D. Sayre, pp. 506–514. Oxford: Clarendon Press.
- Sheldrick, G. M. (1990). *Phase annealing in SHELX-90: direct methods for larger structures*. *Acta Cryst.* **A46**, 467–473.
- Sheldrick, G. M. (1997). *Direct methods based on real/reciprocal space iteration*. In *Proceedings of the CCP4 study weekend. Recent advances in phasing*, edited by K. S. Wilson, G. Davies, A. S. Ashton, & S. Bailey, pp. 147–158. DL-CONF-97-001. Warrington: Daresbury Laboratory.
- Sheldrick, G. M. (1998). *SHELX: applications to macromolecules*. In *Direct methods for solving macromolecular structures*, edited by S. Fortier, pp. 401–411. Dordrecht: Kluwer Academic Publishers.
- Sheldrick, G. M., Dauter, Z., Wilson, K. S., Hope, H. & Sieker, L. C. (1993). *The application of direct methods and Patterson interpretation to high-resolution native protein data*. *Acta Cryst.* **D49**, 18–23.
- Sheldrick, G. M. & Gould, R. O. (1995). *Structure solution by iterative peaklist optimization and tangent expansion in space group P1*. *Acta Cryst.* **B51**, 423–431.
- Shen, Q. (1998). *Solving the phase problem using reference-beam X-ray diffraction*. *Phys. Rev. Lett.* **80**, 3268–3271.
- Shiono, M. & Woolfson, M. M. (1992). *Direct-space methods in phase extension and phase determination. I. Low-density elimination*. *Acta Cryst.* **A48**, 451–456.
- Shmueli, U. & Wilson, A. J. C. (2001). *Statistical properties of the weighted reciprocal lattice*. In *International tables for crystallography*, Vol. B. *Reciprocal space*, edited by U. Shmueli, pp. 190–209. Dordrecht: Kluwer Academic Publishers.
- Sim, G. A. (1959). *The distribution of phase angles for structures containing heavy atoms. II. A modification of the normal heavy-atom method for non-centrosymmetrical structures*. *Acta Cryst.* **12**, 813–815.
- Smith, G. D., Blessing, R. H., Ealick, S. E., Fontecilla-Camps, J. C., Hauptman, H. A., Housset, D., Langs, D. A. & Miller, R. (1997). *Ab initio structure determination and refinement of a scorpion protein toxin*. *Acta Cryst.* **D53**, 551–557.
- Smith, G. D., Nagar, B., Rini, J. M., Hauptman, H. A. & Blessing, R. H. (1998). *The use of SnB to determine an anomalous scattering substructure*. *Acta Cryst.* **D54**, 799–804.
- Smith, J. L. (1998). *Multiwavelength anomalous diffraction in macromolecular crystallography*. In *Direct methods for solving macromolecular structures*, edited by S. Fortier, pp. 211–225. Dordrecht: Kluwer Academic Publishers.
- Stec, B., Zhou, R. & Teeter, M. M. (1995). *Full-matrix refinement of the protein crambin at 0.83 Å and 130 K*. *Acta Cryst.* **D51**, 663–681.
- Teichert, M. (1998). Personal communication.
- Turner, M. A., Yuan, C.-S., Borchardt, R. T., Hershfield, M. S., Smith, G. D. & Howell, P. L. (1998). *Structure determination of selenomethionyl S-adenosylhomocysteine hydrolase using data at a single wavelength*. *Nature Struct. Biol.* **5**, 369–375.
- Usón, I., Sheldrick, G. M., de La Fortelle, E., Bricogne, G., di Marco, S., Priestle, J. P., Grüter, M. G. & Mittl, P. R. E. (1999). *The 1.2 Å crystal structure of hirustasin reveals the intrinsic flexibility of a family of highly disulphide bridged inhibitors*. *Structure*, **7**, 55–63.
- Vermin, W. J. & de Graaff, R. A. G. (1978). *The use of Karle-Hauptman determinants in small-structure determinations*. *Acta Cryst.* **A34**, 892–894.
- Walsh, M. A., Schneider, T. R., Sieker, L. C., Dauter, Z., Lamzin, V. S. & Wilson, K. S. (1998). *Refinement of triclinic hen egg-white lysozyme at atomic resolution*. *Acta Cryst.* **D54**, 522–546.
- Wang, B.-C. (1985). *Solvent flattening*. *Methods Enzymol.* **115**, 90–112.
- Weckert, E. & Hümmel, K. (1997). *Multiple-beam X-ray diffraction for physical determination of reflection phases and its applications*. *Acta Cryst.* **A53**, 108–143.
- Weckert, E., Schwegle, W. & Hümmel, K. (1993). *Direct phasing of macromolecular structures by three-beam diffraction*. *Proc. R. Soc. Lond. Ser. A*, **442**, 33–46.
- Weeks, C. M., DeTitta, G. T., Hauptman, H. A., Thuman, P. & Miller, R. (1994). *Structure solution by minimal-function phase refinement and Fourier filtering. II. Implementation and applications*. *Acta Cryst.* **A50**, 210–220.
- Weeks, C. M., DeTitta, G. T., Miller, R. & Hauptman, H. A. (1993). *Applications of the minimal principle to peptide structures*. *Acta Cryst.* **D49**, 179–181.
- Weeks, C. M., Hauptman, H. A., Chang, C.-S. & Miller, R. (1994). *Structure determination by Shake-and-Bake with tangent refinement*. *ACA Trans. Symp.* **30**, 153–161.
- Weeks, C. M., Hauptman, H. A., Smith, G. D., Blessing, R. H., Teeter, M. M. & Miller, R. (1995). *Crambin: a direct solution for a 400-atom structure*. *Acta Cryst.* **D51**, 33–38.
- Weeks, C. M. & Miller, R. (1999a). *The design and implementation of SnB version 2.0*. *J. Appl. Cryst.* **32**, 120–124.
- Weeks, C. M. & Miller, R. (1999b). *Optimizing Shake-and-Bake for proteins*. *Acta Cryst.* **D55**, 492–500.
- Weeks, C. M., Miller, R. & Hauptman, H. A. (1998). *Extending the resolving power of Shake-and-Bake*. In *Direct methods for solving macromolecular structures*, edited by S. Fortier, pp. 463–468. Dordrecht: Kluwer Academic Publishers.
- White, P. S. & Woolfson, M. M. (1975). *The application of phase relationships to complex structures. VII. Magic integers*. *Acta Cryst.* **A31**, 53–56.
- Wilson, K. S. (1978). *The application of MULTAN to the analysis of isomorphous derivatives in protein crystallography*. *Acta Cryst.* **B34**, 1599–1608.
- Yao, J.-X. (1981). *On the application of phase relationships to complex structures. XVIII. RANTAN – random MULTAN*. *Acta Cryst.* **A37**, 642–644.
- Zheng, X.-F., Fan, H.-F., Hao, Q., Dodd, F. E. & Hasnain, S. S. (1996). *Direct method structure determination of the native azurin II protein using one-wavelength anomalous scattering data*. *Acta Cryst.* **D52**, 937–941.

16.2

- Bertaut, E. F. (1955a). *La méthode statistique en cristallographie. I*. *Acta Cryst.* **8**, 537–543.
- Bertaut, E. F. (1955b). *La méthode statistique en cristallographie. II. Quelques applications*. *Acta Cryst.* **8**, 544–548.
- Bricogne, G. (1984). *Maximum entropy and the foundations of direct methods*. *Acta Cryst.* **A40**, 410–445.
- Bricogne, G. (2001). *Fourier transforms in crystallography: theory, algorithms and applications*. In *International tables for crystallography*, Vol. B. *Reciprocal space*, edited by U. Shmueli, 2nd ed., pp. 25–98. Dordrecht: Kluwer Academic Publishers.
- Hauptman, H. & Karle, J. (1953). *The solution of the phase problem. I. The centrosymmetric crystal*. ACA Monograph No. 3. Pittsburgh: Polycrystal Book Service.
- Jaynes, E. T. (1957). *Information theory and statistical mechanics*. *Phys. Rev.* **106**, 620–630.
- Jaynes, E. T. (1968). *Prior probabilities*. *IEEE Trans. SSC*, **4**, 227–241.
- Jaynes, E. T. (1983). *Papers on probability, statistics and statistical physics*. Dordrecht: Reidel.
- Klug, A. (1958). *Joint probability distribution of structure factors and the phase problem*. *Acta Cryst.* **11**, 515–543.
- Shannon, C. E. & Weaver, W. (1949). *The mathematical theory of communication*. Urbana: University of Illinois Press.
- Tsoucaris, G. (1970). *A new method of phase determination. The 'maximum determinant rule'*. *Acta Cryst.* **A26**, 492–499.
- Wiener, N. (1949). *Extrapolation, interpolation and smoothing of stationary time series*. Cambridge, MA: MIT Press.