

## 18. REFINEMENT

## 18.2 (cont.)

- 1.8 Å resolution of the aspartic proteinase from *Rhizopus chinensis*. *J. Mol. Biol.* **196**, 877–900.
- Verlet, L. (1967). Computer experiments on classical fluids. I. Thermodynamical properties of Lennard–Jones molecules. *Phys. Rev.* **159**, 98–105.

## 18.3

- Bansal, M. & Ananthanarayanan, V. S. (1988). The role of hydroxyproline in collagen folding: conformational energy calculations on oligopeptides containing proline and hydroxyproline. *Biopolymers*, **27**, 299–312.
- Bricogne, G. (1993). Direct phase determination by entropy maximization and likelihood ranking: status report and perspectives. *Acta Cryst.* **D49**, 37–60.
- Brünger, A. T. (1993). Assessment of phase accuracy by cross validation: the free *R* value. *Methods and applications. Acta Cryst.* **D49**, 24–36.
- Bürgi, H.-B. & Dubler-Stuedle, K. C. (1988). Empirical potential energy surfaces relating structure and activation energy. 2. Determination of transition-state structure for the spontaneous hydrolysis of axial tetrahydropyranyl acetals. *J. Am. Chem. Soc.* **110**, 7291–7299.
- Dauter, Z., Lamzin, V. S. & Wilson, K. S. (1997). The benefits of atomic resolution. *Curr. Opin. Struct. Biol.* **7**, 681–688.
- Engh, R. A. & Huber, R. (1991). Accurate bond and angle parameters for X-ray protein structure refinement. *Acta Cryst.* **A47**, 392–400.
- Hooft, R. W. W., Sander, C. & Vriend, G. (1997). Objectively judging the quality of a protein structure from a Ramachandran plot. *Comput. Appl. Biosci.* **13**, 425–430.
- Kidera, A., Matsushima, M. & Go, N. (1994). Dynamic structure of human lysozyme derived from X-ray crystallography: normal mode refinement. *Biophys. Chem.* **50**, 25–31.
- Kleywegt, G. J. & Jones, T. A. (1998). Databases in protein crystallography. *Acta Cryst.* **D54**, 1119–1131.
- Lamzin, V. S., Dauter, Z. & Wilson, K. S. (1995). Dictionary of protein stereochemistry. *J. Appl. Cryst.* **28**, 338–340.
- Laskowski, R. A., MacArthur, M. W., Moss, D. S. & Thornton, J. M. (1993). PROCHECK: a program to check the stereochemical quality of protein structures. *J. Appl. Cryst.* **26**, 283–291.
- Laskowski, R. A., Moss, D. S. & Thornton, J. M. (1993). Main-chain bond lengths and bond angles in protein structures. *J. Mol. Biol.* **231**, 1049–1067.
- Longhi, S., Czjzek, M. & Cambillau, C. (1998). Messages from ultrahigh resolution crystal structures. *Curr. Opin. Struct. Biol.* **8**, 730–737.
- Marquart, M., Walter, J., Deisenhofer, J., Bode, W. & Huber, R. (1983). The geometry of the reactive site and of the peptide groups in trypsin, trypsinogen and its complexes with inhibitors. *Acta Cryst.* **B39**, 480–490.
- Pannu, N. S. & Read, R. J. (1996). Improved structure refinement through maximum likelihood. *Acta Cryst.* **A52**, 659–668.
- Parkinson, G., Vojtechovsky, J., Clowney, L., Brünger, A. T. & Berman, H. M. (1996). New parameters for the refinement of nucleic acid-containing structures. *Acta Cryst.* **D52**, 57–64.
- Priestle, J. P. (1994). Stereochemical dictionaries for protein structure refinement and model building. *Structure*, **2**, 911–913.
- Sippl, M. J. (1995). Knowledge-based potentials for proteins. *Curr. Opin. Struct. Biol.* **5**, 229–235.
- Stewart, D. E., Sarkar, A. & Wampler, J. E. (1990). Occurrence and role of cis peptide bonds in protein structures. *J. Mol. Biol.* **214**, 253–260.
- Vlasi, M., Dauter, Z., Wilson, K. S. & Kokkinidis, M. (1998). Structural parameters for proteins derived from the atomic resolution (1.09 Å) structure of a designed variant of the ColE1 ROP protein. *Acta Cryst.* **D54**, 1245–1260.
- Wilson, K. S., Butterworth, S., Dauter, Z., Lamzin, V. S., Walsh, M., Wodak, S., Pontius, J., Richelle, J., Vaguine, A., Sander, C., Hooft, R. W. W., Vriend, G., Thornton, J. M., Laskowski, R. A.,

- MacArthur, M. W., Dodson, E. J., Murshudov, G., Oldfield, T. J., Kaptein, R. & Rullmann, J. A. C. (1998). Who checks the checkers – four validation tools applied to eight atomic resolution structures. *J. Mol. Biol.* **276**, 417–436.

## 18.4

- Agarwal, R. C. (1978). A new least-squares refinement technique based on the fast Fourier transform algorithm. *Acta Cryst.* **A34**, 791–809.
- Allen, F. H., Bellard, S., Brice, M. D., Cartwright, B. A., Doubleday, A., Higgs, H., Hummelink, T., Hummelink-Peters, B. G., Kennard, O., Motherwell, W. D. S., Rodgers, J. R. & Watson, D. G. (1979). The Cambridge Crystallographic Data Centre: computer-based search, retrieval, analysis and display of information. *Acta Cryst.* **B35**, 2331–2339.
- Andersson, K. M. & Hovmöller, S. (1998). The average atomic volume and density of proteins. *Z. Kristallogr.* **213**, 369–373.
- Bacchi, A., Lamzin, V. S. & Wilson, K. S. (1996). A self-validation technique for protein structure refinement: the extended Hamilton test. *Acta Cryst.* **D52**, 641–646.
- Bernstein, F. C., Koetzle, T. F., Williams, G. J. B., Meyer, E. E., Brice, M. D., Rogers, J. K., Kennard, O., Shimanouchi, T. & Tasumi, M. (1977). The Protein Data Bank: a computer-based archival file for macromolecular structures. *J. Mol. Biol.* **112**, 535–542.
- Blessing, R. H. (1997). LOCSC: a program to statistically optimize local scaling of single-isomorphous-replacement and single-wavelength-anomalous-scattering data. *J. Appl. Cryst.* **30**, 176–177.
- Box, G. E. P. & Tiao, G. C. (1973). *Bayesian inference in statistical analysis*. Reading, Massachusetts/California/London: Addison-Wesley.
- Bricogne, G. (1997). Maximum entropy methods and the Bayesian programme. In *Proceedings of the CCP4 study weekend. Recent advances in phasing*, edited by K. S. Wilson, G. Davies, A. W. Ashton & S. Bailey, pp. 159–178. Warrington: Daresbury Laboratory.
- Bricogne, G. & Irwin, J. J. (1996). Maximum-likelihood structure refinement: theory and implementation within BUSTER+TNT. In *Proceedings of the CCP4 study weekend. Macromolecular refinement*, edited by E. Dodson, M. Moore, A. Ralph & S. Bailey, pp. 85–92. Warrington: Daresbury Laboratory.
- Brünger, A. T. (1992a). Free *R* value: a novel statistical quantity for assessing the accuracy of crystal structures. *Nature (London)*, **355**, 472–475.
- Brünger, A. T. (1992b). *X-PLOR manual*. Version 3.1. New Haven: Yale University.
- Brünger, A. T., Adams, P. D., Clore, G. M., DeLano, W. L., Gros, P., Grosse-Kunstleve, R. W., Jiang, J.-S., Kuszewski, J., Nilges, M., Pannu, N. S., Read, R. J., Rice, L. M., Simonson, T. & Warren, G. L. (1998). Crystallography & NMR system: a new software suite for macromolecular structure determination. *Acta Cryst.* **D54**, 905–921.
- Collaborative Computational Project, Number 4 (1994). *The CCP4 suite: programs for protein crystallography. Acta Cryst.* **D50**, 760–763.
- Coppens, P. (1997). *X-ray charge densities and chemical bonding*. International Union of Crystallography and Oxford University Press.
- Cowtan, K. D. & Main, P. (1998). Miscellaneous algorithms for density modification. *Acta Cryst.* **D53**, 487–493.
- Cruickshank, D. W. J. (1999). Remarks about protein structure precision. *Acta Cryst.* **D55**, 583–601; erratum (1999), **D55**, 1108.
- Dauter, Z. & Dauter, M. (1999). Anomalous signal of solvent bromides used for phasing of lysozyme. *J. Mol. Biol.* **289**, 93–101.
- Dauter, Z., Lamzin, V. S. & Wilson, K. S. (1997). The benefits of atomic resolution. *Curr. Opin. Struct. Biol.* **7**, 681–688.
- Dauter, Z., Wilson, K. S., Sieker, L. C., Meyer, J. & Moulis, J.-M. (1997). Atomic resolution (0.94 Å) structure of *Clostridium acidurici* ferredoxin. Detailed geometry of [4Fe-4S] clusters in a protein. *Biochemistry*, **36**, 16065–16073.