

19. OTHER EXPERIMENTAL TECHNIQUES

19.3 (cont.)

- complex and its implications for signal transduction. *Nature (London)*, **387**, 370–376.
- Schmidt, T., Johnson, J. E. & Phillips, W. (1983). *The spherically averaged structures of cowpea mosaic virus components by X-ray solution scattering*. *Virology*, **127**, 65–73.
- Schuster, M. & Göbel, H. (1995). *Parallel-beam coupling into channel-cut monochromators using curved graded multilayers*. *J. Phys. D*, **28**, A270–A275.
- Seaton, B. A., Head, J. F., Engelman, D. M. & Richards, F. M. (1985). *Calcium-induced increase in the radius of gyration and maximum dimension of calmodulin measured by small-angle X-ray scattering*. *Biochemistry*, **24**, 6740–6743.
- Sousa, M. C. & McKay, D. B. (1998). *The hydroxyl of threonine 13 of the bovine 70-kDa heat shock cognate protein is essential for transducing the ATP-induced conformational change*. *Biochemistry*, **37**, 15392–15399.
- Srajer, V., Teng, T.-Y., Ursby, T., Pradervand, C., Ren, Z., Adachi, S., Bourgeois, D., Wulff, M. & Moffat, K. (1996). *Photolysis of the carbon monoxide complex of myoglobin: nanosecond time-resolved crystallography [see Comments]*. *Science*, **274**, 1726.
- Stuhrmann, H. B. (1970). *Interpretation of small-angle scattering functions of dilute solutions and gases. A representation of the structures related to a one-particle-scattering function*. *Acta Cryst.* **A26**, 297–306.
- Sunnerhagen, M., Olah, G. A., Stenflo, J., Forsen, S., Drakenberg, T. & Trehwella, J. (1996). *The relative orientation of Gla and EGF domains in coagulation factor X is altered by Ca²⁺ binding to the first EGF domain. A combined NMR–small angle X-ray scattering study*. *Biochemistry*, **35**, 11547–11559.
- Svergun, D. I. (1992). *Determination of the regularization parameter in indirect-transform methods using perceptual criteria*. *J. Appl. Cryst.* **25**, 495–503.
- Svergun, D. I. (1999). *Restoring low resolution structure of biological macromolecules from solution scattering using simulated annealing*. *Biophys. J.* **76**, 2879–2886.
- Svergun, D. I., Aldag, I., Sieck, T., Altendorf, K., Koch, M. H. J., Kane, D. J., Kozin, M. B. & Grueber, G. (1998). *A model of the quaternary structure of the Escherichia coli F1 ATPase from X-ray solution scattering and evidence for structural changes in the Delta subunit during ATP hydrolysis*. *Biophys. J.* **75**, 2212–2219.
- Svergun, D. I., Barberato, C. & Koch, M. H. J. (1995). *CRY SOL – a program to evaluate X-ray solution scattering of biological macromolecules from atomic coordinates*. *J. Appl. Cryst.* **28**, 768–773.
- Svergun, D. I., Barberato, C., Koch, M. H. J., Fetler, L. & Vachette, P. (1997). *Large differences are observed between the crystal and solution quaternary structures of allosteric aspartate transcarbamylase in the R state*. *Proteins Struct. Funct. Genet.* **27**, 110–117.
- Svergun, D. I., Koch, M. H. & Serdyuk, I. N. (1994). *Structural model of the 50 S subunit of Escherichia coli ribosomes from solution scattering. I. X-ray synchrotron radiation study*. *J. Mol. Biol.* **240**, 66–77.
- Svergun, D. I., Konrad, S., Huss, M., Koch, M. H. J., Wiczorek, H., Altendorf, K., Volkov, V. V. & Grueber, G. (1998). *Quaternary structure of V₁ and F₁ ATPase: significance of structural homologies and diversities*. *Biochemistry*, **37**, 17659–17663.
- Svergun, D. I., Richard, S., Koch, M. H. J., Sayers, Z., Kuprin, S. & Zaccai, G. (1998). *Protein hydration in solution: experimental observation by X-ray and neutron scattering*. *Proc. Natl Acad. Sci. USA*, **95**, 2267–2272.
- Svergun, D. I., Volkov, V. V., Kozin, M. B. & Stuhrmann, H. B. (1996). *New developments in direct shape determination from small-angle scattering. 2. Uniqueness*. *Acta Cryst.* **A52**, 419–426.
- Svergun, D. I., Volkov, V. V., Kozin, M. B., Stuhrmann, H. B., Barberato, C. & Koch, M. H. J. (1997). *Shape determination from solution scattering of biopolymers*. *J. Appl. Cryst.* **30**, 798–802.
- Thuman-Commike, P. A., Tsuruta, H., Greene, B., Prevelige, P. E., King, J. & Chiu, W. (1999). *Solution X-ray scattering based estimation of electron cryomicroscopy imaging parameters for reconstruction of virus particles*. *Biophys. J.* **76**, 2249–2261.
- Trehwella, J. (1998). *Insights into biomolecular function from small-angle scattering*. *Curr. Opin. Struct. Biol.* **7**, 702–708.
- Tsuruta, H., Reddy, V., Wikoff, W. & Johnson, J. (1998). *Imaging RNA and dynamic protein segments with low resolution virus crystallography; experimental design, data processing and implications of electron density maps*. *J. Mol. Biol.* **284**, 1439–1452.
- Tsuruta, H., Vachette, P., Sano, T., Moody, M. F., Amemiya, Y., Wakabayashi, K. & Kihara, H. (1994). *Kinetics of the quaternary structure change of aspartate transcarbamylase triggered by succinate, a competitive inhibitor*. *Biochemistry*, **33**, 10007–10012.
- Uversky, V. N., Segel, D. J., Doniach, S. & Fink, A. L. (1998). *Association-induced folding of globular proteins*. *Proc. Natl Acad. Sci. USA*, **95**, 5480–5483.
- Wang, J., Harting, J. A. & Flanagan, J. M. (1997). *The structure of ClpP at 2.3 Å resolution suggests a model for ATP-dependent proteolysis*. *Cell*, **91**, 447–456.
- Weik, M., Ravelli, R. B. G., Kryger, G., McSweeney, S., Raves, M. L., Harel, M., Gros, P., Silman, I., Kroon, J. & Sussman, J. L. (2000). *Specific chemical and structural damage to proteins produced by synchrotron radiation*. *Proc. Natl Acad. Sci. USA*, **97**, 623–628.
- Wikoff, W., Duda, R., Hendrix, R. & Johnson, J. (1998). *Crystallization and preliminary X-ray analysis of the dsDNA bacteriophage HK97 mature empty capsid*. *Virology*, **243**, 113–118.
- Wilbanks, S. M., Chen, L., Tsuruta, H., Hodgson, K. O. & McKay, D. B. (1995). *Solution small-angle X-ray scattering study of the molecular chaperone Hsc70 and its subfragments*. *Biochemistry*, **34**, 12095–12106.
- Yamashita, M. M., Almassy, R. J., Janson, C. A., Cascio, D. & Eisenberg, D. (1989). *Refined atomic model of glutamine synthetase at 3.5 Å resolution*. *J. Biol. Chem.* **264**, 17681–17690.
- Zheng, Y., Doerschuk, P. C. & Johnson, J. E. (1995). *Determination of three-dimensional low-resolution viral structure from solution X-ray scattering data*. *Biophys. J.* **69**, 619–639.

19.4

- Atkinson, D. & Shipley, G. G. (1984). *Structural studies of plasma lipoproteins*. *Basic Life Sci.* **27**, 211–226.
- Bacon, G. E. (1975). *Neutron diffraction*. Oxford University Press.
- Baldwin, J. P., Boseley, P. G., Bradbury, E. M. & Ibel, K. (1975). *The subunit structure of the eukaryotic chromosome*. *Nature (London)*, **253**, 245–249.
- Bilgin, N., Ehrenberg, M., Ebel, C., Zaccai, G., Sayers, Z., Koch, M. H. J., Svergun, D. I., Barberato, C., Volkov, V., Nissen, P. & Nyborg, J. (1998). *Solution structure of the ternary complex between aminoacyl-tRNA, elongation factor Tu, and guanosine triphosphate*. *Biochemistry*, **37**, 8163–8172.
- Bradbury, E. M., Baldwin, J. P., Carpenter, B. G., Hjelm, R. P., Hancock, R. & Ibel, K. (1976). *Neutron-scattering studies of chromatin*. *Brookhaven Symp Biol.* **27**, IV97–IV117.
- Bragg, W. L. & Perutz, M. F. (1952). *The external form of the haemoglobin molecule. I*. *Acta Cryst.* **5**, 277–283.
- Burks, C. & Engelman, D. M. (1981). *Cholesteryl myristate conformation in liquid crystalline mesophases determined by neutron scattering*. *Proc. Natl Acad. Sci. USA*, **78**, 6863–6867.
- Capel, M. S., Engelman, D. M., Freeborn, B. R., Kjeldgaard, M., Langer, J. A., Ramakrishnan, V., Schindler, D. G., Schneider, D. K., Schoenborn, B. P. & Sillers, I. Y. (1987). *A complete mapping of the proteins in the small ribosomal subunit of Escherichia coli*. *Science*, **238**, 1403–1406.
- Crichton, R., Engelman, D. M., Hass, J., Koch, M. H. J., Moore, P. B., Parfait, R. & Stuhrmann, H. B. (1977). *A contrast variation study of specifically deuterated ribosomal subunits*. *Proc. Natl Acad. Sci. USA*, **74**, 5547–5550.
- Debye, P. (1915). *Zerstreuung von Röntgenstrahlen*. *Ann. Phys. (Leipzig)*, **46**, 809–823.

REFERENCES

19.4 (cont.)

- Debye, P. & Bueche, A. M. (1949). *Scattering by an inhomogeneous solid*. *J. Appl. Phys.* **20**, 518–525.
- Debye, P. & Pirenne, M. H. (1938). *Über die Fourieranalyse von interferometrischen Messungen an freien Molekülen*. *Ann. Phys. (Leipzig)*, **33**, 617–629.
- Dessen, P., Blanquet, S., Zaccai, G. & Jacrot, B. (1978). *Antico-operative binding of initiator transfer RNA Met to methionyl-transfer RNA synthetase from E. coli: neutron scattering studies*. *J. Mol. Biol.* **126**, 293–313.
- Engelman, D. M. & Moore, P. B. (1972). *A new method for the determination of biological quaternary structure by neutron scattering*. *Proc. Natl Acad. Sci. USA*, **69**, 1997–1999.
- Engelman, D. M. & Zaccai, G. (1980). *Bacteriorhodopsin is an inside-out protein*. *Proc. Natl Acad. Sci. USA*, **77**, 5894–5898.
- Fujiwara, S. & Mendelson, R. A. (1996). *In situ shape and distance measurements in neutron scattering and diffraction*. *Basic Life Sci.* **64**, 385–395.
- Glatter, O. & Kratky, O. (1982). *Small angle X-ray scattering*. London: Academic Press.
- Guinier, A. (1939). *Diffraction of X-rays of very small angles – application to the study of ultramicroscopic phenomena*. *Ann. Phys. (Paris)*, **12**, 161–237.
- Guinier, A. (1955). *Small angle scattering of X-rays*. New York: John Wiley and Sons.
- Guinier, A. (1962). *Small angle X-ray scattering*. In *International tables for X-ray crystallography*, Vol. III. *Physical and chemical tables*, pp. 324–329. Birmingham: Kynoch Press. (Present distributor Kluwer Academic Publishers, Dordrecht).
- Hoppe, W. (1972). *New X-ray method for the determination of the quaternary structure of protein complexes*. *Isr. J. Chem.* **10**, 321–333.
- Hunt, J. F., McCrea, P. D., Zaccai, G. & Engelman, D. M. (1997). *Assessment of the aggregation state of integral membrane proteins in reconstituted phospholipid vesicles using small angle neutron scattering*. *J. Mol. Biol.* **273**, 1004–1019.
- Jacrot, B. & Zaccai, G. (1981). *Determination of molecular weight by neutron scattering*. *Biopolymers*, **20**, 2413–2426.
- Jeanteur, D., Pattus, F. & Timmins, P. A. (1994). *Membrane-bound form of the pore-forming domain of colicin A. A neutron scattering study*. *J. Mol. Biol.* **235**, 898–907.
- Junemann, R., Burkhardt, N., Wadzack, J., Schmitt, M., Willumeit, R., Stuhmann, H. B. & Nierhaus, K. H. (1998). *Small angle scattering in ribosomal structure research: localization of the messenger RNA within ribosomal elongation states*. *J. Biol. Chem.* **379**, 807–818.
- Kratky, O. & Worthmann, W. (1947). *Determination of the configuration of dissolved organic molecules by interferometric measurements with X-rays*. *Monatsch. Chem.* **76**, 263–281.
- Lehmann, M. S. & Zaccai, G. (1984). *Neutron small-angle scattering studies of ribonuclease in mixed aqueous solutions and determination of the preferentially bound water*. *Biochemistry*, **23**, 1939–1942.
- May, R. P., Nowotny, V., Nowotny, P., Voss, H. & Nierhaus, K. H. (1992). *Inter-protein distances within the large subunit from Escherichia coli ribosomes*. *EMBO J.* **11**, 373–378.
- Moore, P. B. (1980). *Small-angle scattering. Information content and error analysis*. *J. Appl. Cryst.* **13**, 168–175.
- Moore, P. B. & Engelman, D. M. (1976). *The production of deuterated E. coli*. *Brookhaven Symp. Biol.* **27**, V12–V23.
- Moore, P. B., Engelman, D. M. & Schoenborn, B. P. (1974). *Asymmetry in the 50S ribosomal subunit of Escherichia coli*. *Proc. Natl Acad. Sci. USA*, **71**, 172–176.
- Moore, P. B., Langer, J. A. & Engelman, D. M. (1978). *The measurement of the locations and radii of gyration of proteins in the 30S ribosomal unit of E. coli by neutron scattering*. *J. Appl. Cryst.* **11**, 479–482.
- Moore, P. B. & Weinstein, E. (1979). *On the estimation of the locations of subunits within macromolecular aggregates from neutron interference data*. *J. Appl. Cryst.* **12**, 321–326.
- Nierhaus, K. H., Lietzke, R., May, R. P., Nowotny, V., Schulze, H., Simpson, K., Wurmbach, P. & Stuhmann, H. B. (1983). *Shape determinations of ribosomal proteins in situ*. *Proc. Natl Acad. Sci. USA*, **80**, 2889–2893.
- Nierhaus, K. H., Wadzack, J., Burkhardt, N., Junemann, R., Meerwinck, W., Willumeit, R. & Stuhmann, H. B. (1998). *Structure of the elongating ribosome: arrangement of the two tRNAs before and after translocation*. *Proc. Natl Acad. Sci. USA*, **95**, 945–950.
- Nowotny, P., Ruhl, M., Nowotny, V., May, R. P., Burkhardt, N., Voss, H. & Nierhaus, K. H. (1994). *Direct shape determination of ribosomal proteins in solution and within the ribosome by means of neutron scattering*. *Biophys. Chem.* **53**, 115–122.
- Olah, G. A., Rokop, S. E., Wang, C. L., Blechner, S. L. & Trehwella, J. (1994). *Troponin I encompasses an extended troponin C in the Ca(2+)-bound complex: a small-angle X-ray and neutron scattering study*. *Biochemistry*, **33**, 8233–8239.
- Porod, G. (1951). *The X-ray small-angle scattering of close-packed colloid systems. I*. *Kolloid-Z.* **124**, 83–144.
- Porod, G. (1952). *The X-ray small-angle scattering of close-packed colloid systems. II*. *Kolloid-Z.* **125**, 51–57.
- Serdyuk, I. N., Grenader, A. K. & Zaccai, G. (1979). *Study of the internal structure of E. coli ribosomes by neutron and X-ray scattering*. *J. Mol. Biol.* **135**, 691–707.
- Serdyuk, I. N., Pavlov, M. Yu., Rublevskaya, I. N., Zaccai, G. & Leberman, R. (1994). *Triple isotopic substitution method in small angle scattering. Application to the study of the ternary complex EF-Tu-GTP-aminoacyl tRNA*. *Biophys. Chem.* **53**, 123–130.
- Stöckel, P., May, R., Strell, I., Cejka, Z., Hoppe, W., Heumann, H., Zillig, W. & Crespi, H. (1980a). *The core subunit structure in RNA polymerase holoenzyme determined by neutron small-angle scattering*. *Eur. J. Biochem.* **112**, 411–417.
- Stöckel, P., May, R., Strell, I., Cejka, Z., Hoppe, W., Heumann, H., Zillig, W. & Crespi, H. L. (1980b). *The subunit positions within RNA polymerase holoenzyme determined by triangulation of centre-to-centre distances*. *Eur. J. Biochem.* **112**, 419–423.
- Stöckel, P., May, R., Strell, I., Cejka, Z., Hoppe, W., Heumann, H., Zillig, W., Crespi, H. L., Katz, J. J. & Ibel, K. (1979). *Determination of intersubunit distances and subunit shape parameters in DNA-dependent RNA polymerase by neutron small-angle scattering*. *J. Appl. Cryst.* **12**, 176–185.
- Stone, D. B., Timmins, P. A., Schneider, D. K., Krylova, I., Ramos, C. H., Reinach, F. C. & Mendelson, R. A. (1998). *The effect of regulatory Ca²⁺ on the in situ structures of troponin C and troponin I: a neutron scattering study*. *J. Mol. Biol.* **281**, 689–704.
- Stuhmann, H. B. (1976). *Small-angle scattering of proteins in solution*. *Brookhaven Symp. Biol.* **27**, IV3–IV19.
- Stuhmann, H. B., Haas, J., Ibel, K., Koch, M. H. & Crichton, R. R. (1976). *Low angle neutron scattering of ferritin studied by contrast variation*. *J. Mol. Biol.* **100**, 399–413.
- Stuhmann, H. B. & Nierhaus, K. H. (1996). *The determination of the in situ structure by nuclear spin contrast variation*. *Basic Life Sci.* **64**, 397–413.
- Stuhmann, H. B., Tardieu, A., Mateu, L., Sardet, C., Luzzati, V., Aggerbeck, L. & Scanu, A. M. (1975). *Neutron scattering study of human serum low density lipoprotein*. *Proc. Natl Acad. Sci. USA*, **72**, 2270–2273.
- Svergun, D. I. (1994). *Solution scattering from biopolymers: advanced contrast-variation data analysis*. *Acta Cryst.* **A50**, 391–402.
- Svergun, D. I., Barberato, C., Koch, M. H., Fetler, L. & Vachette, P. (1997). *Large differences are observed between the crystal and solution quaternary structures of allosteric aspartate transcarbamylase in the R state*. *Proteins*, **27**, 110–117.
- Svergun, D. I., Burkhardt, N., Pedersen, J. S., Koch, M. H., Volkov, V. V., Kozin, M. B., Meerwinck, W., Stuhmann, H. B., Diedrich, G. & Nierhaus, K. H. (1997). *Solution scattering structural analysis of the 70S Escherichia coli ribosome by contrast variation. II. A model of the ribosome and its RNA at 3.5 nm resolution*. *J. Mol. Biol.* **271**, 602–618.
- Svergun, D. I., Koch, M. H., Pedersen, J. S. & Serdyuk, I. N. (1996). *Structural model of the 50S subunit of E. coli ribosomes from solution scattering*. *Basic Life Sci.* **64**, 149–174.

19. OTHER EXPERIMENTAL TECHNIQUES

19.4 (cont.)

- Svergun, D. I., Richard, S., Koch, M. H., Sayers, Z., Kuprin, S. & Zaccai, G. (1998). *Protein hydration in solution: experimental observation by X-ray and neutron scattering. Proc. Natl Acad. Sci. USA*, **95**, 2267–2272.
- Timmins, P. A., Hauk, J., Wacker, T. & Welte, W. (1991). *The influence of heptane-1,2,3-triol on the size and shape of LDAO micelles. Implications for the crystallisation of membrane proteins. FEBS Lett.* **280**, 115–120.
- Uberbacher, E. C., Mardian, J. K., Rossi, R. M., Olins, D. E. & Bunick, G. J. (1982). *Neutron scattering studies and modeling of high mobility group 14 core nucleosome complex. Proc. Natl Acad. Sci. USA*, **79**, 5258–5262.
- Vainshtein, B. K., Sosfenov, N. I. & Feigin, L. A. (1970). *X-ray method for determining the gaps between heavy atoms in macromolecules in solution and its use for studying gramicidin derivatives. Dokl. Akad. Nauk SSSR*, **190**, 574–577.
- Vanatalu, K., Paalme, T., Vilu, R., Burkhardt, N., Junemann, R., May, R., Ruhl, M., Wadzack, J. & Nierhaus, K. H. (1993). *Large-scale preparation of fully deuterated cell components. Ribosomes from Escherichia coli with high biological activity. Eur. J. Biochem.* **216**, 315–321.
- Zaccai, G. & Jacrot, B. (1983). *Small angle neutron scattering. Annu. Rev. Biophys. Bioeng.* **12**, 139–157.

19.5

- Arnott, S. (1980). *Twenty years hard labor as a fiber diffractionist. Am. Chem. Soc. Symp. Ser.* **141**, 1–30.
- Arnott, S., Chandrasekaran, R., Birdsall, D. L., Leslie, A. G. W. & Ratliff, R. L. (1980). *Left-handed DNA helices. Nature (London)*, **283**, 743–745.
- Arnott, S., Chandrasekaran, R. & Leslie, A. G. W. (1976). *Structure of the single-stranded polyribonucleotide polycytidylic acid. J. Mol. Biol.* **106**, 735–748.
- Arnott, S., Chandrasekaran, R., Millane, R. P. & Park, H.-S. (1986). *DNA–RNA hybrid secondary structures. J. Mol. Biol.* **188**, 631–640.
- Arnott, S., Chandrasekaran, R., Puigjaner, L. C., Walker, J. K., Hall, I. H. & Birdsall, D. L. (1983). *Wrinkled DNA. Nucleic Acids Res.* **11**, 1457–1474.
- Arnott, S., Dover, S. D. & Wonacott, A. J. (1969). *Least-squares refinement of the crystal and molecular structures of DNA and RNA from X-ray data and standard bond lengths and angles. Acta Cryst.* **B25**, 2192–2206.
- Arnott, S., Guss, J. M., Hukins, D. W. L., Dea, I. C. M. & Rees, D. A. (1974). *Conformation of keratan sulphate. J. Mol. Biol.* **88**, 175–184.
- Arnott, S. & Mitra, A. (1984). *X-ray diffraction analysis of glycosaminoglycans. In Molecular biophysics of the extracellular matrix*, edited by S. Arnott, D. A. Rees & E. R. Morris, pp. 41–67. New Jersey: Humana Press.
- Arnott, S., Scott, W. E., Rees, D. A. & McNab, C. G. A. (1974). *i-Carrageenan: molecular structure and packing of polysaccharide double helices in oriented fibers of divalent cation salts. J. Mol. Biol.* **90**, 253–267.
- Arnott, S., Wilkins, M. H. F., Fuller, W. & Langridge, R. (1967). *Molecular and crystal structures of double-helical RNA. III. An 11-fold molecular model and comparison of the agreement between the observed and calculated three-dimensional diffraction data for 10- and 11-fold models. J. Mol. Biol.* **27**, 535–548.
- Arnott, S., Wilkins, M. H. F., Hamilton, L. D. & Langridge, R. (1965). *Fourier synthesis studies of lithium DNA. Part III: Hoogsteen models. J. Mol. Biol.* **11**, 391–402.
- Arnott, S. & Wonacott, A. J. (1966). *The refinement of the crystal and molecular structures of polymers using X-ray data and stereochemical constraints. Polymer*, **7**, 157–166.
- Bailey, K., Astbury, W. T. & Rudall, K. M. (1943). *Members of the keratin-myosin group. Nature (London)*, **151**, 716–717.
- Barrett, A. N., Leigh, J. B., Holmes, K. C., Leberman, R., Sengbusch, P. & Klug, A. (1971). *An electron density map of tobacco mosaic virus at 10 Å resolution. Cold Spring Harbor Symp. Quant. Biol.* **36**, 433–448.
- Beese, L., Stubbs, G. & Cohen, C. (1987). *Microtubule structure at 18 Å resolution. J. Mol. Biol.* **194**, 257–264.
- Brünger, A. T., Kuriyan, J. & Karplus, M. (1987). *Crystallographic R-factor refinement by molecular dynamics. Science*, **235**, 458–460.
- Bryan, R. K., Bansal, M., Folkhard, W., Nave, C. & Marvin, D. A. (1983). *Maximum-entropy calculation of the electron density at 4 Å resolution of Pfl filamentous bacteriophage. Proc. Natl Acad. Sci. USA*, **80**, 4728–4731.
- Chandrasekaran, R. (1997). *Molecular architecture of polysaccharide helices in oriented fibers. Adv. Carbohydr. Chem. Biochem.* **52**, 311–439.
- Chandrasekaran, R. & Arnott, S. (1989). *The structures of DNA and RNA helices in oriented fibers. In Landolt–Börnstein numerical data and functional relationships in science and technology, Vol. VII/1b*, edited by W. Saenger, pp. 31–170. Berlin: Springer-Verlag.
- Chandrasekaran, R., Bian, W. & Okuyama, K. (1998). *Three-dimensional structure of guaran. Carbohydr. Res.* **312**, 219–224.
- Chandrasekaran, R., Giacometti, A. & Arnott, S. (2000a). *Structure of poly d(T)-poly d(A)-poly d(T). J. Biomol. Struct. Dynam.* **17**, 1011–1022.
- Chandrasekaran, R., Giacometti, A. & Arnott, S. (2000b). *Structure of poly (U)-poly (A)-poly (U). J. Biomol. Struct. Dynam.* **17**, 1023–1034.
- Chandrasekaran, R., Giacometti, A. & Arnott, S. (2000c). *Structure of poly (I)-poly (A)-poly (I). J. Biomol. Struct. Dynam.* **17**, 1035–1045.
- Chandrasekaran, R., Puigjaner, L. C., Joyce, K. L. & Arnott, S. (1988). *Cation interactions in gellan: an X-ray study of the potassium salt. Carbohydr. Res.* **181**, 23–40.
- Chandrasekaran, R. & Radha, A. (1992). *Structure of poly d(A)-poly d(T). J. Biomol. Struct. Dynam.* **10**, 153–168.
- Chandrasekaran, R., Radha, A. & Lee, E. J. (1994). *Structural roles of calcium ions and side chains in welan: an X-ray study. Carbohydr. Res.* **252**, 183–207.
- Chandrasekaran, R., Radha, A., Lee, E. J. & Zhang, M. (1994). *Molecular architecture of araban, galactoglucan and welan. Carbohydr. Polymers*, **25**, 235–243.
- Chandrasekaran, R., Radha, A. & Park, H.-S. (1995). *Sodium ions and water molecules in the structure of poly d(A)-poly d(T). Acta Cryst.* **D51**, 1025–1035.
- Chandrasekaran, R., Radha, A. & Park, H.-S. (1997). *Structure of poly d(AI)-poly d(CT) in two different packing arrangements. J. Biomol. Struct. Dynam.* **15**, 285–305.
- Cochran, W., Crick, F. H. & Vand, V. (1952). *The structure of synthetic polypeptides. I. The transform of atoms in a helix. Acta Cryst.* **5**, 581–586.
- Cohen, C., Harrison, S. C. & Stephens, R. E. (1971). *X-ray diffraction from microtubules. J. Mol. Biol.* **59**, 375–380.
- Franklin, R. E. & Klug, A. (1955). *The splitting of layer lines in X-ray fibre diagrams of helical structures: application to tobacco mosaic virus. Acta Cryst.* **8**, 777–780.
- Fraser, R. D. B., MacRae, T. P., Miller, A. & Rowlands, R. J. (1976). *Digital processing of fibre diffraction patterns. J. Appl. Cryst.* **9**, 81–94.
- Fraser, R. D. B., MacRae, T. P. & Suzuki, E. (1978). *An improved method for calculating the contribution of solvent to the X-ray diffraction pattern of biological molecules. J. Appl. Cryst.* **11**, 693–694.
- Gonzalez, A., Nave, C. & Marvin, D. A. (1995). *Pfl filamentous bacteriophage: refinement of a molecular model by simulated annealing using 3.3 Å resolution X-ray fibre diffraction data. Acta Cryst.* **D51**, 792–804.
- Gregory, J. & Holmes, K. C. (1965). *Methods of preparing orientated tobacco mosaic virus sols for X-ray diffraction. J. Mol. Biol.* **13**, 796–801.
- Hamilton, W. C. (1965). *Significance tests on the crystallographic R factor. Acta Cryst.* **18**, 502–510.