

## REFERENCES

## 20.1 (cont.)

- Smith, P. E. & van Gunsteren, W. F. (1995). *Reaction field effects on the simulated properties of liquid water*. *Mol. Simul.* **15**, 233–245.
- Torda, A. E., Brunne, R. M., Huber, T., Kessler, H. & van Gunsteren, W. F. (1993). *Structure refinement using time-averaged J-coupling constant restraints*. *J. Biomol. NMR*, **3**, 55–66.
- Torda, A. E., Scheek, R. M. & van Gunsteren, W. F. (1990). *Time-averaged nuclear Overhauser effect distance restraints applied to tendamistat*. *J. Mol. Biol.* **214**, 223–235.
- Vijay-Kumar, S., Bugg, C. E. & Cook, W. J. (1987). *Structure of ubiquitin refined at 1.8 Å resolution*. *J. Mol. Biol.* **194**, 531–544.

## 20.2

- Abseher, R., Ludemann, S., Schreiber, H. & Steinhauser, O. (1995). *NMR cross-relaxation investigated by molecular dynamics simulation: a case study of ubiquitin in solution*. *J. Mol. Biol.* **249**, 604–624.
- Brooks, C. L. III, Karplus, M. & Pettitt, B. M. (1988). *Proteins: a theoretical perspective of dynamics, structure and thermodynamics*. *Adv. Chem. Phys.* **71**, 1–259.
- Brünger, A. T., Kuriyan, J. & Karplus, M. (1987). *Crystallographic R factor refinement by molecular dynamics*. *Science*, **235**, 458–460.
- Caves, L. S. D., Evanseck, J. D. & Karplus, M. (1998). *Locally accessible conformations of proteins: multiple molecular dynamics simulations of crambin*. *Protein Sci.* **7**, 649–666.
- Chatfield, D. C., Szabo, A. & Brooks, B. R. (1998). *Molecular dynamics of staphylococcal nuclease: comparison of simulation with <sup>15</sup>N and <sup>13</sup>C NMR relaxation data*. *J. Am. Chem. Soc.* **120**, 5301–5311.
- Christiansen, D., Peram, J. W. & Petersen, H. G. (1993). *On the fast multipole method for computing the energy of periodic assemblies of charged and dipolar particles*. *J. Comput. Phys.* **107**, 403–405.
- Cooper, A. (1976). *Thermodynamic fluctuations in protein molecules*. *Proc. Natl Acad. Sci. USA*, **92**, 2740–2741.
- Darden, T., York, D. & Pedersen, L. (1993). *Particle mesh Ewald (PME): a N log(N) method for Ewald sums in large systems*. *J. Chem. Phys.* **98**, 10089–10092.
- Duan, Y. & Kollman, P. A. (1998). *Pathways to a protein folding intermediate observed in a 1-microsecond simulation in aqueous solution*. *Science*, **282**, 740–744.
- Essmann, U., Perrera, L., Berkovitz, M. L., Darden, T., Lee, H. & Pedersen, L. G. (1995). *A smooth particle mesh Ewald method*. *J. Chem. Phys.* **103**, 8577–8593.
- Goodfellow, J. M. & Levy, R. M. (1998). *Theory and simulation*. *Curr. Opin. Struct. Biol.* **8**, 209–210.
- Gunsteren, W. F. van, Billeter, S. R., Eising, A. A., Hünenberger, P. H., Mark, A. E., Scott, W. R. P. & Tironi, I. G. (1996). *Biomolecular simulation: the GROMOS96 manual and user guide*. Vdf Hochschulverlag, Zurich, Switzerland.
- Hamiaux, C., Prangé, T., Riès-Kautt, M., Ducruix, A., Lafont, S., Astier, J. P. & Veleser, S. (1999). *The dimeric structure of bovine pancreatic trypsin inhibitor (BPTI) crystallized from thiocyanate at 2.7 Å resolution*. *Acta Cryst. D* **55**, 103–113.
- Hoover, W. G. (1985). *Canonical dynamics: equilibrium phase-space distributions*. *Phys. Rev. A*, **31**, 1695–1697.
- Jorgensen, W. L., Chandrasekhar, J., Madura, J. D., Impey, R. W. & Klein, M. L. (1983). *Comparison of simple potential functions for simulating liquid water*. *J. Chem. Phys.* **79**, 926–935.
- Jorgensen, W. L. & Tirado-Rives, J. (1988). *The OPLS potential functions for proteins. Energy minimizations for crystals of cyclic peptides and crambin*. *J. Am. Chem. Soc.* **110**, 1657–1666.
- Kuriyan, J., Petsko, G. A., Levy, R. M. & Karplus, M. (1986). *Effect of anisotropy and anharmonicity on protein crystallographic refinement: an evaluation by molecular dynamics*. *J. Mol. Biol.* **190**, 455–479.
- Leeuw, S. W. de, Perram, J. W. & Smith, E. R. (1980). *Simulation of electrostatic systems in periodic boundary conditions. I. Lattice sums and dielectric constants*. *Proc. R. Soc. London Ser. A*, **373**, 27–56.
- Levy, R. M., Karplus, M. & McCammon, J. A. (1981). *Increase of <sup>13</sup>C NMR relaxation times in proteins due to picosecond motional averaging*. *J. Am. Chem. Soc.* **103**, 994–996.
- Levy, R. M., Karplus, M. & Wolynes, P. G. (1981). *NMR relaxation parameters in molecules with internal motion: exact Langevin trajectory results compared with simplified relaxation models*. *J. Am. Chem. Soc.* **103**, 5998–6011.
- Lipari, G. & Szabo, A. (1982). *Model-free approach to the interpretation of nuclear magnetic resonance relaxation in macromolecules. I. Theory and range of validity*. *J. Am. Chem. Soc.* **104**, 4546–4559.
- McCammon, J. A., Gelin, B. R. & Karplus, M. (1977). *Dynamics of folded proteins*. *Nature (London)*, **267**, 585–590.
- McCammon, J. A. & Harvey, S. C. (1987). *Dynamics of proteins and nucleic acids*. Cambridge University Press.
- MacKerell, A., Wiorkiewicz-Kuczera, J. & Karplus, M. (1995). *An all atom empirical energy function for the simulation of nucleic acids*. *J. Am. Chem. Soc.* **117**, 11946–11975.
- MacKerell, A. D. Jr, Bashford, D., Bellott, M., Dunbrack, R. L. Jr, Evanseck, J. D., Field, M. J., Fischer, S., Gao, J., Guo, H., Ha, S., Joseph-McCarthy, D., Kuchnir, L., Kuczera, K., Lau, F. T. K., Mattos, C., Michnick, S., Ngo, T., Nguyen, D. T., Prodhom, B., Reiher, W. E. III, Roux, B., Schlenkrich, M., Smith, J. C., Stote, R., Straub, J. & Karplus, M. (1998). *All-atom empirical potential for molecular modeling and dynamics studies of proteins*. *J. Phys. Chem. B*, **102**, 3586–3616.
- Nose, S. (1984). *A unified formulation of the constant temperature molecular dynamics methods*. *J. Chem. Phys.* **81**, 511–519.
- Parkin, S., Rupp, B. & Hope, H. (1999). *The structure of bovine pancreatic trypsin inhibitor at 125 K: definition of carboxyl-terminal residues glycine-57 and alanine 58*. In preparation.
- Pike, A. C., Brew, K. & Acharya, K. R. (1996). *Crystal structures of guinea-pig, goat and bovine α-lactalbumin highlight the enhanced conformational flexibility of regions that are significant for its action in lactose synthase*. *Structure*, **4**, 691–703.
- Post, C. B. (1992). *Internal motional averaging and three-dimensional structure determination by NMR*. *J. Mol. Biol.* **224**, 1087–1101.
- Post, C. B., Brooks, B. R., Karplus, M., Dobson, C. M., Artymiuk, P. J., Cheetham, J. C. & Phillips, D. C. (1986). *Molecular dynamics simulations of native and substrate-bound lysozyme*. *J. Mol. Biol.* **190**, 455–479.
- Post, C. B., Dobson, C. M. & Karplus, M. (1989). *A molecular dynamics analysis of protein structural elements*. *Proteins*, **5**, 337–354.
- Ryckaert, J.-P., Ciccotti, G. & Berendsen, H. J. C. (1977). *Numerical integration of the Cartesian equations of motion of a system with constraints: molecular dynamics of n-alkanes*. *J. Comput. Phys.* **23**, 327–341.
- Schiffer, C. A., Gros, P. & van Gunsteren, W. F. (1995). *Time-averaging crystallographic refinement: possibilities and limitations using α-cyclodextrin as a test system*. *Acta Cryst. D* **51**, 85–92.
- Smith, P. E., van Schaik, R. C., Szyperski, T., Wuthrich, K. & van Gunsteren, W. F. (1995). *Internal mobility of the basic pancreatic trypsin inhibitor in solution: a comparison of NMR spin relaxation measurements and molecular dynamics simulation*. *J. Mol. Biol.* **246**, 356–365.
- Verlet, L. (1967). *Computer experiments on classical fluids. I. Thermodynamical properties of Lennard–Jones molecules*. *Phys. Rev.* **159**, 98–103.
- Wlodawer, A., Nachman, J., Gilliland, G. L., Gallagher, W. & Woodward, C. (1987). *Structure of form III crystals of bovine pancreatic trypsin inhibitor*. *J. Mol. Biol.* **198**, 469–480.