

## REFERENCES

## 22.3 (cont.)

- Lee, F. S., Chu, Z. T., Bolger, M. B. & Warshel, A. (1992). Calculations of antibody–antigen interactions: microscopic and semi-microscopic evaluation of the free energies of binding of phosphorylcholine analogs to Mcpc603. *Protein Eng.* **5**, 215–228.
- Misra, V., Hecht, J., Sharp, K., Friedman, R. & Honig, B. (1994). Salt effects on protein–DNA interactions: the lambda cI repressor and Eco RI endonuclease. *J. Mol. Biol.* **238**, 264–280.
- Misra, V. & Honig, B. (1995). On the magnitude of the electrostatic contribution to ligand–DNA interactions. *Proc. Natl Acad. Sci. USA*, **92**, 4691–4695.
- Misra, V., Sharp, K., Friedman, R. & Honig, B. (1994). Salt effects on ligand–DNA binding: minor groove antibiotics. *J. Mol. Biol.* **238**, 245–263.
- Mohan, V., Davis, M. E., McCammon, J. A. & Pettitt, B. M. (1992). Continuum model calculations of solvation free energies – accurate evaluation of electrostatic contributions. *J. Phys. Chem.* **96**, 6428–6431.
- Murthy, C. S., Bacquet, R. J. & Rossky, P. J. (1985). Ionic distributions near polyelectrolytes. A comparison of theoretical approaches. *J. Phys. Chem.* **89**, 701.
- Nakamura, H., Sakamoto, T. & Wada, A. (1988). A theoretical study of the dielectric constant of a protein. *Protein Eng.* **2**, 177–183.
- Nicholls, A. & Honig, B. (1991). A rapid finite difference algorithm utilizing successive over-relaxation to solve the Poisson–Boltzmann equation. *J. Comput. Chem.* **12**, 435–445.
- Oberoi, H. & Allewell, N. (1993). Multigrid solution of the nonlinear Poisson–Boltzmann equation and calculation of titration curves. *Biophys. J.* **65**, 48–55.
- Olmsted, M. C., Anderson, C. F. & Record, M. T. (1989). Monte Carlo description of oligoelectrolyte properties of DNA oligomers. *Proc. Natl Acad. Sci. USA*, **86**, 7766–7770.
- Olmsted, M. C., Anderson, C. F. & Record, M. T. (1991). Importance of oligoelectrolyte end effects for the thermodynamics of conformational transitions of nucleic acid oligomers. *Biopolymers*, **31**, 1593–1604.
- Pack, G., Garrett, G., Wong, L. & Lamm, G. (1993). The effect of a variable dielectric coefficient and finite ion size on Poisson–Boltzmann calculations of DNA–electrolyte systems. *Biophys. J.* **65**, 1363–1370.
- Pack, G. R. & Klein, B. J. (1984). The distribution of electrolyte ions around the B- and Z-conformers of DNA. *Biopolymers*, **23**, 2801.
- Pack, G. R., Wong, L. & Prasad, C. V. (1986). Counterion distribution around DNA. *Nucleic Acids Res.* **14**, 1479.
- Rashin, A. A. (1990). Hydration phenomena, classical electrostatics and the boundary element method. *J. Phys. Chem.* **94**, 725–733.
- Record, T., Olmsted, M. & Anderson, C. (1990). Theoretical studies of the thermodynamics of ion interaction with DNA. In *Theoretical biochemistry and molecular biophysics*. New York: Adenine Press.
- Reiner, E. S. & Radke, C. J. (1990). Variational approach to the electrostatic free energy in charged colloidal suspensions. *J. Chem. Soc. Faraday Trans.* **86**, 3901.
- Schaeffer, M. & Frommel, C. (1990). A precise analytical method for calculating the electrostatic energy of macromolecules in aqueous solution. *J. Mol. Biol.* **216**, 1045–1066.
- Sharp, K. & Honig, B. (1990). Calculating total electrostatic energies with the non-linear Poisson–Boltzmann equation. *J. Phys. Chem.* **94**, 7684–7692.
- Sharp, K. A., Friedman, R., Misra, V., Hecht, J. & Honig, B. (1995). Salt effects on polyelectrolyte–ligand binding: comparison of Poisson–Boltzmann and limiting law counterion binding models. *Biopolymers*, **36**, 245–262.
- Simonson, T. & Brooks, C. L. (1996). Charge screening and the dielectric-constant of proteins: insights from molecular-dynamics. *J. Am. Chem. Soc.* **118**, 8452–8458.
- Simonson, T. & Brünger, A. (1994). Solvation free energies estimated from a macroscopic continuum theory. *J. Phys. Chem.* **98**, 4683–4694.
- Simonson, T. & Perahia, D. (1995). Internal and interfacial dielectric properties of cytochrome c from molecular dynamics in aqueous solution. *Proc. Natl Acad. Sci. USA*, **92**, 1082–1086.
- Sitkoff, D., Sharp, K. & Honig, B. (1994). Accurate calculation of hydration free energies using macroscopic solvent models. *J. Phys. Chem.* **98**, 1978–1988.
- Slagle, S., Kozack, R. E. & Subramaniam, S. (1994). Role of electrostatics in antibody–antigen association: anti-hen egg lysozyme/lysozyme complex (HyHEL–5/HEL). *J. Biomol. Struct. Dyn.* **12**, 439–456.
- Smith, P., Brunne, R., Mark, A. & van Gunsteren, W. (1993). Dielectric properties of trypsin inhibitor and lysozyme calculated from molecular dynamics simulations. *J. Phys. Chem.* **97**, 2009–2014.
- Still, C., Tempczyk, A., Hawley, R. & Hendrickson, T. (1990). Semianalytical treatment of solvation for molecular mechanics and dynamics. *J. Am. Chem. Soc.* **112**, 6127–6129.
- Takashima, S. & Schwan, H. P. (1965). Dielectric constant measurements on dried proteins. *J. Phys. Chem.* **69**, 4176.
- Warshel, A. & Åqvist, J. (1991). Electrostatic energy and macromolecular function. *Annu. Rev. Biophys. Biophys. Chem.* **20**, 267–298.
- Warshel, A. & Russell, S. (1984). Calculations of electrostatic interactions in biological systems and in solutions. *Q. Rev. Biophys.* **17**, 283.
- Warwicker, J. (1994). Improved continuum electrostatic modelling in proteins, with comparison to experiment. *J. Mol. Biol.* **236**, 887–903.
- Warwicker, J. & Watson, H. C. (1982). Calculation of the electric potential in the active site cleft due to alpha-helix dipoles. *J. Mol. Biol.* **157**, 671–679.
- Wendoloski, J. J. & Matthew, J. B. (1989). Molecular dynamics effects on protein electrostatics. *Proteins*, **5**, 313.
- Yang, A., Gunner, M., Sampogna, R., Sharp, K. & Honig, B. (1993). On the calculation of pK<sub>a</sub> in proteins. *Proteins Struct. Funct. Genet.* **15**, 252–265.
- Yoon, L. & Lenhoff, A. (1992). Computation of the electrostatic interaction energy between a protein and a charged surface. *J. Phys. Chem.* **96**, 3130–3134.
- Zauhar, R. & Morgan, R. J. (1985). A new method for computing the macromolecular electric potential. *J. Mol. Biol.* **186**, 815–820.
- Zhou, H. X. (1994). Macromolecular electrostatic energy within the nonlinear Poisson–Boltzmann equation. *J. Phys. Chem.* **100**, 3152–3162.

## 22.4

- Abola, E. E., Sussman, J. L., Prilusky, J. & Manning, N. O. (1997). Protein Data Bank archives of three-dimensional macromolecular structures. *Methods Enzymol.* **277**, 556–571.
- Allen, F. H., Baalham, C. A., Lommerse, J. P. M. & Raithby, P. R. (1998). Carbonyl–carbonyl interactions can be competitive with hydrogen bonds. *Acta Cryst.* **B54**, 320–329.
- Allen, F. H., Bird, C. M., Rowland, R. S. & Raithby, P. R. (1997a). Resonance-induced hydrogen bonding at sulfur acceptors in R<sub>1</sub>R<sub>2</sub>C=S and R<sub>1</sub>CS<sub>2</sub><sup>–</sup> systems. *Acta Cryst.* **B53**, 680–695.
- Allen, F. H., Bird, C. M., Rowland, R. S. & Raithby, P. R. (1997b). Hydrogen-bond acceptor and donor properties of divalent sulfur. *Acta Cryst.* **B53**, 696–701.
- Allen, F. H., Davies, J. E., Galloy, J. J., Johnson, O., Kennard, O., Macrae, C. F., Mitchell, E. M., Mitchell, G. F., Smith, J. M. & Watson, D. G. (1991). The development of versions 3 and 4 of the Cambridge Structural Database system. *J. Chem. Inf. Comput. Sci.* **31**, 187–204.
- Allen, F. H., Doyle, M. J. & Auf der Heyde, T. P. E. (1991). Automated conformational analysis from crystallographic data. 6. Principal-component analysis for n-membered carbocyclic rings (n = 4, 5, 6): symmetry considerations and correlations with ring-puckering parameters. *Acta Cryst.* **B47**, 412–424.
- Allen, F. H., Doyle, M. J. & Taylor, R. (1991). Automated conformational analysis from crystallographic data. 3. Three-dimensional pattern recognition within the Cambridge Structural Database system: implementation and practical examples. *Acta Cryst.* **B47**, 50–61.

## 22.4 (cont.)

- Allen, F. H., Harris, S. E. & Taylor, R. (1996). *Comparison of conformer distributions in the crystalline state with conformational energies calculated by ab initio techniques*. *J. Comput.-Aided Mol. Des.* **10**, 247–254.
- Allen, F. H., Howard, J. A. K. & Pitchford, N. A. (1996). *Symmetry-modified conformational mapping and classification of the medium rings from crystallographic data. IV. Cyclooctane and related eight-membered rings*. *Acta Cryst.* **B52**, 882–891.
- Allen, F. H., Kennard, O., Watson, D. G., Brammer, L., Orpen, A. G. & Taylor, R. (1987). *Tables of bond lengths determined by X-ray and neutron diffraction. Part 1. Bond lengths in organic compounds*. *J. Chem. Soc. Perkin Trans. 2*, pp. S1–S19.
- Allen, F. H., Lommerse, J. P. M., Hoy, V. J., Howard, J. A. K. & Desiraju, G. R. (1997). *Halogen...O(nitro) supramolecular synthon in crystal engineering: a combined crystallographic database and ab initio molecular orbital study*. *Acta Cryst.* **B53**, 1006–1016.
- Allen, F. H., Motherwell, W. D. S., Raithby, P. R., Shields, G. P. & Taylor, R. (1999). *Systematic analysis of the probabilities of formation of bimolecular hydrogen bonded ring motifs in organic crystal structures*. *New J. Chem.* **23**, 25–34.
- Allen, F. H., Raithby, P. R., Shields, G. P. & Taylor, R. (1998). *Probabilities of formation of bimolecular cyclic hydrogen bonded motifs in organic crystal structures: a systematic database study*. *Chem. Commun.* pp. 1043–1044.
- Allen, F. H., Rowland, R. S., Fortier, S. & Glasgow, J. I. (1990). *Knowledge acquisition from crystallographic databases: towards a knowledge-based approach to molecular scene analysis*. *Tetrahedron Comput. Methodol.* **3**, 757–774.
- Ashida, T., Tsunogae, Y., Tanaka, I. & Yamane, T. (1987). *Peptide chain structure parameters, bond angles and conformation angles from the Cambridge Structural Database*. *Acta Cryst.* **B43**, 212–218.
- Balasubramanian, R., Chidambaram, R. & Ramachandran, G. N. (1970). *Potential functions for hydrogen-bond interactions. II. Formulation of an empirical potential function*. *Biochim. Biophys. Acta*, **221**, 196–206.
- Berkovitch-Yellin, Z. & Leiserowitz, L. (1984). *The role played by C—H...O and C—H...N interactions in determining molecular packing and conformation*. *Acta Cryst.* **B40**, 159–165.
- Berman, H. M., Olson, W. K., Beveridge, D. L., Westbrook, J., Gelbin, A., Demeny, T., Hsieh, S.-H., Srinivasan, A. R. & Schneider, B. (1992). *The Nucleic Acid Database. A comprehensive relational database of three-dimensional structures of nucleic acids*. *Biophys. J.* **63**, 751–759.
- Berman, H. M., Westbrook, J., Feng, Z., Gilliland, G., Bhat, T. N., Weissig, H., Shindyalov, I. N. & Bourne, P. E. (2000). *The Protein Data Bank*. *Nucleic Acids Res.* **28**, 235–242.
- Bertolasi, V., Gilli, P., Ferretti, V. & Gilli, G. (1996). *Resonance-assisted O—H...O hydrogen bonding. Its role in the crystalline self-recognition of beta-diketone enols and its structural and IR characterisation*. *Chem. Eur. J.* **2**, 925–934.
- Blundell, T. L., Sibanda, B. L., Sternberg, M. J. E. & Thornton, J. M. (1987). *Knowledge-based prediction of protein structures and the design of novel molecules*. *Nature (London)*, **326**, 347–352.
- Böhm, H.-J. (1992a). *The computer program LUDI: a new method for the de novo design of enzyme inhibitors*. *J. Comput.-Aided Mol. Des.* **6**, 61–78.
- Böhm, H.-J. (1992b). *LUDI: rule-based automatic design of new substituents for enzyme inhibitors*. *J. Comput.-Aided Mol. Des.* **6**, 593–606.
- Bondi, A. (1964). *van der Waals volumes and radii*. *J. Phys. Chem.* **68**, 441–452.
- Boström, J., Norrby, P.-O. & Liljefors, T. (1998). *Conformational energy penalties of protein-bound ligands*. *J. Comput.-Aided Mol. Des.* **12**, 383–396.
- Bower, M., Cohen, F. E. & Dunbrack, R. L. Jr (1997). *Prediction of protein side-chain rotamers from a backbone-dependent rotamer library*. *J. Mol. Biol.* **267**, 1268–1282.
- Brammer, L., Zhao, D., Ladipo, F. T. & Braddock-Wilking, J. (1995). *Hydrogen bonds involving transition metal centres – a brief review*. *Acta Cryst.* **B51**, 632–640.
- Bruno, I. J., Cole, J. C., Lommerse, J. P. M., Rowland, R. S., Taylor, R. & Verdonk, M. L. (1997). *IsoStar: a library of information about nonbonded interactions*. *J. Comput.-Aided Mol. Des.* **11**, 525–537.
- Bürgi, H.-B. & Dunitz, J. D. (1983). *From crystal statics to chemical dynamics*. *Acc. Chem. Res.* **16**, 153–161.
- Bürgi, H.-B. & Dunitz, J. D. (1988). *Can statistical analysis of structural parameters from different crystal environments lead to quantitative energy relationships?* *Acta Cryst.* **B44**, 445–451.
- Bürgi, H.-B. & Dunitz, J. D. (1994). *Structure correlation*. Weinheim: VCH Publishers.
- Carbonell, J. (1989). *Editor. Machine learning – paradigms and methods*. Amsterdam: Elsevier.
- Carrell, A. B., Shimoni, L., Carrell, C. J., Bock, C. W., Murray-Rust, P. & Glusker, J. P. (1993). *The stereochemistry of the recognition of nitrogen-containing heterocycles by hydrogen bonding and by metal ions*. *Receptor*, **3**, 57–76.
- Carrell, C. J., Carrell, H. L., Erlebacher, J. & Glusker, J. P. (1988). *Structural aspects of metal ion–carboxylate interactions*. *J. Am. Chem. Soc.* **110**, 8651–8656.
- Ceccarelli, C., Jeffrey, G. A. & Taylor, R. (1981). *A survey of O—H...O hydrogen bond geometries determined by neutron diffraction*. *J. Mol. Struct.* **70**, 255–271.
- Chakrabarti, P. (1990a). *Interaction of metal ions with carboxylic and carboxamide groups in protein structures*. *Protein Eng.* **4**, 49–56.
- Chakrabarti, P. (1990b). *Geometry of interaction of metal ions with histidine residues in protein structures*. *Protein Eng.* **4**, 57–63.
- Chakrabarti, P. & Dunitz, J. D. (1982). *Directional preferences of ether O-atoms towards alkali and alkaline earth cations*. *Helv. Chim. Acta*, **65**, 1482–1488.
- Chatfield, C. & Collins, A. J. (1980). *Introduction to multivariate analysis*. London: Chapman & Hall.
- Conklin, D., Fortier, S., Glasgow, J. I. & Allen, F. H. (1996). *Conformational analysis from crystallographic data using conceptual clustering*. *Acta Cryst.* **B52**, 535–549.
- Cremer, D. & Pople, J. A. (1975). *A general definition of ring puckering coordinates*. *J. Am. Chem. Soc.* **97**, 1354–1358.
- Deane, C. M., Allen, F. H., Taylor, R. & Blundell, T. L. (1999). *Carbonyl–carbonyl interactions stabilise the partially allowed Ramachandran conformations of asparagine and aspartic acid*. *Protein Eng.* **12**, 1025–1028.
- Derewenda, Z. S., Lee, L. & Derewenda, U. (1995). *The occurrence of C—H...O hydrogen bonds in proteins*. *J. Mol. Biol.* **252**, 248–262.
- Desiraju, G. R. (1989). *Crystal engineering: the design of organic solids*. New York: Academic Press.
- Desiraju, G. R. (1991). *The C—H...O hydrogen bond in crystals. What is it?* *Acc. Chem. Res.* **24**, 270–276.
- Desiraju, G. R. (1995). *Supramolecular synthons in crystal engineering – a new organic synthesis*. *Angew. Chem. Int. Ed. Engl.* **34**, 2311–2327.
- Desiraju, G. R., Kashino, S., Coombs, M. M. & Glusker, J. P. (1993). *C—H...O packing motifs in some cyclopenta[a]phenanthrenes*. *Acta Cryst.* **B49**, 880–892.
- Desiraju, G. R. & Murty, B. N. (1987). *Correlation between crystallographic and spectroscopic properties for C—H...O bonds in terminal acetylenes*. *Chem. Phys. Lett.* **139**, 360–361.
- Donohue, J. (1952). *The hydrogen bond in organic crystals*. *J. Phys. Chem.* **56**, 502–510.
- Donohue, J. (1968). *Selected topics in hydrogen bonding*. In *Structural chemistry and molecular biology*, edited by W. Davidson & E. Rich, pp. 443–465. San Francisco: W. H. Freeman.
- Dunbrack, R. L. Jr & Karplus, M. (1993). *Backbone-dependent rotamer library for proteins: applications to side-chain prediction*. *J. Mol. Biol.* **230**, 534–571.
- Dunitz, J. D. & Taylor, R. (1997). *Organic fluorine hardly ever accepts hydrogen bonds*. *Chem. Eur. J.* **3**, 83–90.

## REFERENCES

## 22.4 (cont.)

- Einspahr, H. & Bugg, C. E. (1981). *The geometry of calcium-carboxylate interactions in crystalline complexes*. *Acta Cryst.* **B37**, 1044–1052.
- Engh, R. A. & Huber, R. (1991). *Accurate bond and angle parameters for X-ray protein structure refinement*. *Acta Cryst.* **A47**, 392–400.
- Everitt, B. (1980). *Cluster analysis*. New York: Wiley.
- Fortier, S., Castleden, I., Glasgow, J., Conklin, D., Walmsley, C., Leherste, L. & Allen, F. H. (1993). *Molecular scene analysis: the integration of direct-methods and artificial-intelligence strategies for solving protein crystal structures*. *Acta Cryst.* **D49**, 168–178.
- Glusker, J. P. (1980). *Citrate conformation and chelation: enzymatic implications*. *Acc. Chem. Res.* **13**, 345–352.
- Glusker, J. P., Lewis, M. & Rossi, M. (1994). *Crystal structure analysis for chemists and biologists*. Weinheim: VCH Publishers.
- Goodford, P. J. (1985). *A computational procedure for determining energetically favourable binding sites on biologically important molecules*. *J. Med. Chem.* **28**, 849–857.
- Gould, R. O., Gray, A. M., Taylor, P. & Walkinshaw, M. D. (1985). *Crystal environments and geometries of leucine, isoleucine, valine and phenylalanine provide estimates of minimum nonbonded contact and preferred van der Waals interaction distances*. *J. Am. Chem. Soc.* **107**, 5921–5927.
- Hall, S. R., Allen, F. H. & Brown, I. D. (1991). *The crystallographic information file (CIF): a new standard archive file for crystallography*. *Acta Cryst.* **A47**, 655–685.
- Hayes, I. C. & Stone, A. J. (1984). *An intermolecular perturbation theory for the region of moderate overlap*. *J. Mol. Phys.* **53**, 83–105.
- Hooft, R. W. W., Vriend, G., Sander, C. & Abola, E. E. (1996). *Errors in protein structures*. *Nature (London)*, **381**, 272.
- Jeffrey, G. A. & Maluszynska, H. (1982). *A survey of hydrogen bond geometries in the crystal structures of amino acids*. *Int. J. Biol. Macromol.* **4**, 173–185.
- Jeffrey, G. A. & Maluszynska, H. (1986). *A survey of the geometry of hydrogen bonds in the crystal structures of barbiturates, purines and pyrimidines*. *J. Mol. Struct.* **147**, 127–142.
- Jeffrey, G. A. & Mitra, J. (1984). *Three-centre (bifurcated) hydrogen bonding in the crystal structures of amino acids*. *J. Am. Chem. Soc.* **106**, 5546–5553.
- Jeffrey, G. A. & Saenger, W. (1991). *Hydrogen bonding in biological structures*. Berlin: Springer Verlag.
- Jones, G., Willett, P. & Glen, R. C. (1995). *Molecular recognition of receptor sites using a genetic algorithm with a description of solvation*. *J. Mol. Biol.* **245**, 43–53.
- Jones, G., Willett, P., Glen, R. C., Leach, A. R. & Taylor, R. (1997). *Development and validation of a genetic algorithm for flexible docking*. *J. Mol. Biol.* **267**, 727–748.
- Joris, L., Schleyer, P. & Gleiter, R. (1968). *Cyclopropane rings as proton acceptor groups in hydrogen bonding*. *J. Am. Chem. Soc.* **90**, 327–336.
- Kennard, O. (1962). In *International tables for X-ray crystallography*, Vol. II. Birmingham: Kynoch Press.
- Kennard, O. & Allen, F. H. (1993). *The Cambridge Crystallographic Data Centre*. *Chem. Des. Autom. News*, **8**, 1, 31–37.
- Klebe, G. (1994). *The use of composite crystal-field environments in molecular recognition and the de novo design of protein ligands*. *J. Mol. Biol.* **237**, 212–235.
- Klebe, G. & Mietzner, T. (1994). *A fast and efficient method to generate biologically relevant conformations*. *J. Comput.-Aided Mol. Des.* **8**, 583–594.
- Kroon, J. & Kanters, J. A. (1974). *Non-linearity of hydrogen bonds in molecular crystals*. *Nature (London)*, **248**, 667–669.
- Kroon, J., Kanters, J. A., van Duijneveldt-van de Rijdt, J. G. C. M., van Duijneveldt, F. B. & Vliegthart, J. A. (1975). *O—H...O hydrogen bonds in molecular crystals: a statistical and quantum chemical analysis*. *J. Mol. Struct.* **24**, 109–129.
- Kuntz, I. D., Meng, E. C. & Stoichet, B. K. (1994). *Structure-based molecular design*. *Acc. Chem. Res.* **27**, 117–122.
- Laskowski, R. A., MacArthur, M. W., Moss, D. S. & Thornton, J. M. (1993). *PROCHECK: a program to check the stereochemical quality of protein structures*. *J. Appl. Cryst.* **26**, 283–291.
- Laskowski, R. A., Thornton, J. M., Humblet, C. & Singh, J. (1996). *X-SITE: use of empirically derived atomic packing preferences to identify favourable interaction regions in the binding sites of proteins*. *J. Mol. Biol.* **259**, 175–201.
- Lehn, J.-M. (1988). *Perspectives in supramolecular chemistry – from molecular recognition towards molecular information processing and self-organization*. *Angew. Chem. Int. Ed. Engl.* **27**, 90–112.
- Lemmen, C. & Lengauer, T. (1997). *Time-efficient flexible superposition of medium sized molecules*. *J. Comput.-Aided Mol. Des.* **11**, 357–368.
- Levitt, M. & Perutz, M. (1988). *Aromatic rings act as hydrogen bond acceptors*. *J. Mol. Biol.* **201**, 751–754.
- Lommerse, J. P. M., Price, S. L. & Taylor, R. (1997). *Hydrogen bonding of carbonyl, ether and ester oxygen atoms with alkanol hydroxyl groups*. *J. Comput. Chem.* **18**, 757–780.
- Lommerse, J. P. M., Stone, A. J., Taylor, R. & Allen, F. H. (1996). *The nature and geometry of intermolecular interactions between halogens and oxygen or nitrogen*. *J. Am. Chem. Soc.* **118**, 3108–3116.
- Maccallum, P. H., Poet, R. & Milner-White, E. J. (1995a). *Coulombic interactions between partially charged main-chain atoms not hydrogen bonded to each other influence the conformations of  $\alpha$ -helices and antiparallel  $\beta$ -sheets*. *J. Mol. Biol.* **248**, 361–373.
- Maccallum, P. H., Poet, R. & Milner-White, E. J. (1995b). *Coulombic interactions between partially charged main-chain atoms stabilise the right-handed twist found in most  $\beta$ -strands*. *J. Mol. Biol.* **248**, 374–384.
- Miller, J., McLachlan, A. D. & Klug, A. (1985). *Repetitive zinc-binding domains in the protein transcription factor IIIA from *Xenopus oocytes**. *EMBO J.* **4**, 1609–1614.
- Murray-Rust, P. & Bland, R. (1978). *Computer retrieval and analysis of molecular geometry. II. Variance and its interpretation*. *Acta Cryst.* **B34**, 2527–2533.
- Murray-Rust, P. & Glusker, J. P. (1984). *Directional hydrogen bonding to  $sp^2$  and  $sp^3$  hybridized oxygen atoms and its relevance to ligand-macromolecule interactions*. *J. Am. Chem. Soc.* **105**, 1018–1025.
- Murray-Rust, P. & Motherwell, S. (1978). *Computer retrieval and analysis of molecular geometry. III. Geometry of the  $\beta$ -1'-aminofuranoside fragment*. *Acta Cryst.* **B34**, 2534–2546.
- Nicklaus, M. C., Wang, S., Driscoll, J. S. & Milne, G. W. A. (1995). *Conformational changes of small molecules binding to proteins*. *Bioorg. Med. Chem.* **3**, 411–428.
- Nobeli, I., Price, S. L., Lommerse, J. P. M. & Taylor, R. (1997). *Hydrogen bonding properties of oxygen and nitrogen acceptors in aromatic heterocycles*. *J. Comput. Chem.* **18**, 2060–2074.
- Nyburg, S. C. & Faerman, C. H. (1985). *A revision of van der Waals atomic radii for molecular crystals: N, O, F, S, Cl, Se, Br and I bonded to carbon*. *Acta Cryst.* **B41**, 274–279.
- Orpen, A. G., Brammer, L., Allen, F. H., Kennard, O., Watson, D. G. & Taylor, R. (1989). *Tables of bond lengths determined by X-ray and neutron diffraction. Part II: organometallic compounds and coordination complexes of the d- and f-block metals*. *J. Chem. Soc. Dalton Trans.* pp. S1–S83.
- Pauling, L. (1939). *The nature of the chemical bond*. Ithaca: Cornell University Press.
- Pedireddi, V. R. & Desiraju, G. R. (1992). *A crystallographic scale of carbon acidity*. *Chem. Commun.* pp. 988–990.
- Pimentel, G. C. & McClellan, A. L. (1960). *The hydrogen bond*. San Francisco: W. H. Freeman.
- Price, S. L., Stone, A. J., Lucas, J., Rowland, R. S. & Thornley, A. E. (1994). *The nature of —Cl...Cl— intermolecular interactions*. *J. Am. Chem. Soc.* **116**, 4910–4918.
- Rappoport, Z., Biali, S. E. & Kafory, M. (1990). *Application of the structure correlation method to ring-flip processes in benzophenone*. *J. Am. Chem. Soc.* **112**, 7742–7750.
- Rarey, M., Kramer, B., Lengauer, T. & Klebe, G. (1996). *Predicting receptor-ligand interactions by an incremental construction algorithm*. *J. Mol. Biol.* **261**, 470–481.

## 22.4 (cont.)

- Robertson, J. M. (1953). *Organic crystals and molecules*. Ithaca: Cornell University Press.
- Rosenfield, R. E., Parthasarathy, R. & Dunitz, J. D. (1977). *Directional preferences of non-bonded atomic contacts with divalent sulphur. 1. Electrophiles and nucleophiles*. *J. Am. Chem. Soc.* **99**, 4860–4862.
- Rosenfield, R. E. Jr, Swanson, S. M., Meyer, E. F. Jr, Carrell, H. L. & Murray-Rust, P. (1984). *Mapping the atomic environment of functional groups: turning 3D scatterplots into pseudo-density contours*. *J. Mol. Graphics*, **2**, 43–46.
- Rowland, R. S. & Taylor, R. (1996). *Intermolecular nonbonded contact distances in organic crystal structures: comparison with distances expected from van der Waals radii*. *J. Phys. Chem.* **100**, 7384–7391.
- Schweizer, W. B. & Dunitz, J. D. (1982). *Structural characteristics of the carboxylic acid ester group*. *Helv. Chim. Acta*, **65**, 1547–1552.
- Singh, J., Saldanha, J. & Thornton, J. M. (1991). *A novel method for the modelling of peptide ligands to their receptors*. *Protein Eng.* **4**, 251–261.
- Steiner, T., Kanters, J. A. & Kroon, J. (1996). *Acceptor directionality of sterically unhindered C—H...O=C hydrogen bonds donated by acidic C—H groups*. *J. Chem. Soc. Chem. Commun.* **11**, 1277–1278.
- Steiner, T. & Saenger, W. (1992). *Geometry of C—H...O hydrogen bonds in carbohydrate crystal structures. Analysis of neutron diffraction data*. *J. Am. Chem. Soc.* **114**, 10146–10154.
- Steiner, T., Starikov, E. B., Amado, A. M. & Teixeira-Dias, J. J. C. (1995). *Weak hydrogen bonding. Part 2. The hydrogen-bonding nature of short C—H... contacts. Crystallographic, spectroscopic and quantum mechanistic studies of some terminal alkynes*. *J. Chem. Soc. Perkin Trans. 2*, pp. 1312–1326.
- Strynadka, N. C. J. & James, M. N. G. (1989). *Crystal structures of the helix-loop-helix calcium-binding proteins*. *Annu. Rev. Biochem.* **58**, 951–998.
- Sutton, L. E. (1956). *Tables of interatomic distances and configuration in molecules and ions*. Special Publication No. 11. London: The Chemical Society.
- Sutton, L. E. (1959). *Tables of interatomic distances and configuration in molecules and ions (supplement)*. Special Publication No. 18. London: The Chemical Society.
- Taylor, R. (1986). *The Cambridge Structural Database in molecular graphics: techniques for the rapid identification of conformational minima*. *J. Mol. Graphics*, **4**, 123–131.
- Taylor, R. & Allen, F. H. (1994). *Statistical and numerical methods of data analysis*. In *Structure correlation*, edited by H.-B. Bürgi & J. D. Dunitz. Weinheim: VCH Publishers.
- Taylor, R. & Kennard, O. (1982). *Crystallographic evidence for the existence of C—H...O, C—H...N and C—H...Cl hydrogen bonds*. *J. Am. Chem. Soc.* **104**, 5063–5070.
- Taylor, R. & Kennard, O. (1983). *Comparison of X-ray and neutron diffraction results for the N—H...O=C hydrogen bond*. *Acta Cryst.* **B39**, 133–138.
- Taylor, R., Kennard, O. & Versichel, W. (1983). *Geometry of the N—H...O=C hydrogen bond. 1. Lone-pair directionality*. *J. Am. Chem. Soc.* **105**, 5761–5766.
- Taylor, R., Kennard, O. & Versichel, W. (1984a). *Geometry of the N—H...O=C hydrogen bond. 2. Three-centre (bifurcated) and four-centre (trifurcated) bonds*. *J. Am. Chem. Soc.* **106**, 244–248.
- Taylor, R., Kennard, O. & Versichel, W. (1984b). *Geometry of the N—H...O=C hydrogen bond. 3. Hydrogen-bond distances and angles*. *Acta Cryst.* **B40**, 280–288.
- Taylor, R., Mullaley, A. & Mullier, G. W. (1990). *Use of crystallographic data in searching for isosteric replacements: composite field environments of nitro and carbonyl groups*. *Pestic. Sci.* **29**, 197–213.
- Thornton, J. M. & Gardner, S. P. (1989). *Protein motifs and database searching*. *Trends Biochem. Sci.* **14**, 300–304.
- Tintelnot, M. & Andrews, P. (1989). *Geometries of functional group interactions in enzyme-ligand complexes: guides for receptor modelling*. *J. Comput.-Aided Mol. Des.* **3**, 67–84.
- Verdonk, M. L. (1998). Unpublished results.
- Verdonk, M. L., Cole, J. C. & Taylor, R. (1999). *SuperStar: a knowledge-based approach for identifying interaction sites in proteins*. *J. Mol. Biol.* **289**, 1093–1108.
- Viswamitra, M. A., Radhakrishnan, R., Bandekar, J. & Desiraju, G. R. (1993). *Evidence for O—H...C and N—H...C hydrogen bonding*. *J. Am. Chem. Soc.* **115**, 4868–4869.
- Whitesides, G. M., Simanek, E. E., Mathias, J. P., Seto, C. T., Chin, D. N., Mammen, M. & Gordon, D. M. (1995). *Non-covalent synthesis: using physical-organic chemistry to make aggregates*. *Acc. Chem. Res.* **28**, 37–43.