TAAAACGTTTTAAAACCCCCC is much less curved because the roll kink at CG is counterbalanced by roll kinks in the opposite direction at the two flanking TA steps. In both cases, A-tracts are straight and completely unbent. (Note that both roll kinks can involve compression of the major groove, as expected, because the kink sites are a half turn of helix apart.)

This similarity of behaviour of DNA in crystals and in protein–DNA complexes should come as no surprise, since the local molecular environments – close intermolecular contacts, partial dehydration, low water activity, low local dielectric constant, high ionic strength, presence of divalent cations – are similar in these two cases and quite different from that of free DNA in dilute aqueous solution. Far from being unwanted 'crystal deformations', the local changes in structure resulting from intermolecular contacts in DNA crystals provide positive information about sequence-dependent deformability that is relevant to the protein recognition process. With regard specifically to A-tract behaviour, Occam's Razor would argue in favour of model (3) above for the behaviour of A-tracts in solution. The situation in dilute aqueous solution becomes of secondary importance if what is wanted is an understanding of A-tract B-DNA behaviour in protein–DNA complexes. Here, the answer is unambiguous: A-tracts in their biological setting are inherently rigid structural elements, chosen by natural selection when bending should be avoided.

23.3.5. Summary

Three families of nucleic acid double helix have been found – A, B and Z – with widely different structures and usages. The A and B helices are right-handed and have no limitations on base sequence. Z is left-handed and effectively limited to alternating purines and pyrimidines, with G and C overwhelmingly favoured. B is the biologically significant helix for DNA and is used in genetic coding. A is the helix of preference for RNA because it can accommodate the C2′-OH group of ribose, which produces steric clash in the B helix. The Z helix has, as yet, no well established biological function. A left-handed DNA configuration can be induced in longer DNA segments by negative supercoiling in solution, but it is not clear that this left-handed configuration is identical to the Z-DNA seen in short crystalline oligomers, because of the reversed orientation of backbone strands in Z-DNA.

B-DNA is an inherently malleable or deformable duplex. Its sugar ring conformations are much more variable than those of A-DNA. The base sequence of B-DNA is expressed directly *via* hydrogen bonds between bases of a pair, and indirectly *via* hydrogen-bond donors and acceptors along the floor of the major and minor groove. Sequence is also expressed as a *differential deformability* of different regions of the duplex. The two most obvious parameters affected by base sequence are minor groove width and helix bendability. Certain sequences of B-DNA are not statically bent, but are more bendable under stress than are other sequences. Bending occurs *via* roll, usually in the direction that compresses the broad major groove. Pyrimidine-purine or Y-R steps are most conducive to roll bending, and purine-purine steps are least bendable, particularly A-tracts of four or more AT base pairs without the weak T-A step. Natural selection has engineered Y-R steps into a DNA sequence where a sharp roll bend is wanted, and short A-tracts into a sequence where bending is not desired.

Appendix 23.3.1.
X-ray analyses of A, B and Z helices

Table A23.3.1.1. *X-ray analyses of A helices, DNA and RNA*

This table and the two that follow are intended as a historical background and a focus on the geometry of the intact double helix. References are current as of late 1997; sequences marked 'to be published' in 1997 that still are unpublished two years later have been deleted. Also omitted are sequences with fewer than four base pairs in the asymmetric unit, complexes with intercalating drugs, helices with bulges or looped-out bases, unusual structures such as quadruplexes, hammerhead ribozymes and tRNA. For information on these and for more recent results, consult the Nucleic Acid Database (NDB) at http://ndbserver.rutgers.edu/. An NDB number in parentheses indicates that the authors have never made coordinates available to the public. These structures are of little scientific value, but have been included for historical reasons.

Notes: Overhanging, unpaired bases are double underlined. Single underlining calls attention to mismatched bases or other interesting or relevant sequence aspects. Z = number of asymmetric units per cell. Ubp = number of base pairs per asymmetric unit. NDB No. = Nucleic Acid Database serial number. Abbreviations: 2am = 2-amino; 5br = 5-bromo; 6ame = 6′-α-methyl; 4mo = 4-methoxy; 5me = 5-methyl; 6aOH = 6′-α-hydroxyl; 6mo = 6-methoxy; 8oxo = 8-oxo; 6et = 6-ethyl; ara = arabinosyl; ps = phosphorothioate; (P) = leading phosphate; A, T, G, C = DNA; a, u, g, c = RNA; Py = pyrrole; Im = imidazole.

(*a*) Dodecamers

Sequence	Space group	Z	Ubp	Date, institution	NDB No.	Reference
CCCCCGCGGGGG	$P3_221$	6	12	1991, Barcelona	ADL025	(A38)
CCGTACGTACGG	$P6_122$	12	6	1992, Ohio State	ADL045	(A41)
GCGTACGTACGC	$P6_122$	12	6	1992, Ohio State	ADL046	(A39)

(*b*) Decamers

Sequence	Space group	Z	Ubp	Date, institution	NDB No.	Reference
GCGGGCCCGC	$P6_122$	12	5	1993, Ohio State	ADJ051	(A46)
GCACGCGTGC	$P6_122$	12	5	1996, Ohio State	ADJ075	(A60)
ACCGGCCGGT	$P6_122$	12	5	1989, MIT	ADJ022	(A26)
ACCGGCCGGT	$P6_122$	12	5	1995, MIT	ADJ065	(A55)
ACCCGCGGGT	$P6_122$	12	5	1995, MIT	ADJ066	(A55)
CCCGGCCGGG	$P2_12_12_1$	4	10	1993, Ohio State	ADJ049	(A47)
CCIGGCC^{5me}CGG	$P2_12_12_1$	4	10	1995, Ohio State	ADJB61	(A58)

Table A23.3.1.1. *X-ray analyses of A helices, DNA and RNA* (*cont.*)

Sequence	Space group	*Z*	Ubp	Date, institution	NDB No.	Reference
GCGGGCCCGC	$P2_12_12_1$	4	10	1993, Ohio State	ADJ050	(A46)
ACCGGCCGGT	$P2_12_12_1$	4	10	1995, MIT	ADJ067	(A55)
CCGGGCCGCG	$P2_12_12_1$	4	10	1997, Ohio State	ADJ081,2	(A71)
C^{5me}CGGGCCCGG	$P2_12_12_1$	4	10	1997, Ohio State	ADJB87	(A71)
CCGGG^{5br}CCCGG	$P2_12_12_1$	4	10	1997, Ohio State	ADJB80	(A71)
CCGGGCC^{5me}CGG	$P2_12_12_1$	4	10	1997, Ohio State	ADJB84,5	(A71)
C^{5me}CGGGCCCGG	$P6_1$	6	10	1997, Ohio State	ADJB86	(A71)
CCGGGCC^{5br}CGG	$P6_1$	6	10	1997, Ohio State	ADJB79	(A71)
CCGGGCC^{5me}CGG	$P6_1$	6	10	1997, Ohio State	ADJB83	(A71)

(*c*) Nonamers

Sequence	Space group	*Z*	Ubp	Date, institution	NDB No.	Reference
GGATGGGAG	$P4_3$	4	9	1986, Cambridge	ADI009	(A14)

(*d*) Octamers, space group $P4_32_12$

Sequence	*Z*	Ubp	Date, institution	NDB No.	Reference
CCCCGGGG	8	4	1987, Weizmann/MIT	ADH012	(A16)
CCCCGGGG, 298 K	8	4	1995, Weizmann	ADH056	(A54)
CCCGCGGG	8	4	1997, Moscow	ADH0106	(A69)
CCCTAGGG	8	4	1996, Ohio State	ADH078	(A64)
GCCCGGGC	8	4	1987, Berlin	ADH008	(A17)
GCCC*GGGC (*methylenephosphonate)	8	4	1991, Berlin	ADHP36	(A36)
GGCCGGCC	8	4	1982, MIT	ADH013,098	(A4,5)
GGCCGGCC, 288 K	8	4	1995, Weizmann	ADH058	(A54)
GG^{5me}CCGGCC	8	4	1987, MIT	(ADHB21)	(A15)
GGGCGCCC, 293 K	8	4	1988, Weizmann	ADH026	(A22, A34)
GGGCGCCC, 115 K	8	4	1988, Weizmann	ADH027	(A20, A34)
GGGCGCCC, 115 K, re-refinement	8	4	1995, Weizmann	ADH057	(A54)
GTGCGCAC	8	4	1992, Ohio State	ADH047	(A40)
GTGTACAC/spermine	8	4	1987, Wisconsin	ADH014	(A18, A29)
CTCTAGAG	8	4	1989, Cambridge	ADH020	(A27)
GTACGTAC	8	4	1990, Kansas	ADH024	(A35)
GTACGTAC	8	4	1990, Bordeaux	ADH023	(A32)
GTCTAGAC	8	4	1992, Manchester	ADH041	(A42)
ATGCGCAT	8	4	1990, Institute of Cancer Research	(ADH032)	(A31)
ATGCGCAT/spermine	8	4	1990, Institute of Cancer Research	ADH033	(A31)
ACGTACGT	8	4	1996, Trinity, Dublin	ADH070	(A66)

(*e*) Octamers, space group $P2_12_12_1$

Sequence	*Z*	Ubp	Date, institution	NDB No.	Reference
CCCGCGGG	4	8	1997, Moscow	ADH0102–5	(A69)

(*f*) Octamers, space group $P6_1$

Sequence	*Z*	Ubp	Date, institution	NDB No.	Reference
GGGGCCCC	6	8	1985, Cambridge	ADH006	(A11)
GGGATCCC	6	8	1988, Berlin	ADH007	(A21)
GGGCGCCC, 293 K	6	8	1989, Weizmann	(ADH028)	(A30, A34)
GGGCGCCC, 100 K	6	8	1989, Weizmann	ADH029	(A30, A34)
GGGTACCC, 293 K	6	8	1990, Weizmann	ADH030	(A33)
GGGTACCC, 100 K	6	8	1990, Weizmann	ADH031	(A33)
GGGTGCCC	6	8	1988, Weizmann	ADH016	(A22)
GGTATACC	6	8	1981, Weizmann/Cambridge	ADH010	(A2, A7)
GG^{5br}UA^{5br}UACC	6	8	1981, Weizmann/Cambridge	ADHB11	(A2, A7, A13)

Table A23.3.1.1. *X-ray analyses of A helices, DNA and RNA* (*cont.*)

Sequence	*Z*	Ubp	Date, institution	NDB No.	Reference
GGCATGCC	6	8	1997, Institute of Cancer Research	ADH076	(A70)
GGIGCTCC	6	8	1989, Cambridge	ADHB17	(A24)
GGGGCTCC mismatch	6	8	1985, Cambridge/Weizmann	ADH019	(A9, A12)
GGGGTCCC mismatch	6	8	1985, Cambridge/Weizmann	ADH018	(A10)
GGGTGCCC mismatch	6	8	1988, Weizmann	ADH016	(A22)

(*g*) Octamers, space group $P6_122$

Sequence	*Z*	Ubp	Date, institution	NDB No.	Reference
GTGTACAC	12	4	1989, Wisconsin	ADH034	(A28)
GTGTACAC/spermine	12	4	1993, Ohio State	ADH038	(A48)
GTGTACAC/spermidine	12	4	1993, Ohio State	ADH039	(A48)

(*h*) Octamers, space group $P2_12_12$

Sequence	*Z*	Ubp	Date, institution	NDB No.	Reference
GTACGTAC	4	8	1993, Bordeaux	ADH059	(A44)

(*i*) Hexamers, space group $C222_1$

Sequence	*Z*	Ubp	Date, institution	NDB No.	Reference
GCCGGC	8	6	1995, Oregon State	ADF073	(A56)
$G^{5me}CG^{5me}CGC$	8	6	1995, Oregon State	ADFB62	(A56)
$G^{5me}CCGGC$	8	6	1995, Oregon State	ADFB63	(A56)
$G^{5me}CGCGC$	8	6	1995, Oregon State	ADFB72	(A56)

(*j*) Tetramers

Sequence	Space group	*Z*	Ubp	Date, institution	NDB No.	Reference
^{5i}CCGG	$P4_32_12$	8	4	1981, UCLA (CIT)	ADDB01	(A1, A3, A8)

(*k*) RNA/DNA and RNA/RNA (lower case = RNA)

Sequence	Space group	*Z*	Ubp	Date, institution	NDB No.	Reference
CCGGC g CCGG	$P2_12_12_1$	4	10	1994, Ohio State	AHJ052	(A49)
c CGGCGCCGg	$P2_12_12_1$	4	10	1994, Ohio State	AHJ060	(A50)
g CGTATACGC	$P2_12_12_1$	4	10	1993, MIT	AHJ043	(A45)
GCGTaTACGC	$P2_12_12_1$	4	10	1993, MIT	AHJ044	(A45)
$GCGT^{me}aTACGC$	$P2_12_12_1$	4	10	1994, ETH Zürich	AHJS55	(A53)
g c GTATACGC	$P2_12_12_1$	4	10	1995, MIT	AHJ068	(A55)
g c g TATACGC	$P2_12_12_1$	4	10	1982, MIT	AHJ015	(A4, A6)
g c g TATACCC\ \GGGTATACGC	$P2_12_12_1$	4	10	1992, MIT	AHJ040	(A43)
u u c g g g c g c c\ \GGCGCCCGAA	$P4_322$	8	10	1996, Upjohn	UHJ055	(A62)
c c c c g g g g	$P6_122$	12	4	1995, ETH Zürich	ARH063	(A57)
c c c c g g g g	$R32$	18	8	1995, ETH Zürich	ARH064	(A57)
c c c c g g g g	$R32$	18	8	1996, Northwestern	ARH074	(A61)
g u a u a u a C	$R3$	9	8	1996, Ohio State	AHH071	(A65)
g u a u g u a C	$R3$	9	8	1997, Ohio State	AHH077	(A68)
g u g u g u a C	$R3$	9	8	1997, Ohio State	AHH089	(A67)
g c u u c g g c ^{br}U	$C2$	4	9	1994, Cambridge	AHIB53	(A51)
(P)g g a c u u c g g u c c	$C2$	4	6	1991, Berkeley	ARL037	(A37)
c g c g a a t t a g c g	$P2_1$	2	12	1994, Manchester	ARL048	(A52)
u a a g g a g g u g a u	$P1$	1	24	1995, Berlin	ARL062	(A59)
g g c g c u u g c g u c	$P1$	1	24	1996, Colorado	URL050	(A63)
u u a u a u a u a u a u a a	$P2_12_12_1$	4	4	1988, Strasbourg	ARN035	(A19, A25)

Table A23.3.1.1. *X-ray analyses of A helices, DNA and RNA* (*cont.*)

References (numbered chronologically by year and alphabetically by first author within each year)

Year Reference

1981 (A1) R. E. Dickerson, H. R. Drew & B. N. Conner (1981). *Biomolecular stereodynamics*, Vol. 1, edited by R. H. Sarma, pp. 1–34. New York: Adenine Press.

(A2) Z. Shakked, D. Rabinovich, W. B. T. Cruse, E. Egert, O. Kennard, G. Sala, S. A. Salisbury & M. A. Viswamitra (1981). *Proc. R. Soc. London Ser. B*, **213**, 479–487.

1982 (A3) B. N. Conner, T. Takano, S. Tanaka, K. Itakura & R. E. Dickerson (1982). *Nature (London)*, **295**, 294–299.

(A4) S. Fujii, A. H.-J. Wang, J. van Boom & A. Rich (1982). *Nucleic Acids Res. Symp. Ser.* **11**, 109–112.

(A5) A. H.-J. Wang, S. Fujii, J. H. van Boom & A. Rich (1982). *Proc. Natl Acad. Sci. USA*, **79**, 3968–3972.

(A6) A. H.-J. Wang, S. Fujii, J. H. van Boom, G. A. van der Marel, S. A. A. van Boeckel & A. Rich (1982). *Nature (London)*, **299**, 601–604.

1983 (A7) Z. Shakked, D. Rabinovich, O. Kennard, W. B. T. Cruse, S. A. Salisbury & M. A. Viswamitra (1983). *J. Mol. Biol.* **166**, 183–201.

1984 (A8) B. N. Conner, C. Yoon, J. L. Dickerson & R. E. Dickerson (1984). *J. Mol. Biol.* **174**, 663–695.

1985 (A9) T. Brown, O. Kennard, G. Kneale & D. Rabinovich (1985). *Nature (London)*, **315**, 604–606.

(A10) G. Kneale, T. Brown, O. Kennard & D. Rabinovich (1985). *J. Mol. Biol.* **186**, 805–814.

(A11) M. McCall, T. Brown & O. Kennard (1985). *J. Mol. Biol.* **183**, 385–396.

1986 (A12) W. N. Hunter, G. Kneale, T. Brown, D. Rabinovich & O. Kennard (1986). *J. Mol. Biol.* **190**, 605–618.

(A13) O. Kennard, W. B. T. Cruse, J. Nachman, T. Prange, Z. Shakked & D. Rabinovich (1986). *J. Biomol. Struct. Dyn.* **3**, 623–647.

(A14) M. McCall, T. Brown, W. N. Hunter & O. Kennard (1986). *Nature (London)*, **322**, 661–664.

1987 (A15) C. A. Frederick, D. Saal, G. A. van der Marel, J. H. van Boom, A. H.-J. Wang & A. Rich (1987). *Biopolymers*, **26**, S145–S160.

(A16) T. E. Haran, Z. Shakked, A. H.-J. Wang & A. Rich (1987). *J. Biomol. Struct. Dyn.* **5**, 199–217.

(A17) U. Heinemann, H. Lauble, R. Frank & H. Bloeker (1987). *Nucleic Acids Res.* **15**, 9531–9550.

(A18) S. Jain, G. Zon & M. Sundaralingam (1987). *J. Mol. Biol.* **197**, 141–145.

1988 (A19) A. C. Dock-Bregeon, B. Chevrier, A. Podjarny, D. Moras, J. S. de Bear, G. R. Gough, P. T. Gilham & J. E. Johnson (1988). *Nature (London)*, **335**, 375–378.

(A20) M. Eisenstein, H. Hope, T. E. Haran, F. Frolow, Z. Shakked & D. Rabinovich (1988). *Acta Cryst.* B**44**, 625–628.

(A21) H. Lauble, R. Frank, H. Bloecker & U. Heinemann (1988). *Nucleic Acids Res.* **16**, 7799–7816.

(A22) D. Rabinovich, T. Haran, M. Eisenstein & Z. Shakked (1988). *J. Mol. Biol.* **200**, 151–161.

1989 (A23) C. A. Bingman, S. Jain, D. Jebaratnam & M. Sundaralingam (1989). Sixth Conversation in Biomolecular Stereodynamics, Albany, NY, Abstracts p. 28.

(A24) W. B. T. Cruse, J. Aymani, O. Kennard, T. Brown, A. G. C. Jack & G. A. Leonard (1989). *Nucleic Acids Res.* **17**, 55–72.

(A25) A. C. Dock-Bregeon, B. Chevrier, A. Podjarny, J. Johnson, J. S. de Bear, G. R. Gough, P. T. Gilham & D. Moras. (1989). *J. Mol. Biol.* **209**, 459–474.

(A26) C. A. Frederick, G. J. Quigley, M.-K. Teng, M. Coll, G. A. van der Marel, J. H. van Boom, A. Rich & A. H.-J. Wang (1989). *Eur. J. Biochem.* **181**, 295–307.

(A27) W. N. Hunter, B. L. D'Estaintot & O. Kennard (1989). *Biochemisty*, **28**, 2444–2451.

(A28) S. Jain & M. Sundaralingam (1989). *J. Biol. Chem.* **264**, 12780–12784.

(A29) S. Jain, G. Zon & M. Sundaralingam (1989). *Biochemistry*, **28**, 2360–2364.

(A30) Z. Shakked, G. Guerstein-Guzikevich, F. Frolow & D. Rabinovich (1989). *Nature (London)*, **342**, 456–460.

1990 (A31) G. R. Clark, D. G. Brown, M. R. Sanderson, T. Chwalinski, S. Neidle, J. M. Veal, R. L. Jones, W. D. Wilson, G. Zon, E. Garman & D. I. Stuart (1990). *Nucleic Acids Res.* **18**, 5521–5528.

(A32) C. Courseille, A. Dautant, M. Hospital, B. Langlois d'Estaintot, G. Precigoux, D. Molko & R. Teoule (1990). *Acta Cryst.* A**46**, FC9–FC12.

(A33) M. Eisenstein, F. Frolow, Z. Shakked & D. Rabinovich (1990). *Nucleic Acids Res.* **18**, 3185–3194.

(A34) Z. Shakked, G. Guerstein-Guzikevich, A. Zaytzev, M. Eisenstein, F. Frolow & D. Rabinovich (1990). In *Structure and methods*, Vol. 3. *DNA and RNA*, edited by R. H. Sarma & M. H. Sarma, pp. 55–72. Schenectady, NY: Adenine Press.

(A35) F. Takusagawa (1990). *J. Biomol. Struct. Dyn.* **7**, 795–809.

1991 (A36) U. Heinemann, L.-N. Rudolph, C. Alings, M. Morr, W. Heikens, R. Frank & H. Bloecker (1991). *Nucleic Acids Res.* **19**, 427–433.

(A37) S. R. Holbrook, C. Cheong, I. Tinoco Jr & S.-H. Kim (1991). *Nature (London)*, **353**, 579–581.

(A38) N. Verdaguer, J. Aymami, D. Fernandez-Forner, I. Fita, M. Coll, T. Huynh-Dinh, J. Igolen & J. A. Subirana (1991). *J. Mol. Biol.* **221**, 623–635.

1992 (A39) C. Bingman, S. Jain, G. Zon & M. Sundaralingam (1992). *Nucleic Acids Res.* **20**, 6637–6647.

(A40) C. A. Bingman, X. Li, G. Zon & M. Sundaralingam (1992). *Biochemistry*, **31**, 12803–12812.

(A41) C. A. Bingman, G. Zon & M. Sundaralingam (1992). *J. Mol. Biol.* **227**, 738–756.

(A42) A. R. Cervi, B. Langlois d'Estaintot & W. N. Hunter (1992). *Acta Cryst.* B**48**, 714–719.

(A43) M. Egli, N. Usman, S. Zhang & A. Rich (1992). *Proc. Natl Acad. Sci. USA*, **89**, 534–538.

1993 (A44) B. Langlois D'Estaintot, A. Dautant, C. Courseille & G. Precigoux (1993). *Eur. J. Biochem.* **213**, 673–682.

(A45) M. Egli, N. Usman & A. Rich (1993). *Biochemistry*, **32**, 3221–3237.

(A46) B. Ramakrishnan & M. Sundaralingam (1993). *Biochemistry*, **32**, 11458–11468.

(A47) B. Ramakrishnan & M. Sundaralingam (1993). *J. Mol. Biol.* **231**, 431–444.

(A48) N. Thota, X. H. Li, C. Bingman & M. Sundaralingam (1993). *Acta Cryst.* D**49**, 282–291.

Table A23.3.1.1. *X-ray analyses of A helices, DNA and RNA* (*cont.*)

Year Reference

1994 (A49) C. Ban, B. Ramakrishnan & M. Sundaralingam (1994). *J. Mol. Biol.* **236**, 275–285.
(A50) C. Ban, B. Ramakrishnan & M. Sundaralingam (1994). *Nucleic Acids Res.* **22**, 5466–5476.
(A51) W. Cruse, P. Saludjian, E. Biala, P. Strazewski, T. Prange & O. Kennard (1994). *Proc. Natl Acad. Sci. USA*, **91**, 4160–4164.
(A52) G. A. Leonard, K. E. McAuley-Hecht, S. Ebel, D. M. Lough, T. Brown & W. N. Hunter (1994). *Structure*, **2**, 483–494.
(A53) P. Lubini, W. Zuercher & M. Egli (1994). *Chem. Biol.* **1**, 39–45.

1995 (A54) M. Eisenstein & Z. Shakked (1995). *J. Mol. Biol.* **248**, 662–678.
(A55) Y.-G. Gao, H. Robinson, J. H. van Boom & A. H.-J. Wang (1995). *Biophys. J.* **69**, 559–568.
(A56) B. H. Mooers, G. P. Schroth, W. W. Baxter & P. S. Ho (1995). *J. Mol. Biol.* **249**, 772–784.
(A57) S. Portmann, N. Usman & M. Egli (1995). *Biochemistry*, **34**, 7569–7575.
(A58) B. Ramakrishnan & M. Sundaralingam (1995). *Biophys. J.* **69**, 553–558.
(A59) H. Schindelin, M. Zhang, R. Bald, J.-P. Fuerste, V. A. Erdmann & U. Heinemann (1995). *J. Mol. Biol.* **249**, 595–603.

1996 (A60) C. Ban & M. Sundaralingam (1996). *Biophys. J.* **71**, 1222–1227.
(A61) M. Egli, S. Portmann & N. Usman (1996). *Biochemistry*, **35**, 8489–8494.
(A62) N. C. Horton & B. C. Finzel (1996). *J. Mol. Biol.* **264**, 521–533.
(A63) S. E. Lietzke, C. L. Barnes & C. E. Kundrot (1996). *Structure*, **4**, 917–930.
(A64) D. B. Tippin & M. Sundaralingam (1996). *Acta Cryst.* D**52**, 997–1003.
(A65) M. C. Wahl, C. Ban, C. Sekharudu, B. Ramakrishnan & M. Sundaralingam (1996). *Acta Cryst.* D**52**, 655–667.
(A66) D. J. Wilcock, A. Adams, C. J. Cardin & L. P. G. Wakelin (1996). *Acta Cryst.* D**52**, 481–485.

1997 (A67) R. Biswas & M. Sundaralingam (1997). *J. Mol. Biol.* **270**, 511–519.
(A68) R. Biswas, M. C. Wahl, C. Ban & M. Sundaralingam (1997). *J. Mol. Biol.* **267**, 1149–1156.
(A69) L. G. Fernandez, J. A. Subirana, N. Verdagauer, D. Pyshni, L. Campos & L. Malinina (1997). *J. Biomol. Struct. Dyn.* **15**, 151–163.
(A70) C. M. Nunn & S. Neidle (1997). *Acta Cryst.* D**53**, 269–273.
(A71) D. B. Tippin & M. Sundaralingam (1997). *J. Mol. Biol.* **267**, 1171–1185.

Table A23.3.1.2. *X-ray analyses of B-DNA helices and their complexes with minor-groove-binding drug molecules*

See introductory notes to Table A23.3.1.1. Space group $P2_12_12_1$ unless specified otherwise.

Notes: (triplet) = external triplet formed from overhanging bases. Overhanging, unpaired bases are double underlined. Single underlining calls attention to interesting or relevant sequence aspects. Other notes as in Table A23.3.1.1.

I. DNA duplexes without bound drugs

(*a*) Dodecamers, space group $P2_12_12_1$

(1) Oligonucleotides without mismatches

Sequence	*Z*	Ubp	Date, institution	NDB No.	Reference
CGCGAATTCGCG, 290 K	4	12	1980, UCLA (CIT)	BDL001	(B1–5, B75)
CGCGAATTCGCG, 16 K	4	12	1982, UCLA (CIT)	BDL002	(B6)
CGCGAATTCGCG, re-refinement	4	12	1987, Strasbourg	BDL020	(B23)
CGCGAATTCGCG, anisotropic temperature-factor refinement	4	12	1985, Berkeley	BDL005	(B10)
CGCGAATT^{5br}CGCG, 293 K	4	12	1982, UCLA (CIT)	BDLB03	(B7, B8)
CGCGAATT^{5br}CGCG, 280 K	4	12	1982, UCLA (CIT)	BDLB04	(B7, B8, B75)
CGCGA^{6me}ATTCGCG	4	12	1988, MIT	BDLB13	(B24)
CGCGAA^{6ame}T^{6ame}TCGCG	4	12	1997, Northwestern	BDLS79	(B111)
CGCGAA^{6aOH}T^{6aOH}TCGCG	4	12	1997, Northwestern	BDLS80	(B111)
CGCGAASSCGCG	4	12	1996, Manchester	BDLS67	(B97)
CGCAIAT^{5me}CTGCG	4	12	1997, Weizmann	BDLB82	(B113)
CGCAAAAAAGCG	4	12	1987, Cambridge	BDL006	(B20, B75)
CGCAAAAATGCG	4	12	1989, Yale	BDL015	(B31, B75)
CGCAAATTTGCG	4	12	1987, MIT	BDL016	(B17)
CGCAAATTTGCG	4	12	1992, Institute of Cancer Research	BDL038	(B52, B75)
CGCATATATGCG	4	12	1988, UCLA	BDL007	(B27)
CGCGTTAACGCG	4	12	1991, Ohio State	BDL059	(B40, B86)
CGCGATATCGCG	4	12	1997, Weizmann	BDL078	(B113)
CGCAIAT^{5me}CTGCG	4	12	1997, Weizmann	BDLB76	(B113)
CGTGAATTCACG	4	12	1991, UCLA	BDL029	(B44, B75)
CGTGAATTCACG	4	12	1991, Rutgers	BDL028	(B45)

Table A23.3.1.2. *X-ray analyses of B-DNA helices and their complexes with minor-groove-binding drug molecules* (*cont.*)

Sequence	*Z*	Ubp	Date, institution	NDB No.	Reference
CGCGAAAACGCG/ CGCGTT/TTCGCG (nicked strand)	4	12	1990, MIT	BDL021,32	(B35)

(2) Mismatch oligonucleotides (mismatches underlined)

Sequence	*Z*	Ubp	Date, institution	NDB No.	Reference
CGCGAATTGGCG	4	12	1993, Institute of Cancer Research	BDL046	(B72)
CGCGAATTAGCG	4	12	1986, Cambridge	BDL012	(B13, B15)
CGCGAATT^{6et}AGCG	4	12	1994, Manchester	BDLB54	(B79)
CGCGAATT^{8oxo}AGCG	4	12	1992, Manchester	BDLB33	(B57)
CGCGAATTTGCG	4	12	1985, Cambridge	BDL009	(B19)
CGC^{6me}GAATTTGCG	4	12	1990, Edinburgh	BDLB26	(B38)
CGCAATTGGCG	4	12	1989, Manchester	BDL014	(B28, B37)
CGCAAGCTGGCG	4	12	1990, Institute of Cancer Research	BDL022	(B39, B75)
CGCAAATT^{8oxo}GGCG	4	12	1994, Edinburgh	BDLB56	(B80)
CGCAAATTCGCG	4	12	1986, Cambridge	BDL011	(B16)
CGCAAATTIGCG	4	12	1992, Edinburgh	BDLB41	(B56)
CGCIAATTAGCG	4	12	1987, Cambridge	BDLB10	(B18)
CGCIAATTCGCG	4	12	1992, Thomas Jefferson	BDLB40	(B61)
CGAGAATTC^{6me}GCG	4	12	1994, Rutgers	BDLB53	(B76)
CGTGAATTC^{6me}GCG	4	12	1995, Rutgers	BDLB58	(B95)

(*b*) Dodecamers: other space groups

Sequence	Space group	*Z*	Ubp	Date, institution	NDB No.	Reference
CGCTCTAGAGCG	$P2_1$	2	24	1996, Barcelona	BDL070	(B102)
CGTAGATCTACG	*C*2	4	12	1993, Manchester	BDL042	(B69, B75)
CGCGAAAAAACG	$P2_12_12$	4	24	1993, Yale	BDL047	(B64, B75)
ACCGGCGCCACA	*R*3	9	12	1989, Strasbourg	BDL018	(B34, B48, B49)
ACCGCCGGCGCC	*R*3	9	12	1989, Strasbourg	BDL035	(B48, B49)
ACCGC^{5me}CGGCGCC	*R*3	9	12	1997, Strasbourg	BDLB83	(B109)
ACCGGCGCCACA	*R*3	9	12	1991, Strasbourg	BDL034	(B48)

(*c*) Decamers

Sequence	Space group	*Z*	Ubp	Date, institution	NDB No.	Reference
CCAAGATTGG mismatch	*C*2	4	5	1987, UCLA	BDJ008	(B22, B25)
CCAACGTTGG, Mg	*C*2	4	5	1991, UCLA	BDJ019	(B46, B50)
CCAACITTGG, Ca	*C*2	4	5	1992, UCLA	BDJB44	(B70)
CCAGGCCTGG	*C*2	4	5	1989, Berlin	BDJ017	(B32)
CCAGGC^{ara}CTGG	*C*2	4	5	1991, MIT	BDJS30	(B41)
CCA^{8oxo}GCGCTGG	*C*2	4	5	1995, MIT	BDJB57	(B91)
CTCTCGAGAG	*C*2	4	10	1994, UCLA	BDJ060	(B89)
CGCAATTGCG	*C*2	4	10	1997, Institute of Cancer Research	BDJ069	(B114)
CAAAGAAAAG	*C*2	4	20	1997, UCLA	BDJ081	(B107)
CGACGATCGT TGCTAGCAGC	$P2_1$	2	10	1997, NYU	UDJ060	(B112)
GGCCAATTGG GGTTAACCGG	$P2_12_12_1$	4	10	1996, Cambridge	UDJ049	(B103)
CGATCGATCG, Mg	$P2_12_12_1$	4	10	1991, UCLA	BDJ025	(B42)
CGATTAATCG, Mg	$P2_12_12_1$	4	10	1992, UCLA	BDJ031	(B58)
CGATATATCG, Mg	$P2_12_12_1$	4	10	1992, UCLA	BDJ037	(B62)
CGATATATCG, Ca	$P2_12_12_1$	4	10	1992, UCLA	BDJ036	(B62)
CATGGCCATG, Ca	$P2_12_12_1$	4	10	1993, UCLA	BDJ051	(B66)
CGATCG^{6me}ATCG	$P3_221$	6	10	1992, UCLA	BDJB48	(B63)
CCAACITTGG, Mg	$P3_221$	6	10	1992, UCLA	BDJB43	(B70)
CCATTAATGG, Mg	$P3_221$	6	10	1994, UCLA	BDJ055	(B77)
CCACTAGTGG	$P3_221$	6	10	1994, Weizmann	BDJ061	(B82)
CCAGGC^{5me}CTGG	*P*6	6	10	1992, Berlin	BDJB27	(B43, B54)

Table A23.3.1.2. *X-ray analyses of B-DNA helices and their complexes with minor-groove-binding drug molecules* (*cont.*)

Sequence	Space group	*Z*	Ubp	Date, institution	NDB No.	Reference
CCAGGC^{5me}CTGG	*P*6	6	10	1993, Berlin	BDJB49	(B68)
CCAGGC^{5me}CTGG	*P*6	6	10	1993, Berlin	BDJB50	(B68)
CCAAGCTTGG	*P*6	6	10	1993, UCLA	BDJ052	(B67)
CCGGCGCCGG	*R*3	9	10	1992, Berlin	BDJ039	(B55)
CCGCCGGCGG	*R*3	9	10	1994, Strasbourg	BD0015	(B85)
CCIIICCCGG	$P3_1$	3	10	1997, Weizmann	BDJB77	(B113)

(*d*) Other oligonucleotide lengths

Sequence	Space group	*Z*	Ubp	Date, institution	NDB No.	Reference
GCGAATTCG (triplet) GCTTAAGCG	$P2_12_12_1$	4	8	1996, Cambridge	UDI030	(B94)
CGCTAGCG	$P2_12_12_1$	4	16	1996, Barcelona	BDH071	(B102)
CGGTGG CCACCG	$P6_122$	12	6	1995, Manitoba	BDF062	(B93)
CTCGAG	$P6_222$	12	3	1996, Ohio State	BDF068	(B104)
GpsCGpsCGpsC	$P2_12_12_1$	4	6	1987, Cambridge	BDFP24	(B14)

II. DNA complexes with minor-groove-binding drugs

(*a*) Netropsin family of polyamides

Sequence	Space group	*Z*	Ubp	Date, institution	NDB No.	Reference
Netropsin: $^{+}$Py-Py^{+}						
CGCGAATT^{5br}CGCG/N		4	12	1985, UCLA	GDLB05	(B11, B12)
CGCGAATT^{5br}CGCG/N		4	12	1995, UCLA	GDLB31	(B88)
CGCGAATTCGCG/N		4	12	1992, Illinois	GDL018	(B59)
CGC^{6et}GAATTCGCG/N		4	12	1992, Illinois	GDLB17	(B59)
CGCAAATTTGCG/N		4	12	1993, MIT	GDL014	(B73)
CGCGATATCGCG/N		4	12	1989, MIT	GDL001,4	(B30)
CGCGTTAACGCG/N		4	12	1995, Ohio State	GDL030	(B86)
CGCAATTGCG/N		4	12	1997, Institute of Cancer Research	GDJ046	(B110)
Lexitropsin: $^{+}$Im-Py^{+}						
CGCGAATTCGCG/1L		4	12	1995, UCLA	GDL037,8	(B90)
2:1 Di-imidazole Lexitropsin: ^{0}Im-Im^{+}						
CATGGCCATG/2D		4	10	1997, UCLA	GDJ054	(B108)
Distamycin: ^{0}Py-Py-Py^{+}						
CGCAAATTTGCG/1D		4	12	1987, MIT	GDL003	(B17)
ICICICIC/2D	$P4_122$	8	4	1994, Ohio State	GDHB25	(B74)
IcICICIC/2D	$P4_122$	8	4	1995, Ohio State	GHHB34	(B87)
IcIcICIC/2D	$P4_122$	8	4	1995, Ohio State	GHHB35	(B87)
ICATATIC	$P4_122$	8	4	1997, Ohio State	GHHB50	(B105)
ICITACIC	$P4_122$	8	4	1997, Ohio State	GHHB51	(B105)
ICATATIC	*C*2	4	4	1997, Ohio State	GDLB49	(B105)

(*b*) Hoechst family

Sequence	*Z*	Ubp	Date, institution	NDB No.	Reference
Hoechst 33258 (*para* -OH on phenyl ring A)					
CGCGAATTCGCG/H	4	12	1987, UCLA	GDL006	(B21)
CGCGAATTCGCG/H	4	12	1988, MIT	GDL002	(B26)
CGCGAATTCGCG/H, 273 K	4	12	1991, UCLA	GDL010,11	(B47)
CGCGAATTCGCG/H, 248 K	4	12	1991, UCLA	GDL012	(B47)
CGCGAATTCGCG/H, 173 K	4	12	1991, UCLA	GDL013	(B47)
CGCGATATCGCG/H	4	12	1989, MIT	GDL007	(B29)

Table A23.3.1.2. *X-ray analyses of B-DNA helices and their complexes with minor-groove-binding drug molecules* (*cont.*)

Sequence	*Z*	Ubp	Date, institution	NDB No.	Reference
CGCAAATTTGCG/H	4	12	1994, Institute of Cancer Research	GDL028	(B83)
CGCAAATTTGCG/H	4	12	1994, MIT	GDL026	(B84)
CGCGAATTCGCG/H	4	12	1992, Illinois	GDL022	(B60)
CGC^{6et}GAATTCGCG/H	4	12	1992, Illinois	GDLB19	(B60)
Meta-OH(N) Hoechst 33258 (*meta* -OH on ring A)					
CGCGAATTCGCG/H 'in'	4	12	1996, Institute of Cancer Research	GDL047	(B99)
CGCGAATTCGCG/H 'out'	4	12	1996, Institute of Cancer Research	GDL048	(B99)
Hoechst 33342 (*para* -OEt on ring A)					
CGCGAATTCGCG/H	4	12	1992, Illinois	GDLB20	(B60)
CGC^{6et}GAATTCGCG/H	4	12	1992, Illinois	GDLB20	(B60)
Bis-benzimidazole compound (imidazole for piperazine on Hoechst 33258)					
CGCGAATTCGCG/B	4	12	1995, Institute of Cancer Research	GDL033	(B96)
Tribiz or Tris-benzimidazole (extended Hoechst 33258 analogue)					
CGCAAATTTGCG/T	4	12	1996, Institute of Cancer Research	GDL039	(B98)
Bis-amidinium derivative of Hoechst 33258					
CGCGAATTCGCG	4	12	1997, Institute of Cancer Research	GDL052	(B106)

(*c*) Berenil family

Sequence	*Z*	Ubp	Date, institution	NDB No.	Reference
Berenil					
CGCGAATTCGCG/B	4	12	1990, Institute of Cancer Research	GDL009	(B36)
CGCGAATTCGCG/B	4	12	1992, Institute of Cancer Research	GDL016	(B51)
2,5-Bis(4-guanylphenyl)furan (berenil analogue)					
CGCGAATTCGCG/F	4	12	1996, Institute of Cancer Research	GDL036	(B100)
2,5-Bis{[4-(*N*-isopropyl)amidino]phenyl}furan (berenil analogue)					
CGCGAATTCGCG/F	4	12	1996, Institute of Cancer Research	GDL044	(B101)
2,5-Bis{[4-(*N*-cyclopropyl)amidino]phenyl}furan (berenil analogue)					
CGCGAATTCGCG/F	4	12	1997, Institute of Cancer Research	GDL045	(B101)

(*d*) Other minor-groove binders

Sequence	Space group	*Z*	Ubp	Date, institution	NDB No.	Reference
DAPI						
CGCGAATTCGCG/D		4	12	1989, UCLA	GDL008	(B33)
Pentamidine						
CGCGAATTCGCG/P		4	12	1992, Institute of Cancer Research	GDL015	(B53)
γ-Oxapentamidine						
CGCGAATTCGCG/P		4	12	1994, Institute of Cancer Research	GDL027	(B81)
Propamidine						
CGCGAATTCGCG/P		4	12	1993, Institute of Cancer Research	GDL023	(B71)
CGCGAATTCGCG/P		4	12	1995, Institute of Cancer Research	GDL032	(B92)

Table A23.3.1.2. *X-ray analyses of B-DNA helices and their complexes with minor-groove-binding drug molecules* (*cont.*)

Sequence	Space group	*Z*	Ubp	Date, institution	NDB No.	Reference
SN6999 CGC^{6et}GAATTCGCG/S		4	12	1993, Illinois	GDLB24	(B65)
Anthramycin CCAACGTTGG/A	$P3_221$	6	5	1993, UCLA	GDJB29	(B78)

References (numbered chronologically by year and alphabetically by first author within each year)

Year Reference

1980 (B1) R. M. Wing, H. R. Drew, T. Takano, C. Broka, S. Tanaka, K. Itakura & R. E. Dickerson (1980). *Nature (London)*, **287**, 755–758.

1981 (B2) R. E. Dickerson & H. R. Drew (1981). *J. Mol. Biol.* **149**, 761–786.

(B3) R. E. Dickerson, H. R. Drew & B. N. Conner (1981). *Biomolecular stereodynamics*, Vol. 1, edited by R. H. Sarma, pp. 1–34. New York: Adenine Press.

(B4) H. R. Drew & R. E. Dickerson (1981). *J. Mol. Biol.* **151**, 535–556.

(B5) H. R. Drew, R. M. Wing, T. Takano, C. Broka, S. Tanaka, K. Itakura & R. E. Dickerson (1981). *Proc. Natl Acad. Sci. USA*, **78**, 2179–2183.

1982 (B6) H. R. Drew, S. Samson & R. E. Dickerson (1982). *Proc. Natl Acad. Sci. USA*, **79**, 4040–4044.

(B7) A. V. Fratini, M. L. Kopka, H. R. Drew & R. E. Dickerson (1982). *J. Biol. Chem.* **257**, 14686–14707.

1983 (B8) M. L. Kopka, A. V. Fratini, H. R. Drew & R. E. Dickerson (1983). *J. Mol. Biol.* **163**, 129–146.

1984 (B9) R. M. Wing, P. Pjura, H. R. Drew & R. E. Dickerson (1984). *EMBO J.* **3**, 1201–1206.

1985 (B10) S. R. Holbrook, R. E. Dickerson & S.-H. Kim (1985). *Acta Cryst.* B**41**, 255–262.

(B11) M. L. Kopka, C. Yoon, D. Goodsell, P. Pjura & R. E. Dickerson (1985). *Proc. Natl Acad. Sci. USA*, **82**, 1376–1380.

(B12) M. L. Kopka, C. Yoon, D. Goodsell, P. Pjura & R. Dickerson (1985). *J. Mol. Biol.* **183**, 553–563.

1986 (B13) T. Brown, W. N. Hunter, G. Kneale & O. Kennard (1986). *Proc. Natl Acad. Sci. USA*, **83**, 2402–2406.

(B14) W. B. T. Cruse, S. A. Salisbury, T. Brown, R. Cosstick, F. Eckstein & O. Kennard (1986). *J. Mol. Biol.* **192**, 891–905.

(B15) W. N. Hunter, T. Brown & O. Kennard (1986). *J. Biomol. Struct. Dyn.* **4**, 173–191.

(B16) W. N. Hunter, T. Brown, N. N. Anand & O. Kennard (1986). *Nature (London)*, **320**, 552–555.

1987 (B17) M. Coll, C. A. Frederick, A. H.-J. Wang & A. Rich (1987). *Proc. Natl Acad. Sci. USA*, **84**, 8385–8389.

(B18) P. W. R. Corfield, W. N. Hunter, T. Brown, P. Robinson & O. Kennard (1987). *Nucleic Acids Res.* **15**, 7935–7949.

(B19) W. N. Hunter, T. Brown, G. Kneale, N. N. Anand, D. Rabinovich & O. Kennard (1987). *J. Biol. Chem.* **21**, 9962–9970.

(B20) H. C. M. Nelson, J. T. Finch, B. F. Luisi & A. Klug (1987). *Nature (London)*, **330**, 221–226.

(B21) P. E. Pjura, K. Grzeskowiak & R. E. Dickerson (1987). *J. Mol. Biol.* **197**, 257–271.

(B22) G. G. Privé, U. Heinemann, S. Chandrasegaran, L.-S. Kan, M. L. Kopka & R. E. Dickerson (1987). *Science*, **238**, 498–504.

(B23) E. Westhof (1987). *J. Biomol. Struct. Dyn.* **5**, 581–600.

1988 (B24) C. A. Frederick, G. J. Quigley, G. A. van der Marel, J. H. van Boom, A. H.-J. Wang & A. Rich (1988). *J. Biol. Chem.* **263**, 17872–17879.

(B25) G. G. Privé, U. Heinemann, S. Chandrasegaran, L.-S. Kan, M. L. Kopka & R. E. Dickerson (1988). *Structure and expression*, Vol. 2. *DNA and its drug complexes*, edited by R. H. Sarma & M. H. Sarma, pp. 27–47. Schenectady, NY: Adenine Press.

(B26) M. Teng, N. Usman, C. A. Frederick & A. H.-J. Wang (1988). *Nucleic Acids Res.* **16**, 2671–2690.

(B27) C. Yoon, G. G. Privé, D. S. Goodsell & R. E. Dickerson (1988). *Proc. Natl Acad. Sci. USA*, **85**, 6332–6336.

1989 (B28) T. Brown, G. A. Leonard, E. D. Booth & J. Chambers (1989). *J. Mol. Biol.* **207**, 455–457.

(B29) M. A. A. F. de C. T. Carrondo, M. Coll, J. Aymami, A. H.-J. Wang, G. A. van der Marel, J. H. van Boom & A. Rich (1989). *Biochemistry*, **28**, 7849–7859.

(B30) M. Coll, J. Aymami, G. A. van der Marel, J. H. van Boom, A. Rich & A. H.-J. Wang (1989). *Biochemistry*, **28**, 310–320.

(B31) A. D. DiGabriele, M. R. Sanderson & T. A. Steitz (1989). *Proc. Natl Acad. Sci. USA*, **86**, 1816–1820.

(B32) U. Heinemann & C. Alings (1989). *J. Mol. Biol.* **210**, 369–381.

(B33) T. A. Larsen, D. S. Goodsell, D. Cascio, K. Grzeskowiak & R. E. Dickerson (1989). *J. Biomol. Struct. Dyn.* **7**, 477–491.

(B34) Y. Timsit, E. Westhof, R. P. P. Fuchs & D. Moras (1989). *Nature (London)*, **341**, 459–462.

1990 (B35) J. Aymami, M. Coll, G. A. van der Marel, J. H. van Boom, A. H.-J. Wang & A. Rich (1990). *Proc. Natl Acad. Sci. USA*, **87**, 2526–2530.

(B36) D. G. Brown, M. R. Sanderson, J. V. Skelly, T. C. Jenkins, T. Brown, E. Garman, D. I. Stuart & S. Neidle (1990). *EMBO J.* **9**, 1329–1334.

(B37) G. A. Leonard, E. D. Booth & T. Brown (1990). *Nucleic Acids Res.* **18**, 5617–5623.

(B38) G. A. Leonard, J. Thomson, W. P. Watson & T. Brown (1990). *Proc. Natl Acad. Sci. USA*, **87**, 9573–9576.

(B39) G. D. Webster, M. R. Sanderson, J. V. Skelly, S. Neidle, P. F. Swann, B. F. Li & I. J. Tickle (1990). *Proc. Natl Acad. Sci. USA*, **87**, 6693–6697.

1991 (B40) J. Balendrian & M. Sundaralingam (1991). *J. Biomol. Struct. Dyn.* **9**, 511–516.

(B41) Y.-G. Gao, G. A. van der Marel, J. H. van Boom & A. H.-J. Wang (1991). *Biochemistry*, **30**, 9922–9931.

(B42) K. Grzeskowiak, K. Yanagi, G. G. Privé & R. E. Dickerson (1991). *J. Biol. Chem.* **266**, 8861–8883.

Table A23.3.1.2. *X-ray analyses of B-DNA helices and their complexes with minor-groove-binding drug molecules* (*cont.*)

Year Reference

(B43) U. Heinemann & C. Alings (1991). *EMBO J.* **10**, 35–43.

(B44) T. A. Larsen, M. L. Kopka & R. E. Dickerson (1991). *Biochemistry*, **30**, 4443–4449.

(B45) N. Narayana, S. L. Ginell, I. M. Russu & H. M. Berman (1991). *Biochemistry*, **30**, 4450–4455.

(B46) G. G. Privé, K. Yanagi & R. E. Dickerson (1991). *J. Mol. Biol.* **217**, 177–199.

(B47) J. R. Quintana, A. A. Lipanov & R. E. Dickerson (1991). *Biochemistry*, **30**, 10294–10306.

(B48) Y. Timsit, E. Vilbois & D. Moras (1991). *Nature (London)*, **354**, 167–170.

(B49) Y. Timsit & D. Moras (1991). *J. Mol. Biol.* **221**, 919–940.

(B50) K. Yanagi, G. D. Privé & R. E. Dickerson (1991). *J. Mol. Biol.* **217**, 201–214.

1992 (B51) D. G. Brown, M. R. Sanderson, E. Garman & S. Neidle (1992). *J. Mol. Biol.* **226**, 481–490.

(B52) K. J. Edwards, D. G. Brown, N. Spink, J. V. Skelly & S. Neidle (1992). *J. Mol. Biol.* **226**, 1161–1173.

(B53) K. J. Edwards, T. C. Jenkins & S. Neidle (1992). *Biochemistry*, **31**, 7104–7109.

(B54) U. Heinemann & M. Hahn (1992). *J. Biol. Chem.* **267**, 7332–7341.

(B55) U. Heinemann, C. Alings & M. Bansal (1992). *EMBO J.* **11**, 1931–1939.

(B56) G. A. Leonard, E. D. Booth, W. N. Hunter & T. Brown (1992). *Nucleic Acids Res.* **20**, 4753–4759.

(B57) G. A. Leonard, A. Guy, T. Brown, R. Teoule & W. N. Hunter (1992). *Biochemistry*, **31**, 8415–8420.

(B58) J. R. Quintana, K. Grzeskowiak, K. Yanagi & R. E. Dickerson (1992). *J. Mol. Biol.* **225**, 379–395.

(B59) M. Sriram, G. A. van der Marel, H. L. P. F. Roelen, J. H. van Boom & A. H.-J. Wang (1992). *Biochemistry*, **31**, 11823–11834.

(B60) M. Sriram, G. A. van der Marel, H. L. P. F. Roelen, J. H. van Boom & A. H.-J. Wang (1992). *EMBO J.* **11**, 225–232.

(B61) J.-C. Xuan & I. T. Weber (1992). *Nucleic Acids Res.* **20**, 5457–5464.

(B62) H. Yuan, J. R. Quintana & R. E. Dickerson (1992). *Biochemistry*, **31**, 8009–8021.

1993 (B63) I. Baikalov, K. Grzeskowiak, K. Yanagi, J. Quintana & R. E. Dickerson (1993). *J. Mol. Biol.* **231**, 768–784.

(B64) A. D. DiGabriele & T. A. Steitz (1993). *J. Mol. Biol.* **231**, 1024–1029.

(B65) Y.-G. Gao, M. Sriram, W. A. Denny & A. H.-J. Wang (1993). *Biochemistry*, **32**, 9693–9648.

(B66) D. S. Goodsell, M. L. Kopka, D. Cascio & R. E. Dickerson (1993). *Proc. Natl Acad. Sci. USA*, **90**, 2930–2934.

(B67) K. Grzeskowiak, D. S. Goodsell, M. Kaczor-Grzeskowiak, D. Cascio & R. E. Dickerson (1993). *Biochemistry*, **32**, 8923–8931.

(B68) M. Hahn & U. Heinemann (1993). *Acta Cryst.* D**49**, 468–477.

(B69) G. A. Leonard & W. N. Hunter (1993). *J. Mol. Biol.* **234**, 198–208.

(B70) A. Lipanov, M. L. Kopka, M. Kaczor-Grzeskowiak, J. Quintana & R. E. Dickerson (1993). *Biochemistry*, **32**, 1373–1389.

(B71) C. M. Nunn, T. C. Jenkins & S. Neidle (1993). *Biochemistry*, **32**, 13838–13842.

(B72) J. V. Skelly, K. J. Edwards, T. C. Jenkins & S. Neidle (1993). *Proc. Natl Acad. Sci. USA*, **90**, 804–808.

(B73) L. Tabernero, N. Verdaguer, M. Coll, I. Fita, G. A. van der Marel, J. H. van Boom, A. Rich & J. Aymami (1993). *Biochemistry*, **32**, 8403–8410.

1994 (B74) X. Chen, B. Ramakrishnan, S. T. Rao & M. Sundaralingam (1994). *Nature Struct. Biol.* **1**, 169–170.

(B75) R. E. Dickerson, D. S. Goodsell & S. A. Neidle (1994). *Proc. Natl Acad. Sci. USA*, **91**, 3579–3583.

(B76) S. L. Ginnell, J. Vojtechovsky, B. Gaffney, R. Jones & H. M. Berman (1994). *Biochemistry*, **33**, 3487–3493.

(B77) D. S. Goodsell, M. Kaczor-Grzeskowiak & R. E. Dickerson (1994). *J. Mol. Biol.* **239**, 79–96.

(B78) M. L. Kopka, D. S. Goodsell, K. Grzeskowiak, I. Baikalov, D. Cascio & R. E. Dickerson (1994). *Biochemistry*, **33**, 13593–13610.

(B79) G. A. Leonard, K. E. McAuley-Hecht, N. J. Gibson, T. Brown, W. P. Watson & W. N. Hunter (1994). *Biochemistry*, **33**, 4755–4761.

(B80) K. E. McAuley-Hecht, G. A. Leonard, N. J. Gibson, J. B. Thomson, W. P. Watson, W. N. Hunter & T. Brown (1994). *Biochemistry*, **33**, 10266–10270.

(B81) C. M. Nunn, T. C. Jenkins & S. Neidle (1994). *Eur. J. Biochem.* **226**, 953–961.

(B82) Z. Shakked, G. Guzlkevich-Guerstein, F. Frolow, D. Rabinovich, A. Joachimiak & P. B. Sigler (1994). *Nature (London)*, **368**, 469–473.

(B83) N. Spink, D. G. Brown, J. V. Skelly & S. Neidle (1994). *Nucleic Acids Res.* **22**, 1607–1612.

(B84) M. C. Vega, I. Garcia-Saez, J. Aymami, R. Eritja, G. A. van der Marel, J. H. van Boom, A. Rich & M. Coll (1994). *Eur. J. Biochem.* **222**, 721–726.

(B85) Y. Timsit & D. Moras (1994). *EMBO J.* **13**, 2737–2746.

1995 (B86) K. Balendiran, S. T. Rao, C. Y. Sekharudu, G. Zon & M. Sundaralingam (1995). *Acta Cryst.* D**51**, 190–198.

(B87) X. Chen, B. Ramakrishnan & M. Sundaralingam (1995). *Nature Struct. Biol.* **2**, 733–735.

(B88) D. S. Goodsell, M. L. Kopka & R. E. Dickerson (1995). *Biochemistry*, **34**, 4983–4993.

(B89) D. S. Goodsell, K. Grzeskowiak & R. E. Dickerson (1995). *Biochemistry*, **34**, 1022–1029.

(B90) D. S. Goodsell, H. L. Ng, M. L. Kopka, J. W. Lown & R. E. Dickerson (1995). *Biochemistry*, **34**, 16654–16661.

(B91) L. A. Lipscomb, M. E. Peek, M. L. Morningstar, S. M. Verghis, E. M. Miller, A. Rich, J. M. Essigmann & L. D. Williams (1995). *Proc. Natl Acad. Sci. USA*, **92**, 719–723.

(B92) C. M. Nunn & S. Neidle (1995). *J. Med. Chem.* **38**, 2317–2325.

(B93) L. W. Tari & A. S. Secco (1995). *Nucleic Acids Res.* **23**, 2065–2073.

(B94) L. Van Meervelt, D. Vlieghe, A. Dautant, B. Gallois, G. Precigoux & O. Kennard (1995). *Nature (London)*, **374**, 742–744.

(B95) J. Vojtechovsky, M. D. Eaton, B. Gaffney, R. Jones & H. M. Berman (1995). *Biochemistry*, **34**, 16632–16640.

(B96) A. A. Wood, C. M. Nunn, A. Czarny, D. W. Boykin & S. Neidle (1995). *Nucleic Acids Res.* **23**, 3678–3684.

Table A23.3.1.2. *X-ray analyses of B-DNA helices and their complexes with minor-groove-binding drug molecules* (*cont.*)

Year Reference

1996 (B97) T. J. Boggon, E. L. Hancox, K. E. McAuley-Hecht, B. A. Connolly, W. N. Hunter, T. Brown, R. T. Walker & G. A. Leonard (1996). *Nucleic Acids Res.* **24**, 951–961.

(B98) G. R. Clark, E. J. Gray, S. Neidle, Y.-H. Li & W. Leupin (1996). *Biochemistry* **35**, 13745–13752.

(B99) G. R. Clark, C. J. Squire, E. J. Gray, W. Leupin & S. Neidle (1996). *Nucleic Acids Res.* **24**, 4882–4889.

(B100) C. A. Laughton, F. Tanious, C. M. Nunn, D. W. Boykin, W. D. Wilson & S. Neidle (1996). *Biochemistry*, **35**, 5655–5661.

(B101) J. O. Trent, G. R. Clark, A. Kumar, W. D. Wilson, D. W. Boykin, J. E. Hall, R. R. Tidwell, B. L. Blagburn & S. Neidle (1996). *J. Med. Chem.* **39**, 4554–4562.

(B102) L. Urpi, V. Tereshko, L. Malinina, T. Huynh-Dinh & J. A. Subirana (1996). *Nature Struct. Biol.* **3**, 325–328.

(B103) D. Vlieghe, L. Van Meervelt, A. Dautant, B. Gallois, G. Precigoux & O. Kennard (1996). *Science*, **273**, 1702–1705.

(B104) M. C. Wahl, S. T. Rao & M. Sundaralingam (1996). *Biophys. J.* **70**, 2857–2866.

1997 (B105) X. Chen, B. Ramakrishnan & M. Sundaralingam (1997). *J. Mol. Biol.* **267**, 1157–1170.

(B106) G. R. Clark, D. W. Boykin, A. Czarny & S. Neidle (1997). *Nucleic Acids Res.* **25**, 1510–1515.

(B107) G.-W. Han, M. L. Kopka, D. Cascio, K. Grzeskowiak & R. E. Dickerson (1997). *J. Mol. Biol.* **269**, 811–826.

(B108) M. L. Kopka, D. S. Goodsell, G. W. Han, T. K. Chiu, J. W. Lown & R. E. Dickerson (1997). *Structure*, **5**, 1033–1046.

(B109) C. Mayer-Jung, D. Moras & Y. Timsit (1997). *J. Mol. Biol.* **270**, 328–335.

(B110) C. M. Nunn, E. Garman & S. Neidle (1997). *Biochemistry*, **36**, 4792–4799.

(B111) S. Portmann, K.-H. Altmann, N. Reynes & M. Egli (1997). *J. Am. Chem. Soc.* **119**, 2396–2403.

(B112) H. Qiu, J. C. Dewan & N. C. Seeman (1997). *J. Mol. Biol.* **267**, 881–898.

(B113) M. Shatzky-Schwartz, N. D. Arbuckle, M. Eisenstein, D. Rabinovich, A. Bareket-Samish, T. E. Haran, B. F. Luisi & Z. Shakked (1997). *J. Mol. Biol.* **267**, 565–623.

(B114) A. A. Wood, C. M. Nunn, J. O. Trent & S. Neidle (1997). *J. Mol. Biol.* **269**, 827–841.

Table A23.3.1.3. *X-ray analyses of Z helices*

See introductory notes to Table A23.3.1.1. odm = 6*H*,8*H*-3,4-dihydropyrimido[4,5*c*][1,2]oxazin-7-one.

(*a*) Hexadecamers

Sequence	Space group	*Z*	Ubp	Date, institution	NDB No.	Reference
CGCGCGTTTTCGCGCG (hairpin)	*C*2	4	8	1988, UCLA	UDP011	(Z20, Z25)

(*b*) Decamers (disordered)

Sequence	Space group	*Z*	Ubp	Date, institution	NDB No.	Reference
GCGCGCGCGC	$P6_5$	6	2	1996, Ohio State	ZDJ050	(Z46)

(*c*) Octamers

Sequence	Space group	*Z*	Ubp	Date, institution	NDB No.	Reference
CGCICICG	$P6_5$	6	8	1992, Thomas Jefferson	ZDH030	(Z32)
CGCGCGCG	$P6_5$	6	8	1985, MIT	(ZDH017)	(Z10)
CGCATGCG	$P6_5$	6	8	1985, MIT	(ZDH016)	(Z10)

(*d*) Hepamers (overhanging 5′ bases)

Sequence	Space group	*Z*	Ubp	Date, institution	NDB No.	Reference
GCGCGCG	$P2_12_12_1$	4	6	1997, Oregon State	ZDG054	(Z50)
G^{5me}CGCGCG	$P2_12_12_1$	4	6	1997, Oregon State	ZDG055	(Z50)
GCGCGCG/ GCGCGCT	$P2_12_12_1$	4	6	1997, Oregon State	ZDG056	(Z50)
GCGCGCG	$P2_12_12_1$	4	6	1997, Ohio State	ZDG057	(Z51)

(*e*) Hexamers

(1) Alternating CG: Pu-Py alternation retained

Sequence	Space group	*Z*	Ubp	Date, institution	NDB No.	Reference
CGCGCG, Mg	$P2_12_12_1$	4	6	1989, MIT	ZDF002	(Z23)
CGCGCG, DL racemate	$P\bar{1}$	2	6	1993, Osaka	ZDF040	(Z36)

Table A23.3.1.3. *X-ray analyses of Z helices* (*cont.*)

Sequence	Space group	*Z*	Ubp	Date, institution	NDB No.	Reference
CGCGCG/spermine	$P2_12_12_1$	4	6	1991, MIT	ZDF029	(Z29)
CGCGCG/spermine, 163 K	$P2_12_12_1$	4	6	1994, MIT	ZDF035	(Z41)
CGCGCG/spermine, Mg	$P2_12_12_1$	4	6	1979, MIT	ZDF001	(Z1, Z23)
CGCGCG/spermidine	$P2_12_12_1$	4	6	1996, MIT	ZDF052	(Z47)
CGCGCG/thermospermidine	$P2_12_12_1$	4	6	1996, MIT	ZDF053	(Z48)
CGCGCG, Co, Mg	$P2_12_12_1$	4	6	1985, MIT	(ZDF019)	(Z11)
CGCGCG, Co, Mg	$P2_12_12_1$	4	6	1993, Illinois	(ZDF044)	(Z37)
CGCGCG/spermine, Co	$P2_12_12_1$	4	6	1993, Illinois	(ZDF045)	(Z37)
CGCGCG, Ru	$P2_12_12_1$	4	6	1987, MIT	(ZDF007)	(Z18)
CG c g CG	$P2_12_12_1$	4	6	1989, MIT	(ZHF026)	(Z24)

(2) Alternating CG: Pu-Py alternation broken

Sequence	Space group	*Z*	Ubp	Date, institution	NDB No.	Reference
CCGCGG	$C222_1$	8	6	1994, Moscow	UDF025	(Z42)

(3) Modified CG bases: Pu-Py alternation retained

Sequence	Space group	*Z*	Ubp	Date, institution	NDB No.	Reference
CG^{ara}CGCG	$P2_12_12_1$	4	6	1989, MIT	(ZDFS27)	(Z24)
CGC^{6mo}GCG	$P2_12_12_1$	4	6	1990, Rutgers	ZDFB21	(Z26)
CGCG^{4mo}CG	$P2_12_12_1$	4	6	1990, Cambridge	ZDFB25	(Z27)
CGCG^{4mo}CG	$P2_12_12_1$	4	6	1993, Manchester	ZDFB36	(Z35)
CGCG^{5br}CG	$P2_12_12_1$	4	6	1996, Manchester	ZDFB51	(Z49)
CGCG^{odm}CG	$P2_12_12_1$	4	6	1995, Cambridge	ZDFB43	(Z43)
^{5me}CG^{5me}CG^{5me}CG	$P2_12_12_1$	4	6	1982, MIT	ZDFB03	(Z6, Z7)
^{5br}CG^{5br}CG^{5br}CG, 291 K	$P2_12_12_1$	4	6	1986, Strasbourg	ZDFB04	(Z16, Z19)
^{5br}CG^{5br}CG^{5br}CG, 310 K	$P2_12_12_1$	4	6	1986, Strasbourg	ZDFB05	(Z16, Z19)
Aminohexyl-CG^{5br}CGCG	$C2$	4	6	1993, Illinois	(ZDFA32)	(Z38)
^{ara}CG^{ara}CG^{ara}CG (disordered)	$P6_522$	12	2	1992, Illinois	ZDFS33	(Z34)

(4) Modified CG bases: Pu-Py alternation broken

Sequence	Space group	*Z*	Ubp	Date, institution	NDB No.	Reference
^{5me}CGGG^{5me}CG	$P2_12_12_1$	4	6	1993, Oregon State	ZDFB37	(Z40)

(5) With A, T, U, I bases: Pu-Py alternation retained

Sequence	Space group	*Z*	Ubp	Date, institution	NDB No.	Reference
^{5me}CGTA^{5me}CG	$P2_12_12_1$	4	6	1984, MIT	ZDFB06	(Z8)
CGT^{2am}ACG	$P3_221$	6	3	1995, Rutgers	ZDFB41	(Z44)
CGT^{2am}ACG, Pt	$P3_221$	6	3	1995, Rutgers	ZDFB42	(Z44)
CGU^{2am}ACG	$P2_12_12_1$	4	6	1992, Rutgers	ZDFB31	(Z33)
^{5me}CGUA^{5me}CG	$P2_12_12_1$	4	6	1990, Oregon State	ZDFB24	(Z28)
^{5me}CGUA^{5me}CG, Cu	$P2_12_12_1$	4	5	1991, Oregon State	ZDFB10	(Z30)
CACGTG	$P2_12_12_1$	4	6	1988, MIT	(ZDF008)	(Z21)
C^{2am}ACGTG	$P2_12_12_1$	4	6	1986, MIT	ZDFB11	(Z17)
CGCICG	$P2_12_12_1$	4	6	1993, Thomas Jefferson	(ZDFB34)	(Z39)
CACGCG/CGCGTG	$P2_12_12_1$	4	6	1995, Madras	ZDF039	(Z45)
CGCACG/CGTGCG	$P2_1$	2	6	1995, Madras	ZDF038	(Z45)

(6) With A, T, U, I bases: Pu-Py alternation broken

Sequence	Space group	*Z*	Ubp	Date, institution	NDB No.	Reference
^{5br}CGAT^{5br}CG	$P2_12_12_1$	4	6	1985, MIT	(ZDFB09)	(Z13)

Table A23.3.1.3. *X-ray analyses of Z helices* (*cont.*)

(7) With mismatches (underlined)

Sequence	Space group	Z	Ubp	Date, institution	NDB No.	Reference
C<u>G</u>CG<u>T</u>G	$P2_12_12_1$	4	6	1985, MIT	ZDF013	(Z12)
C<u>G</u>CG^{5fl}<u>U</u>G	$P2_12_12_1$	4	6	1989, MIT	ZDFB12	(Z22)
^{5br}<u>U</u>GCGC<u>G</u>	$P2_12_12_1$	4	6	1986, Cambridge	ZDFB14	(Z15)
C<u>G</u>CG<u>T</u>G, Co, Mg	$P2_12_12_1$	4	6	1993, Illinois	ZDF046	(Z37)
C<u>G</u>CG<u>T</u>G, Cu, Mg	$P2_12_12_1$	4	6	1993, Illinois	ZDF047	(Z37)
^{5me}C<u>G</u>^{5me}CG<u>T</u>G, Ba	$P2_12_12_1$	4	6	1993, Illinois	(ZDFB48)	(Z37)

(f) Tetramers

Sequence	Space group	Z	Ubp	Date, institution	NDB No.	Reference
CGCG	$C222_1$	8	4	1980, UCLA (CIT)	ZDD015	(Z3, Z4, Z5)
CGCG (disordered)	$P6_5$	6	6	1980, MIT	ZDD023	(Z2)

References (numbered chronologically by year and alphabetically by first author within each year)

Year Reference

1979 (Z1) A. H.-J. Wang, G. J. Quigley, F. J. Kolpak, J. L. Crawford, J. H. van Boom, G. van der Marel & A. Rich (1979). *Nature (London)*, **282**, 680–686.

1980 (Z2) J. L. Crawford, F. J. Kolpak, A. H.-J. Wang, G. J. Quigley, J. H. van Boom, G. van der Marel & A. Rich (1980). *Proc. Natl Acad. Sci. USA*, **77**, 4016–4020.

(Z3) H. R. Drew, T. Takano, S. Tanaka, K. Itakura & R. E. Dickerson (1980). *Nature (London)*, **286**, 567–573.

1981 (Z4) R. E. Dickerson, H. R. Drew & B. N. Conner (1981). *Biomolecular stereodynamics*, Vol. 1, edited by R. H. Sarma, pp. 1–34. New York: Adenine Press.

(Z5) H. R. Drew & R. E. Dickerson (1981). *J. Mol. Biol.* **152**, 723–736.

1982 (Z6) S. Fujii, A. H.-J. Wang, G. van der Marel, J. H. van Boom & A. Rich (1982). *Nucleic Acids Res.* **10**, 7879–7892.

(Z7) S. Fujii, A. H.-J. Wang, J. van Boom & A. Rich (1982). *Nucleic Acids Res. Symp. Ser.* **11**, 109–112.

1984 (Z8) A. H.-J. Wang, T. Hakoshima, G. van der Marel, J. H. van Boom & A. Rich (1984). *Cell*, **37**, 321–331.

1985 (Z9) R. G. Brennan & M. Sundaralingam (1985). *J. Mol. Biol.* **181**, 561–563.

(Z10) S. Fujii, A. H.-J. Wang, G. J. Quigley, H. Westerink, G. van der Marel, J. H. van Boom & A. Rich (1985). *Biopolymers*, **24**, 243–250.

(Z11) R. V. Gessner, G. J. Quigley, A. H.-J. Wang, G. A. van der Marel, J. H. van Boom & A. Rich (1985). *Biochemistry*, **24**, 237–240.

(Z12) P. S. Ho, C. A. Frederick, G. J. Quigley, G. A. van der Marel, J. H. van Boom, A. H.-J. Wang & A. Rich (1985). *EMBO J.* **4**, 3617–3623.

(Z13) A. H.-J. Wang, R. V. Gessner, G. A. van der Marel, J. H. van Boom & A. Rich (1985). *Proc. Natl Acad. Sci. USA*, **82**, 3611–3615.

1986 (Z14) R. G. Brennan, E. Westhof & M. Sundaralingam (1986). *J. Biomol. Struct. Dyn.* **3**, 649–665.

(Z15) T. Brown, G. Kneale, W. N. Hunter & O. Kennard (1986). *Nucleic Acids Res.* **14**, 1801–1809.

(Z16) B. Chevrier, A. C. Dock, B. Hartmann, M. Leng, D. Moras, M. T. Thuong & E. Westhof (1986). *J. Mol. Biol.* **188**, 707–719.

(Z17) M. Coll, A. H.-J. Wang, G. A. van der Marel, J. H. van Boom & A. Rich (1986). *J. Biomol. Struct. Dyn.* **4**, 157–172.

1987 (Z18) P. S. Ho, C. A. Frederick, D. Saal, A. H.-J. Wang & A. Rich (1987). *J. Biomol. Struct. Dyn.* **4**, 521–534.

(Z19) E. Westhof (1987). *J. Biomol. Struct. Dyn.* **5**, 581–600.

1988 (Z20) R. Chattopadhyaya, S. Ikuta, K. Grzeskowiak & R. E. Dickerson (1988). *Nature (London)*, **334**, 175–179.

(Z21) M. Coll, I. Fita, J. Lloveras, J. A. Subirana, F. Bardella, T. Huynh-Dinh & J. Igolen (1988). *Nucleic Acids Res.* **16**, 8695–8705.

1989 (Z22) M. Coll, D. Saal, C. A. Frederick, J. Aymami, A. Rich & A. H.-J. Wang (1989). *Nucleic Acids Res.* **17**, 911–923.

(Z23) R. V. Gessner, C. A. Frederick, G. J. Quigley, A. Rich & A. H.-J. Wang (1989). *J. Biol. Chem.* **264**, 7921–7935.

(Z24) M.-K. Teng, Y.-C. Liaw, G. A. van der Marel, J. H. van Boom & A. H.-J. Wang (1989). *Biochemistry*, **28**, 4923–4928.

1990 (Z25) R. Chattopadhyaya, K. Grzeskowiak & R. E. Dickerson (1990). *J. Mol. Biol.* **211**, 189–210.

(Z26) S. L. Ginell, S. Kuzmich, R. A. Jones & H. M. Berman (1990). *Biochemistry*, **29**, 10461–10465.

(Z27) L. Van Meervelt, M. H. Moore, P. K. T. Lin, D. M. Brown & O. Kennard (1990). *J. Mol. Biol.* **216**, 773–781.

(Z28) G. Zhou & P. S. Ho (1990). *Biochemistry*, **29**, 7229–7236.

1991 (Z29) M. Egli, L. D. Williams, Q. Gao & A. Rich (1991). *Biochemistry*, **30**, 11388–11402.

(Z30) B. H. Geierstanger, T. F. Kagawa, S.-L. Chen, G. J. Quigley & P. S. Ho (1991). *J. Biol. Chem.* **266**, 20185–20191.

1992 (Z32) V. D. Kumar, R. W. Harrison, L. C. Andrews & I. T. Weber (1992). *Biochemistry*, **31**, 1541–1550.

(Z33) B. Schneider, S. L. Ginnell, R. Jones, B. Gaffney & H. M. Berman (1992). *Biochemistry*, **21**, 9622–9628.

(Z34) H. Zhang, G. A. van der Marel, J. H. van Boom & A. H.-J. Wang (1992). *Biopolymers*, **32**, 1559–1569.

1993 (Z35) A. R. Cervi, A. Guy, G. A. Leonard, R. Teoule & W. N. Hunter (1993). *Nucleic Acids Res.* **21**, 5623–5629.

(Z36) M. Doi, M. Inoue, K. Tomoo, T. Ishida, Y. Ueda, M. Akagi & H. Urata (1993). *J. Am. Chem. Soc.* **115**, 10432–10433.

(Z37) Y.-G. Gao, K. Sriram & A. H.-J. Wang (1993). *Nucleic Acids Res.* **21**, 4093–4101.

(Z38) Y.-C. Jean, Y.-G. Gao & A. H.-J. Wang (1993). *Biochemistry*, **32**, 381–388.

Table A23.3.1.3. *X-ray analyses of Z helices* (*cont.*)

Year Reference

(Z39) V. D. Kumar & I. T. Weber (1993). *Nucleic Acids Res.* **9**, 2201–2208.

(Z40) G. P. Schroth, T. F. Kagawa & P. Shing Ho (1993). *Biochemistry*, **32**, 13381–13392.

1994 (Z41) D. Bancroft, L. D. Williams, A. Rich & M. Egli (1994). *Biochemistry*, **33**, 1073–1086.

(Z42) L. Malinina, L. Urpi, X. Salas, T. Huynh-Dinh & J. A. Subirana (1994). *J. Mol. Biol.* **243**, 484–493.

1995 (Z43) M. H. Moore, L. Van Meervelt, S. A. Salisbury, P. Kong Thoo Lin & D. M. Brown (1995). *J. Mol. Biol.* **251**, 665–673.

(Z44) G. N. Parkinson, G. M. Arvantis, L. Lessinger, S. L. Ginnell, R. Jones, B. Gaffney & H. M. Berman (1995). *Biochemistry*, **34**, 15487–15495.

(Z45) C. Sadasivan & N. Gautham (1995). *J. Mol. Biol.* **248**, 918–930.

1996 (Z46) C. Ban, B. Ramakrishnan & M. Sundaralingam (1996). *Biophys. J.* **71**, 1215–1221.

(Z47) H. Ohishi, I. Nakanishi, K. Inubushi, G. A. van der Marel, J. H. van Boom, A. Rich, A. H.-J. Wang, T. Hakoshima & K. Tomita (1996). *FEBS Lett.* **391**, 143–156.

(Z48) H. Ohishi, N. Terasoma, I. Nakanishi, G. A. van der Marel, J. H. van Boom, A. Rich, A. H.-J. Wang, T. Hakoshima & K. Tomita (1996). *FEBS Lett.* **398**, 291–296.

(Z49) M. R. Peterson, S. J. Harrop, S. M. McSweeney, G. A. Leonard, A. W. Thompson, W. N. Hunter & J. R. Helliwell (1996). *J. Synchrotron Rad.* **3**, 24–34.

1997 (Z50) B. H. M. Mooers, B. F. Eichman & P. S. Ho (1997). *J. Mol. Biol.* **269**, 796–810.

(Z51) B. Pan, C. Ban, M. Wahl & M. Sundaralingam (1997). *Biophys. J.* **83**, 1553–1561.