

REFERENCES

23.3 (cont.)

- Seeman, N. C., Rosenberg, J. M. & Rich, A. (1976). Sequence-specific recognition of double helical nucleic acids by proteins. *Proc. Natl Acad. Sci. USA*, **73**, 804–808.
- Sklenár, V. & Feigon, J. (1990). Formation of a stable triplex from a single DNA strand. *Nature (London)*, **345**, 836–838.
- Sprous, D., Young, M. A. & Beveridge, D. L. (1999). Molecular dynamics studies of axis bending in $d(G_5-(GA_4T_4C)_2-C_5)$ and $d(G_5-(GT_4A_4C)_2-C_5)$: effects of sequence polarity on DNA curvature. *J. Mol. Biol.* **285**, 1623–1632.
- Sprous, D., Zacharias, W., Wood, Z. A. & Harvey, S. C. (1995). Dehydrating agents sharply reduce curvature in DNAs containing A-tracts. *Nucleic Acids Res.* **23**, 1816–1821.
- Sundaralingam, M. (1975). Principles governing nucleic acid and polynucleotide conformations. In *Structure and conformation of nucleic acids and protein–nucleic acid interactions*, edited by M. Sundaralingam & S. T. Rao, pp. 487–524. Baltimore: University Park Press.
- Thomas, K. A., Smith, G. M., Thomas, T. B. & Feldmann, R. J. (1982). Electronic distributions within protein phenylalanine aromatic rings are reflected by the three-dimensional oxygen atom environments. *Proc. Natl Acad. Sci. USA*, **79**, 4843–4847.
- Voet, D. & Voet, J. G. (1990). *Biochemistry*. New York: John Wiley & Sons.
- Voet, D. & Voet, J. G. (1995). *Biochemistry*, 2nd edition. New York: John Wiley & Sons.
- Wahl, M. C. & Sundaralingam, M. (1996). Crystal structures of A-DNA duplexes. *Biopolymers Nucleic Acid Sci.* **44**, 45–63.
- Wahl, M. C. & Sundaralingam, M. (1998). A-DNA duplexes in the crystal. In *Oxford handbook of nucleic acid structure*, edited by S. Neidle, ch. 5, pp. 117–144. Oxford University Press.
- Watson, J. D. & Crick, F. H. C. (1953). Molecular structure of nucleic acids: a structure for deoxyribose nucleic acid. *Nature (London)*, **171**, 737–738.
- Winkler, F. K., Banner, D. W., Oefner, C., Tsernoglou, D., Brown, R. S., Heathman, S. P., Bryan, R. K., Martin, P. D., Petratos, K. & Wilson, K. S. (1993). The crystal structure of EcoRV endonuclease and of its complexes with cognate and non-cognate DNA fragments. *EMBO J.* **12**, 1781–1795.
- Wu, H.-M. & Crothers, D. M. (1984). The locus of sequence-directed and protein-induced DNA bending. *Nature (London)*, **308**, 509–513.
- Yang, W. & Steitz, T. A. (1995). Crystal structure of the site-specific recombinase gamma delta resolvase complexed with a 34 bp cleavage site. *Cell*, **82**, 193–207.
- Brooks, C. L. & Karplus, M. (1989). Solvent effects on protein motion and protein effects on solvent motion. Dynamics of the active site region of lysozyme. *J. Mol. Biol.* **208**, 159–181.
- Bryant, R. G. (1996). The dynamics of water–protein interactions. *Annu. Rev. Biophys. Biomol. Struct.* **25**, 29–53.
- Chervenak, M. C. & Toone, E. J. (1994). A direct measure of the contribution of solvent reorganization to the enthalpy of ligand binding. *J. Am. Chem. Soc.* **116**, 10533–10539.
- Clackson, T. & Wells, J. T. (1995). A hot spot of binding energy in a hormone–receptor interface. *Science*, **267**, 383–386.
- Clark, K. L., Halay, E. D., Lai, E. & Burley, S. K. (1993). Co-crystal structure of the HNF-3/fork head DNA-recognition motif resembles histone H5. *Nature (London)*, **364**, 412–420.
- Clore, G. M., Bax, A., Omichinski, J. G. & Gronenborn, A. M. (1994). Localization of bound water in the solution structure of a complex of the erythroid transcription factor GATA-1 with DNA. *Curr. Biol.* **2**, 89–94.
- Condon, P. & Royer, W. (1994). Crystal structure of oxygenated Scapharca dimeric hemoglobin at 1.7 Å resolution. *J. Biol. Chem.* **269**, 25259–25267.
- Deisenhofer, J. & Steigemann, W. (1975). Crystallographic refinement of the structure of bovine pancreatic trypsin inhibitor at 1.5 Å resolution. *Acta Cryst.* **B31**, 238–250.
- Edsall, J. T. & McKenzie, H. A. (1978). Water and proteins. I. The significance and structure of water; its interaction with electrolytes and non-electrolytes. *Adv. Biophys.* **10**, 137–207.
- Edsall, J. T. & McKenzie, H. A. (1983). Water and proteins. II. The location and dynamics of water in protein systems and its relation to their stability and properties. *Adv. Biophys.* **16**, 53–183.
- Gunsteren, W. F. van, Luque, F. J., Timms, D. & Torda, A. E. (1994). Molecular mechanics in biology: from structure to function, taking account of solvation. *Annu. Rev. Biophys. Biomol. Struct.* **23**, 847–863.
- Hayward, S., Kitao, A., Hirata, F. & Go, N. (1993). Effect of solvent on collective motions in globular protein. *J. Mol. Biol.* **234**, 1207–1217.
- Hendrickson, W. A. & Teeter, M. M. (1981). Structure of the hydrophobic protein crambin determined directly from the anomalous scattering of sulphur. *Nature (London)*, **290**, 107–113.
- Hendsch, Z. S., Jonsson, T., Sauer, R. T. & Tidor, B. (1996). Protein stabilization by removal of unsatisfied polar groups: computational approaches and experimental tests. *Biochemistry*, **35**, 7621–7625.
- Hendsch, Z. S. & Tidor, B. (1994). Do salt bridges stabilize proteins? A continuum electrostatic analysis. *Protein Sci.* **3**, 211–226.
- Herron, J. N., Terry, A. H., Johnston, S., He, S.-M., Guddat, L. W., Voss, E. W. & Edmundson, A. B. (1994). High resolution structures of the 4-4-20 Fab–fluorescein complex in two solvent systems: effects of solvent on structure and antigen-binding affinity. *Biophys. J.* **67**, 2167–2175.
- Holdgate, G., Tunnicliffe, A., Ward, W. H. J., Weston, S. A., Rosenbrock, G., Barth, P. T., Taylor, I. W. F., Pauptit, R. A. & Timms, D. (1997). The entropic penalty of ordered water accounts for weaker binding of the antibiotic Novobiocin to a resistant mutant of DNA gyrase: a thermodynamic and crystallographic study. *Biochemistry*, **36**, 9663–9673.
- Hubbard, S. J., Gross, K.-H. & Argos, P. (1994). Intramolecular cavities in globular proteins. *Protein Eng.* **7**, 613–626.
- Jiang, J.-S. & Brünger, A. (1994). Protein hydration observed by X-ray diffraction. Solvation properties of penicillopepsin and neuraminidase crystal structures. *J. Mol. Biol.* **243**, 100–115.
- Karplus, P. A. & Faerman, C. (1994). Ordered water in macromolecular structure. *Curr. Opin. Struct. Biol.* **4**, 770–776.
- Kauzmann, W. (1959). Some factors in the interpretation of protein denaturation. *Adv. Protein Chem.* **14**, 1–63.
- Kendrew, J. C. (1963). Myoglobin and the structure of proteins. *Science*, **139**, 1259–1266.
- Komives, E. A., Loughheed, J. C., Liu, K., Sugio, S., Zhang, Z., Petsko, G. A. & Ringe, D. (1995). The structural basis for pseudoreversion of the E165D lesion by the secondary S96P

23.4

- Allen, K. N., Bellamacina, C. R., Ding, X., Jeffery, C. J., Mattos, C., Petsko, G. A. & Ringe, D. (1996). An experimental approach to mapping the binding surfaces of crystalline proteins. *J. Phys. Chem.* **100**, 2605–2611.
- Badger, J. (1993). Multiple hydration layers in cubic insulin crystals. *Biophys. J.* **65**, 1656–1659.
- Baker, E. N. & Hubbard, R. E. (1984). Hydrogen bonding in globular proteins. *Prog. Biophys. Mol. Biol.* **44**, 97–179.
- Beglov, D. & Roux, B. (1997). An integral equation to describe the solvation of polar molecules in liquid water. *J. Phys. Chem.* **101**, 7821–7826.
- Bellamacina, C., Mattos, C., Griffith, D., Ivanov, D., Stanton, M., Petsko, G. A. & Ringe, D. (1999). Unpublished results.
- Berman, H. M., Westbrook, J., Feng, Z., Gilliland, G., Bhat, T. N., Weissig, H., Shindyalov, I. N. & Bourne, P. E. (2000). The Protein Data Bank. *Nucleic Acids Res.* **28**, 235–242.
- Bhat, T. N., Bentley, G. A., Boulot, G., Greene, M. I., Tello, D., Dall'Acqua, W., Souchon, H., Schwarz, F. P., Maiuzza, R. A. & Poljak, R. J. (1994). Bound water molecules and conformational stabilization help mediate an antigen–antibody association. *Proc. Natl Acad. Sci. USA*, **91**, 1089–1093.
- Blake, C. C. F., Pulford, W. C. A. & Artymiuk, P. J. (1983). X-ray studies of water in crystals of lysozyme. *J. Mol. Biol.* **167**, 693–723.

23. STRUCTURAL ANALYSIS AND CLASSIFICATION

23.4 (cont.)

- mutation in triosephosphate isomerase depends on the positions of active site water molecules. *Biochemistry*, **34**, 13612–13621.
- Kossiakoff, A. A., Sintchak, M. D., Shpungin, J. & Presta, L. G. (1992). Analysis of solvent structure in proteins using neutron D_2O-H_2O solvent maps: pattern of primary and secondary hydration of trypsin. *Proteins Struct. Funct. Genet.* **12**, 223–236.
- Kraulis, P. J. (1991). MOLSCRIPT: a program to produce both detailed and schematic plots of protein structures. *J. Appl. Cryst.* **24**, 946–950.
- Kuhn, L., Siani, M. A., Pique, M. E., Fisher, C. L., Getzoff, E. D. & Tainer, J. A. (1992). The interdependence of protein surface topography and bound water molecules revealed by surface accessibility and fractal density measures. *J. Mol. Biol.* **228**, 13–22.
- Kuhn, L. A., Swanson, C. A., Pique, M. E., Tainer, J. A. & Getzoff, E. D. (1995). Atomic and residue hydrophilicity in the context of folded protein structures. *Proteins Struct. Funct. Genet.* **23**, 536–547.
- Ladbury, J. E. (1996). Just add water! The effect of water on the specificity of protein–ligand binding sites and its potential application to drug design. *Chem. Biol.* **3**, 973–980.
- Lam, P. Y. S., Jadhav, P. K., Eyermann, C. J., Hodge, C. N., Ru, Y., Bacheler, L. T., Meek, J. L., Otto, M. J., Rayner, M. M., Wong, Y. N., Chang, C.-H., Weber, P. C., Jackson, D. A., Sharpe, T. R. & Erickson-Vitanen, S. (1994). Rational design of potent, bioavailable, nonpeptide cyclic ureas as HIV protease inhibitors. *Science*, **263**, 380–384.
- Lazaridis, T., Archontis, G. & Karplus, M. (1995). Enthalpic contribution to protein stability: insights from atom-based calculations and statistical mechanics. *Adv. Protein Chem.* **47**, 231–306.
- Levitt, M. & Park, B. H. (1993). Water: now you see it, now you don't. *Structure*, **1**, 223–226.
- Loris, R., Langhorst, U., De Vos, S., Decanniere, K., Bouckaert, J., Maes, D., Transue, T. R. & Steyaert, J. (1999). Conserved water molecules in a large family of microbial ribonucleases. *Proteins Struct. Funct. Genet.* **36**, 117–134.
- Loris, R., Stas, P. P. G. & Wyns, L. (1994). Conserved waters in legume lectin crystal structures. The importance of bound water for the sequence–structure relationship within the legume lectin family. *J. Biol. Chem.* **269**, 26722–26733.
- Lounnas, V. & Pettitt, B. M. (1994). Distribution function implied dynamics versus residence times and correlations: solvation shells of myoglobin. *Proteins Struct. Funct. Genet.* **18**, 148–160.
- Lounnas, V., Pettitt, B. M. & Phillips, G. N. Jr (1994). A global model of the protein–solvent interface. *Biophys. J.* **66**, 601–614.
- McDowell, R. S. & Kossiakoff, A. A. (1995). A comparison of neutron diffraction and molecular dynamics structures: hydroxyl group and water molecule orientations in trypsin. *J. Mol. Biol.* **250**, 553–570.
- Malin, R., Zielenkiewicz, P. & Saenger, W. (1991). Structurally conserved water molecules in ribonuclease TI. *J. Biol. Chem.* **266**, 4848–4852.
- Mattos, C., Bellamacina, C., Amaral, A., Peisach, E., Vitkup, D., Petsko, G. A. & Ringe, D. (2000). The application of the multiple solvent crystal structures method to porcine pancreatic elastase. In preparation.
- Mattos, C., Giammona, D. A., Petsko, G. A. & Ringe, D. (1995). Structural analysis of the active site of porcine pancreatic elastase based on the X-ray crystal structures of complexes with trifluoroacetyl-dipeptide-anilide inhibitors. *Biochemistry*, **34**, 3193–3203.
- Mattos, C., Rasmussen, B., Ding, X., Petsko, G. A. & Ringe, D. (1994). Analogous inhibitors of elastase do not always bind analogously. *Nature Struct. Biol.* **1**, 55–58.
- Mattos, C. & Ringe, D. (1996). Locating and characterizing binding sites on proteins. *Nature Biotech.* **14**, 595–599.
- Meiering, E. M. & Wagner, G. (1995). Detection of long-lived bound water molecules in complexes of human dihydrofolate reductase with methotrexate and NADPH. *J. Mol. Biol.* **247**, 294–308.
- Meyer, E. (1992). Internal water molecules and H-bonding in biological macromolecules: a review of structural features with functional implications. *Protein Sci.* **1**, 1543–1562.
- Meyer, E., Cole, G., Radhakrishnan, R. & Epp, O. (1988). Structure of native porcine pancreatic elastase at 1.65 Å resolution. *Acta Cryst.* **B44**, 26–38.
- Momany, F. A., McGuire, R. F., Burgess, A. W. & Scheraga, H. A. (1975). Energy parameters in polypeptides. VII. Geometric parameters, partial atomic charges, nonbonded interactions, hydrogen bond interactions, and intrinsic torsional potentials for the naturally occurring amino acids. *J. Phys. Chem.* **79**, 2361–2381.
- Morton, C. J. & Ladbury, J. E. (1996). Water mediated protein–DNA interactions: the relationship of thermodynamics to structural detail. *Protein Sci.* **5**, 2115–2118.
- Nicholls, A., Sharp, K. A. & Honig, B. (1991). Protein folding and association: insights from the interfacial and thermodynamic properties of hydrocarbons. *Proteins Struct. Funct. Genet.* **11**, 281–296.
- Omichinski, J. G., Clore, G. M., Schaad, O., Felsenfeld, G., Trainor, C., Appella, E., Stahl, S. J. & Gronenborn, A. (1993). NMR structure of a specific DNA complex of Zn-containing DNA binding domain of GATA-1. *Science*, **261**, 438–446.
- Oprea, T. I., Hummer, G. & Garcia, A. E. (1997). Identification of a functional water channel in cytochrome P450 enzymes. *Proc. Natl Acad. Sci. USA*, **94**, 2133–2138.
- Otting, G., Liepinsh, E. & Wuthrich, K. (1991). Protein hydration in aqueous solution. *Science*, **254**, 974–980.
- Otting, G. & Wuthrich, K. (1989). Studies of protein hydration in aqueous solution by direct NMR observation of individual protein-bound water molecules. *J. Am. Chem. Soc.* **111**, 1871–1875.
- Otwinowski, Z., Schevitz, R. W., Zhang, R.-G., Lawson, C. L., Joachimiak, A., Marmorstein, R. Q., Luisi, B. F. & Sigler, P. B. (1988). Crystal structure of trp repressor/operator complex at atomic resolution. *Nature (London)*, **335**, 321–329.
- Pardanani, A., Gibson, Q. H., Colotti, G. & Royer, W. E. (1997). Mutation of residue Phe97 to Leu disrupts the central allosteric pathway in Scapharca dimeric hemoglobin. *J. Biol. Chem.* **272**, 13171–13179.
- Pletinckx, J., Steyaert, J., Zegers, I., Choe, H.-W., Heinemann, U. & Wyns, L. (1994). Crystallographic study of Glu58Ala RNase TI-2'-guanosine monophosphate at 1.9 Å resolution. *Biochemistry*, **33**, 1654–1662.
- Pomes, R. & Roux, B. (1996). Structure and dynamics of a proton wire: a theoretical study of H^+ translocation along the single-file water chain in the gramicidin A channel. *Biophys. J.* **71**, 19–39.
- Poormina, C. S. & Dean, P. M. (1995a). Hydration in drug design. 3. Conserved water molecules at the ligand-binding sites of homologous proteins. *J. Comput.-Aided Mol. Des.* **9**, 521–531.
- Poormina, C. S. & Dean, P. M. (1995b). Hydration in drug design. 1. Multiple hydrogen-bonding features of water molecules in mediating protein–ligand interactions. *J. Comput.-Aided Mol. Des.* **9**, 500–512.
- Poormina, C. S. & Dean, P. M. (1995c). Hydration in drug design. 2. Influence of local site surface shape on water binding. *J. Comput.-Aided Mol. Des.* **9**, 513–520.
- Privé, G. G., Milburn, M. V., Tong, L., DeVos, A. M., Yamaizumi, Z., Nishimura, S. & Kim, S. H. (1992). X-ray crystal structures of transforming p21 ras mutants suggest a transition-state stabilization mechanism for GTP hydrolysis. *Proc. Natl Acad. Sci.* **89**, 3649–3653.
- Quiocho, F. A., Wilson, D. K. & Vyas, N. K. (1989). Substrate specificity and affinity of a protein modulated by bound water molecules. *Nature (London)*, **340**, 404–407.
- Rand, R. P. (1992). Raising water to new heights. *Science*, **256**, 618.
- Rashin, A. A., Iofin, M. & Honig, B. (1986). Internal cavities and buried waters in globular proteins. *Biochemistry*, **25**, 3619–3625.
- Ringe, D. (1995). What makes a binding site a binding site? *Curr. Opin. Struct. Biol.* **5**, 825–829.

REFERENCES

23.4 (cont.)

- Robinson, C. R. & Siglar, S. G. (1993). *Molecular recognition mediated by bound water. A mechanism for star activity of the restriction endonuclease EcoRI*. *J. Mol. Biol.* **234**, 302–306.
- Roe, S. M. & Teeter, M. M. (1993). *Patterns for prediction of hydration around polar residues in proteins*. *J. Mol. Biol.* **229**, 419–427.
- Roux, B., Nina, M., Pomes, R. & Smith, J. C. (1996). *Thermodynamic stability of water molecules in the bacteriorhodopsin proton channel: a molecular dynamics free energy perturbation study*. *Biophys. J.* **72**, 670–681.
- Royer, W. (1994). *High-resolution crystallographic analysis of a cooperative dimeric hemoglobin*. *J. Mol. Biol.* **235**, 657–681.
- Royer, W. E., Fox, R. A. & Smith, F. R. (1997). *Ligand linked assembly of Scapharca dimeric hemoglobin*. *J. Biol. Chem.* **272**, 5689–5694.
- Royer, W. E. Jr, Hendrickson, W. A. & Chiancone, E. (1990). *Structural transitions upon ligand binding in a cooperative dimeric hemoglobin*. *Science*, **249**, 518–521.
- Royer, W. E., Pardanani, A., Gibson, Q. H., Peterson, E. S. & Friedman, J. M. (1996). *Ordered water molecules as key allosteric mediators in a cooperative dimeric hemoglobin*. *Proc. Natl Acad. Sci. USA*, **93**, 14526–14531.
- Savage, H. (1986). *Water structure in vitamin B₁₂ coenzyme crystals*. *Biophys. J.* **50**, 967–980.
- Savage, H. & Wlodawer, A. (1986). *Determination of water structure around biomolecules using X-ray and neutron diffraction methods*. *Methods Enzymol.* **127**, 162–183.
- Shakked, Z., Guzikevich-Guerstein, G., Frolow, F., Rabinovich, D., Joachimiak, A. & Sigler, P. B. (1994). *Determinants of repressor/operator recognition from the structure of the trp operator binding site*. *Nature (London)*, **368**, 469–473.
- Shaltiel, S., Cox, S. & Taylor, S. (1998). *Conserved water molecules contribute to the extensive network of interactions at the active site of protein kinase A*. *Proc. Natl Acad. Sci. USA*, **95**, 484–491.
- Shpungin, J. & Kossiakoff, A. A. (1986). *A method of solvent structure analysis for proteins using D₂O – H₂O neutron difference maps*. *Methods Enzymol.* **127**, 329–342.
- Singer, P., Smalas, A., Carty, R. P., Mangel, W. F. & Sweet, R. M. (1993). *The hydrolytic water molecule in trypsin, revealed by time-resolved Laue crystallography*. *Science*, **259**, 669–673.
- Sreenivasan, U. & Axelsen, P. H. (1992). *Buried water in homologous serine proteases*. *Biochemistry*, **31**, 12785–12791.
- Teeter, M. M. (1984). *Water structure of a hydrophobic protein at atomic resolution: pentagon rings of water molecules in crystals of crambin*. *Proc. Natl Acad. Sci. USA*, **81**, 6014–6018.
- Teeter, M. M. (1991). *Water–protein interactions: theory and experiment*. *Annu. Rev. Biophys. Biophys. Chem.* **20**, 577–600.
- Teeter, M. M. & Hendrickson, W. A. (1979). *Highly ordered crystals of the plant seed protein crambin*. *J. Mol. Biol.* **127**, 219–223.
- Thanki, N., Thornton, J. M. & Goodfellow, J. M. (1988). *Distribution of water around amino acid residues in proteins*. *J. Mol. Biol.* **202**, 637–657.
- Thanki, N., Thornton, J. M. & Goodfellow, J. M. (1990). *Influence of secondary structure on the hydration of serine, threonine and tyrosine residues in proteins*. *Protein Eng.* **3**, 495–508.
- Thanki, N., Umrana, Y., Thornton, J. M. & Goodfellow, J. M. (1991). *Analysis of protein main-chain solvation as a function of secondary structure*. *J. Mol. Biol.* **221**, 669–691.
- Walshaw, J. & Goodfellow, J. M. (1993). *Distribution of solvent molecules around apolar side-chains in protein crystals*. *J. Mol. Biol.* **231**, 392–414.
- Weaver, L. & Matthews, B. (1987). *Structure of bacteriophage T4 lysozyme refined at 1.7 Å resolution*. *J. Mol. Biol.* **193**, 189–199.
- Williams, M. A., Goodfellow, J. M. & Thornton, J. M. (1994). *Buried waters and internal cavities in monomeric proteins*. *Protein Sci.* **3**, 1224–1235.
- Wlodawer, A., Walter, J., Huber, R. & Sjolín, L. (1984). *Structure of bovine pancreatic trypsin inhibitor. Results of joint neutron and X-ray refinement of crystal form II*. *J. Mol. Biol.* **180**, 301–329.
- Zegers, I., Maes, D., Dao-Thi, M.-H., Poortmans, F., Palmer, R. & Wyns, L. (1994). *The structures of RNase A complexed with 3'-CMP and d(CpA): active site conformation and conserved water molecules*. *Protein Sci.* **3**, 2322–2339.
- Zhang, X.-J. & Matthews, B. W. (1994). *Conservation of solvent-binding sites in 10 crystal forms of T4 lysozyme*. *Protein Sci.* **3**, 1031–1039.