

REFERENCES

25.1 (cont.)

- Hall, S. R., du Boulay, D. J. & Olthof-Hazekamp, R. (1999). *Xtal3.6 system*. Perth: University of Western Australia Press.
- Hendrickson, W. A. (1991). *Determination of macromolecular structures from anomalous diffraction of synchrotron radiation. Science*, **254**, 51.
- Hendrickson, W. A. & Konnert, J. H. (1979). *Stereochemically restrained crystallographic least-squares refinement of macromolecule structures*. In *Biomolecular structure, conformation, function and evolution*, edited by R. Srinivasan, Vol. I, pp. 43–57. New York: Pergamon Press.
- Jones, T. A. (1978). *A graphics model building and refinement system for macromolecules*. *J. Appl. Cryst.* **11**, 268–272.
- Jones, T. A. (1992). *A, yaap, asap, @#*? A set of averaging programs*. In *Molecular replacement*, edited by E. J. Dodson, S. Gover & W. Wolf, pp. 91–105. Warrington: Daresbury Laboratory.
- Jones, T. A., Zou, J.-Y., Cowan, S. W. & Kjeldgaard, M. (1991). *Improved methods for building protein models in electron density maps and the location of errors in these models*. *Acta Cryst.* **A47**, 110–119.
- Kabsch, W. (1988). *Evaluation of single-crystal X-ray diffraction data from a position-sensitive detector*. *J. Appl. Cryst.* **21**, 916–924.
- Kabsch, W. & Sander, C. (1983). *Dictionary of protein secondary structure: pattern recognition of hydrogen-bonded and geometrical features*. *Biopolymers*, **22**, 2577–2637.
- Kleywegt, G. J. & Jones, T. A. (1994). *Halloween . . . masks and bones*. In *From first map to final model*, edited by S. Bailey, R. Hubbard & D. Waller, pp. 59–66. Warrington: Daresbury Laboratory.
- Kraulis, P. J. (1991). *MOLSCRIPT: a program to produce both detailed and schematic plots of protein structures*. *J. Appl. Cryst.* **24**, 946–950.
- La Fortelle, E. de & Bricogne, G. (1997). *Maximum-likelihood heavy-atom parameter refinement in the MIR and MAD methods*. *Methods Enzymol.* **276**, 472–494.
- Lamzin, V. S. & Wilson, K. S. (1993). *Automated refinement of protein models*. *Acta Cryst.* **D49**, 129–147.
- Lamzin, V. S. & Wilson, K. S. (1997). *Automated refinement for protein crystallography*. *Methods Enzymol.* **277**, 269–305.
- Laskowski, R. A. (1995). *SURFNET: a program for visualizing molecular surfaces, cavities, and intermolecular interactions*. *J. Mol. Graphics*, **13**, 323–330.
- Lee, B. & Richards, F. M. (1971). *The interpretation of protein structures: estimation of static accessibility*. *J. Mol. Biol.* **55**, 379–400.
- Lu, G. (1999). *FINDNCS: a program to detect non-crystallographic symmetries in protein crystals from heavy-atom sites*. *J. Appl. Cryst.* **32**, 365–368.
- Luscombe, N. M., Laskowski, R. A. & Thornton, J. M. (1997). *NUCPLLOT: a program to generate schematic diagrams of protein–nucleic acid interactions*. *Nucleic Acids Res.* **25**, 4940–4945.
- McDonald, I. K. & Thornton, J. M. (1994). *Satisfying hydrogen bonding potential in proteins*. *J. Mol. Biol.* **238**, 777–793.
- MacKerell, A. D. Jr, Brooks, B., Brooks, C. L., Nilsson, L., Roux, B., Won, Y. & Karplus, M. (1998). *CHARMM: the energy function and its parameterization with an overview of the program*. In *The encyclopedia of computational chemistry*, edited by P. V. R. Schleyer, Vol. 1, pp. 271–277. Chichester: John Wiley & Sons.
- McRee, D. E. (1993). *Practical protein crystallography*. San Diego: Academic Press.
- Main, P., Fiske, S. J., Hull, S. E., Lessinger, L., Germain, G., Declercq, J.-P. & Woolfson, M. M. (1980). *MULTAN80. A system of computer programs for the automatic solution of crystal structures from X-ray diffraction data*. Universities of York, England, and Louvain, Belgium.
- Merritt, E. A. & Bacon, D. J. (1997). *Raster3D: photorealistic molecular graphics*. *Methods Enzymol.* **277**, 505–524.
- Merritt, E. A. & Murphy, M. E. P. (1994). *Raster3D version 2.0. A program for photorealistic molecular graphics*. *Acta Cryst.* **D50**, 869–873.
- Murshudov, G. N., Vagin, A. A. & Dodson, E. J. (1997). *Refinement of macromolecular structures by the maximum-likelihood method*. *Acta Cryst.* **D53**, 240–255.
- Murshudov, G. N., Vagin, A. A., Lebedev, A., Wilson, K. S. & Dodson, E. J. (1999). *Efficient anisotropic refinement of macromolecular structures using FFT*. *Acta Cryst.* **D55**, 247–255.
- Navaza, J. (1994). *AMoRe: an automated package for molecular replacement*. *Acta Cryst.* **A50**, 157–163.
- Nicholls, A., Sharp, K. & Honig, B. (1991). *Protein folding and association: insights from the interfacial and thermodynamic properties of hydrocarbons*. *Proteins*, **11**, 281–296.
- Oldfield, T. J. (1992). *SQUID: a program for the analysis and display of data from crystallography and molecular dynamics*. *J. Mol. Graphics*, **10**, 247–252.
- Otwinowski, Z. & Minor, W. (1996). *Processing of X-ray diffraction data collected in oscillation mode*. *Methods Enzymol.* **276**, 307–326.
- Ravelli, R. B. G., Sweet, R. M., Skinner, J. M., Duisenberg, A. J. M. & Kroon, J. (1997). *STRATEGY: a program to optimize the starting spindle angle and scan range for X-ray data collection*. *J. Appl. Cryst.* **30**, 551–554.
- Rodriguez, R., Chinea, G., Lopez, N., Pons, T. & Vriend, G. (1998). *Homology modeling, model and software evaluation: three related resources*. *Bioinformatics (CABIOS)*, **14**, 523–528.
- Rossmann, M. G. & van Beek, C. G. (1999). *Data processing*. *Acta Cryst.* **D55**, 1631–1640.
- Sali, A. & Blundell, T. L. (1993). *Comparative protein modeling by satisfaction of spatial restraints*. *J. Mol. Biol.* **234**, 779–815.
- Sanner, M. F., Olson, A. J. & Spehner, J.-C. (1995). *Fast and robust computation of molecular surfaces*. *Proc. 11th ACM Symp. Comp. Geom.* C6–C7.
- Sheldrick, G. M. & Schneider, T. R. (1997). *SHELXL: high-resolution refinement*. *Methods Enzymol.* **277**, 319–343.
- Steigemann, W. (1991). *Recent advances in the PROTEIN program system for the X-ray structure analysis of biological macromolecules*. In *Crystallographic computing 5: from chemistry to biology*, edited by D. Moras, A. D. Podjarny and J. C. Thierry, pp. 115–125. New York: Oxford University Press.
- Terwilliger, T. C. & Berendzen, J. (1999). *Automated MIR and MAD structure solution*. *Acta Cryst.* **D55**, 849–861.
- Tong, L. & Rossmann, M. G. (1990). *The locked rotation function*. *Acta Cryst.* **A46**, 783–792.
- Tronrud, D. E. (1997). *The TNT refinement package*. *Methods Enzymol.* **277**, 306–319.
- Tronrud, D. E., Ten Eyck, L. F. & Matthews, B. W. (1987). *An efficient general-purpose least-squares refinement program for macromolecular structures*. *Acta Cryst.* **A43**, 489–501.
- Turk, D. (1995). *MAIN: a computer program for macromolecular crystallographers, now with utilities you always wanted*. In *Am. Crystallogr. Assoc. Annu. Meet.* Vol. 27 (ISSN 0596-4221), p. 54, Abstract 2m.6.B.
- Vagin, A. A., Murshudov, G. N. & Stokopytov, B. V. (1998). *BLANC: the program suite for protein crystallography*. *J. Appl. Cryst.* **31**, 98–102.
- Vriend, G. (1990). *WHAT IF: a molecular modeling and drug design program*. *J. Mol. Graphics*, **8**, 52–56.
- Wallace, A. C., Laskowski, R. A. & Thornton, J. M. (1995). *LIGPLOT: a program to generate schematic diagrams of protein–ligand interactions*. *Protein Eng.* **8**, 127–134.
- Weeks, C. M. & Miller, R. (1999). *The design and implementation of SnB version 2.0*. *J. Appl. Cryst.* **32**, 120–124.
- Zhang, K. Y. J. & Main, P. (1990a). *Histogram matching as a new density modification technique for phase refinement and extension of protein molecules*. *Acta Cryst.* **A46**, 41–46.
- Zhang, K. Y. J. & Main, P. (1990b). *The use of Sayre's equation with solvent flattening and histogram matching for phase extension and refinement of protein structures*. *Acta Cryst.* **A46**, 377–381.

25.2

- Abrahams, J. P. (1993). *Compression of X-ray images*. *Jt CCP4 ESF–EACBM Newsl. Protein Crystallogr.* **28**, 3–4.

25. MACROMOLECULAR CRYSTALLOGRAPHY PROGRAMS

25.2 (cont.)

- Abrahams, J. P. (1996). *Likelihood-weighted real space restraints for refinement at low resolution*. In *Proceedings of the CCP4 study weekend. Macromolecular refinement*, edited by E. Dodson, M. Moore, A. Ralph & S. Bailey. Warrington: Daresbury Laboratory.
- Abrahams, J. P. (1997). *Bias reduction in phase refinement by modified interference functions: introducing the γ correction*. *Acta Cryst.* **D53**, 371–376.
- Abrahams, J. P. & Leslie, A. G. W. (1996). *Methods used in the structure determination of bovine mitochondrial F₂ ATPase*. *Acta Cryst.* **D52**, 30–42.
- Adams, P. D., Pannu, N. S., Read, R. J. & Brünger, A. T. (1997). *Cross-validated maximum likelihood enhances crystallographic simulated annealing refinement*. *Proc. Natl Acad. Sci. USA*, **94**, 5018–5023.
- Adobe Systems Inc. (1985). *PostScript language reference manual*. Reading, MA: Addison-Wesley.
- Agarwal, R. C. (1978). *A new least-squares technique based on the fast Fourier transform algorithm*. *Acta Cryst.* **A34**, 791–809.
- Agarwal, R. C., Lifchitz, A. & Dodson, E. (1981). *Block diagonal least squares refinement using fast Fourier techniques*. In *Refinement of protein structures*, edited by P. A. Machin, J. W. Campbell & M. Elder. Warrington: Daresbury Laboratory.
- Allen, F. H., Bellard, S., Brice, M. D., Cartwright, B. A., Doubleday, A., Higgs, H., Hummelink, T., Hummelink-Peters, B. G., Kennard, O., Motherwell, W. D. S., Rodgers, J. R. & Watson, D. G. (1979). *The Cambridge Crystallographic Data Centre: computer-based search, retrieval, analysis and display of information*. *Acta Cryst.* **B35**, 2331–2339.
- Axelsson, O. & Barker, V. (1984). *Finite element solution of boundary value problems*, ch. 1, pp. 1–63. Orlando: Academic Press.
- Bateman, R. C. (2000). *Undergraduate kinemage authorship homepage*. <http://ocean.otr.usm.edu/~rbateman/kinemage>.
- Bernstein, F. C., Koetzle, T. F., Williams, G. J. B., Meyer, E. F. Jr, Brice, M. D., Rodgers, J. R., Kennard, O., Shimanouchi, T. & Tasumi, M. (1977). *The Protein Data Bank: a computer-based archival file for macromolecular structures*. *J. Mol. Biol.* **112**, 535–542.
- Blow, D. M. & Crick, F. H. C. (1959). *The treatment of errors in the isomorphous replacement method*. *Acta Cryst.* **12**, 794–802.
- Blundell, T. L. & Johnson, L. N. (1976). *Protein crystallography*, pp. 375–377. London: Academic Press.
- Bolin, J. T., Smith, J. L. & Muchmore, S. W. (1993). *Considerations in phase refinement and extension: experiments with a rapid and automatic procedure*. *Am. Crystallogr. Assoc. Meet. Abstracts*, Vol. 21, V001, 51.
- Bricogne, G. (1974). *Geometric sources of redundancy in intensity data and their use for phase determination*. *Acta Cryst.* **A30**, 395–405.
- Bricogne, G. (1976). *Methods and programs for direct-space exploitation of geometric redundancies*. *Acta Cryst.* **A32**, 832–846.
- Bricogne, G. (1984). *Maximum entropy and the foundations of direct methods*. *Acta Cryst.* **A40**, 410–445.
- Bricogne, G. (1991). *A multiresolution method of phase determination by combined maximization of entropy and likelihood. III. Extension to powder diffraction data*. *Acta Cryst.* **A47**, 803–829.
- Bricogne, G. & Irwin, J. J. (1996). *Maximum-likelihood refinement of incomplete models with BUSTER-TNT*. In *Proceedings of the macromolecular crystallographic computing school*, edited by P. Bourne & K. Watenpaugh. <http://iucr.sdsc.edu/iucr-top/comm/ccom/School96/pdf/gbl.pdf>.
- Brünger, A. T. (1988). *Crystallographic refinement by simulated annealing: application to a 2.8 Å resolution structure of aspartate aminotransferase*. *J. Mol. Biol.* **203**, 803–816.
- Brünger, A. T. (1992a). *X-PLOR*. Version 3.1. A system for X-ray crystallography and NMR. Yale University Press, New Haven.
- Brünger, A. T. (1992b). *Free R value: a novel statistical quantity for assessing the accuracy of crystal structures*. *Nature (London)*, **355**, 472–475.
- Brünger, A. T., Adams, P. D., Clore, G. M., DeLano, W. L., Gros, P., Grosse-Kunstleve, R. W., Jiang, J.-S., Kuszewski, J., Nilges, M., Pannu, N. S., Read, R. J., Rice, L. M., Simonson, T. & Warren, G. L. (1998). *Crystallography & NMR System (CNS): a new software suite for macromolecular structure determination*. *Acta Cryst.* **D54**, 905–921.
- Brünger, A. T., Adams, P. D. & Rice, L. M. (1997). *New applications of simulated annealing in X-ray crystallography and solution NMR*. *Structure*, **5**, 325–336.
- Brünger, A. T., Karplus, M. & Petsko, G. A. (1989). *Crystallographic refinement by simulated annealing: application to crambin*. *Acta Cryst.* **A45**, 50–61.
- Brünger, A. T., Krukowski, A. & Erickson, J. W. (1990). *Slow-cooling protocols for crystallographic refinement by simulated annealing*. *Acta Cryst.* **A46**, 585–593.
- Brünger, A. T., Kuriyan, J. & Karplus, M. (1987). *Crystallographic R factor refinement by molecular dynamics*. *Science*, **235**, 458–460.
- Buerger, M. J. (1959). *Vector space and its application in crystal structure investigation*. New York: Wiley.
- Buerger, M. J. (1964). *Image methods in crystal structure analysis*. In *Advanced methods of crystallography*, edited by G. N. Ramachandran, pp. 1–24. Orlando, Florida: Academic Press.
- Burling, F. T. & Brünger, A. T. (1994). *Thermal motion and conformational disorder in protein crystal structures: comparison of multi-conformer and time-averaging models*. *Isr. J. Chem.* **34**, 165–175.
- Burling, F. T., Weis, W. I., Flaherty, K. M. & Brünger, A. T. (1996). *Direct observation of protein solvation and discrete disorder with experimental crystallographic phases*. *Science*, **271**, 72–77.
- Busetta, B., Giacobozzo, C., Burla, M. C., Nunzi, A., Polidori, G. & Viterbo, D. (1980). *The SIR program. I. Use of negative quartets*. *Acta Cryst.* **A36**, 68–74.
- Chapman, M. S., Tsao, J. & Rossmann, M. G. (1992). *Ab initio phase determination for spherical viruses: parameter determination for spherical-shell models*. *Acta Cryst.* **A48**, 301–312.
- Collaborative Computational Project, Number 4 (1994). *The CCP4 suite: programs for protein crystallography*. *Acta Cryst.* **D50**, 760–763.
- Cowtan, K. D. & Main, P. (1996). *Phase combination and cross validation in iterated density-modification calculations*. *Acta Cryst.* **D52**, 43–48.
- Cowtan, K. D. & Main, P. (1998). *Miscellaneous algorithms for density modification*. *Acta Cryst.* **D54**, 487–493.
- Cruickshank, D. W. J. (1970). *Least-squares refinement of atomic parameters*. In *Crystallographic computing*, edited by F. R. Ahmed, S. R. Hall & C. P. Huber, pp. 187–197. Copenhagen: Munksgaard.
- Dauter, Z., Lamzin, V. S. & Wilson, K. S. (1997). *The benefits of atomic resolution*. *Curr. Opin. Struct. Biol.* **7**, 681–688.
- Debaerdemaeker, T., Tate, C. & Woolfson, M. M. (1985). *On the application of phase relationships to complex structures. XXIV. The Sayre tangent formula*. *Acta Cryst.* **A41**, 286–290.
- Diederichs, K. & Karplus, P. A. (1997). *Improved R-factors for diffraction data analysis in macromolecular crystallography*. *Nature Struct. Biol.* **4**, 269–274.
- Eisenberg, D., Lüthy, R. & Bowie, J. U. (1997). *VERIFY3D: assessment of protein models with three-dimensional profiles*. *Methods Enzymol.* **277**, 396–404.
- Engh, R. A. & Huber, R. (1991). *Accurate bond and angle parameters for X-ray protein structure refinement*. *Acta Cryst.* **A47**, 392–400.
- French, S. & Wilson, K. (1978). *On the treatment of negative intensity observations*. *Acta Cryst.* **A34**, 517–525.
- Furey, W. & Swaminathan, S. (1990). *PHASES – a program package for the processing and analysis of diffraction data from macromolecules*. *Am. Crystallogr. Assoc. Meet. Abstracts*, Vol. 18, PA33, 73.
- Furey, W. & Swaminathan, S. (1997). *PHASES-95: a program package for processing and analyzing diffraction data from macromolecules*. *Methods Enzymol.* **277**, 590–620.

REFERENCES

25.2 (cont.)

- Giacovazzo, C. (2001). *Direct methods*. In *International tables for crystallography*, Vol. B. *Reciprocal space*, edited by U. Shmueli, pp. 210–234. Dordrecht: Kluwer Academic Publishers.
- Graham, I. S. (1995). *The HTML sourcebook*. John Wiley and Sons.
- Green, D. W., Ingram, V. M. & Perutz, M. F. (1954). *The structure of haemoglobin. IV. Sign determination by the isomorphous replacement method*. *Proc. R. Soc. London Ser. A*, **225**, 287–307.
- Greer, J. (1974). *Three-dimensional pattern recognition: an approach to automated interpretation of electron density maps of proteins*. *J. Mol. Biol.* **82**, 279–301.
- Hendrickson, W. A. (1979). *Phase information from anomalous-scattering measurements*. *Acta Cryst.* **A35**, 245–247.
- Hendrickson, W. A. (1991). *Determination of macromolecular structures from anomalous diffraction of synchrotron radiation*. *Science*, **254**, 51–58.
- Hendrickson, W. A. & Konnert, J. H. (1980). *Incorporation of stereochemical information into crystallographic refinement*. In *Computing in crystallography*, edited by R. Diamond, S. Ramaseshan & K. Venkatesan, pp. 13.01–13.23. Bangalore: Indian Academy of Sciences.
- Hendrickson, W. A. & Lattman, E. E. (1970). *Representation of phase probability distributions for simplified combination of independent phase information*. *Acta Cryst.* **B26**, 136–143.
- Herbst-Irmer, R. & Sheldrick, G. M. (1998). *Refinement of twinned structures with SHELXL97*. *Acta Cryst.* **B54**, 443–449.
- Hirshfeld, F. L. (1976). *Can X-ray data distinguish bonding effects from vibrational smearing?* *Acta Cryst.* **A32**, 239–244.
- Holmes, M. A. & Matthews, B. W. (1981). *Binding of hydroxamic acid inhibitors to crystalline thermolysin suggests a pentacoordinate zinc intermediate in catalysis*. *Biochemistry*, **20**, 6912–6920.
- Hoof, R. W. W., Sander, C., Vriend, G. & Abola, E. E. (1996). *Errors in protein structures*. *Nature (London)*, **381**, 272.
- IUPAC-IUB Commission on Biochemical Nomenclature (1970). *Abbreviations and symbols for the description of the conformation of polypeptide chains*. *J. Mol. Biol.* **52**, 1–17.
- Jack, A. & Levitt, M. (1978). *Refinement of large structures by simultaneous minimization of energy and R factor*. *Acta Cryst.* **A34**, 931–935.
- Jiang, J.-S. & Brünger, A. T. (1994). *Protein hydration observed by X-ray diffraction: solvation properties of penicillopepsin and neuraminidase crystal structures*. *J. Mol. Biol.* **243**, 100–115.
- Jones, T. A. (1978). *A graphics model building and refinement system for macromolecules*. *J. Appl. Cryst.* **11**, 268–272.
- Jones, T. A., Zou, J.-Y., Cowan, S. W. & Kjeldgaard, M. (1991). *Improved methods for building protein models in electron density maps and the location of errors in these models*. *Acta Cryst.* **A47**, 110–119.
- Kabsch, W. (1976). *A solution for the best rotation to relate two sets of vectors*. *Acta Cryst.* **A32**, 922–923.
- Kabsch, W. (1988a). *Automatic indexing of rotation diffraction patterns*. *J. Appl. Cryst.* **21**, 67–72.
- Kabsch, W. (1988b). *Evaluation of single-crystal X-ray diffraction data from a position-sensitive detector*. *J. Appl. Cryst.* **21**, 916–924.
- Kabsch, W. (1993). *Automatic processing of rotation diffraction data from crystals of initially unknown symmetry and cell constants*. *J. Appl. Cryst.* **26**, 795–800.
- Karle, J. & Hauptman, H. (1956). *A theory of phase determination for the four types of non-centrosymmetric space groups 1P222, 2P22, 3P₁2, 3P₂2*. *Acta Cryst.* **9**, 635–651.
- Kleywegt, G. J. & Brünger, A. T. (1996). *Checking your imagination: applications of the free R value*. *Structure*, **4**, 897–904.
- Kleywegt, G. J. & Jones, T. A. (1996a). *Phi/psi-chology: Ramachandran revisited*. *Structure*, **4**, 1395–1400.
- Kleywegt, G. J. & Jones, T. A. (1996b). *Efficient rebuilding of protein structures*. *Acta Cryst.* **D52**, 829–832.
- Kraulis, P. J. (1991). *MOLSCRIPT: a program to produce both detailed and schematic plots of protein structures*. *J. Appl. Cryst.* **24**, 946–950.
- Lamzin, V. S. & Wilson, K. S. (1993). *Automated refinement of protein models*. *Acta Cryst.* **D49**, 129–147.
- Lamzin, V. S. & Wilson, K. S. (1997). *Automated refinement for protein crystallography*. *Methods Enzymol.* **277**, 269–305.
- Laskowski, R. A., MacArthur, M. W., Moss, D. S. & Thornton, J. M. (1993). *PROCHECK: a program to check the stereochemical quality of protein structures*. *J. Appl. Cryst.* **26**, 283–291.
- Laskowski, R. A., MacArthur, M. W. & Thornton, J. M. (1998). *Validation of protein models derived from experiment*. *Curr. Opin. Struct. Biol.* **8**, 631–639.
- Laskowski, R. A., Rullmann, J. A. C., MacArthur, M. W., Kaptein, R. & Thornton, J. M. (1996). *AQUA and PROCHECK-NMR: programs for checking the quality of protein structures solved by NMR*. *J. Biomol. Nucl. Magn. Reson.* **8**, 477–486.
- Leslie, A. G. W. (1987). *A reciprocal-space method for calculating a molecular envelope using the algorithm of B. C. Wang*. *Acta Cryst.* **A43**, 134–136.
- Lewis, M. & Rees, D. C. (1983). *Statistical modification of anomalous scattering differences*. *Acta Cryst.* **A39**, 512–515.
- Lovell, S. C., Word, J. M., Richardson, J. S. & Richardson, D. C. (2000). *The penultimate rotamer library*. *Proteins Struct. Funct. Genet.* **40**, 389–408.
- Luecke, H., Richter, H. T. & Lanyi, J. K. (1998). *Proton transfer pathways in bacteriorhodopsin at 2.3 Å resolution*. *Science*, **280**, 1934–1937.
- MacArthur, M. W., Laskowski, R. A. & Thornton, J. M. (1994). *Knowledge-based validation of protein structure coordinates derived by X-ray crystallography and NMR spectroscopy*. *Curr. Opin. Struct. Biol.* **4**, 731–737.
- McRee, D. E. (1992). *A visual protein crystallographic software system for X11/Xview*. *J. Mol. Graphics*, **10**, 44–46.
- McRee, D. E. (1993). *Practical protein crystallography*. San Diego: Academic Press.
- McRee, D. E. (1999). *XtalView/Xfit – a versatile program for manipulating atomic coordinates and electron density*. *J. Struct. Biol.* **125**, 156–165.
- Matthews, B. W. (1968). *Solvent content of protein crystals*. *J. Mol. Biol.* **33**, 491–497.
- Matthews, B. W. (1974). *Determination of molecular weight from protein crystals*. *J. Mol. Biol.* **82**, 513–526.
- Merritt, E. A. (2000). *Raster3D (photorealistic molecular graphics)*. <http://www.bmsc.washington.edu/raster3d>.
- Merritt, E. A. & Bacon, D. J. (1997). *Raster3D: photorealistic molecular graphics*. *Methods Enzymol.* **277**, 505–525.
- Miller, R., DeTitta, G. T., Jones, R., Langs, D. A., Weeks, C. M. & Hauptman, H. A. (1993). *On the application of the minimal principle to solve unknown structures*. *Science*, **259**, 1430–1433.
- Miller, R., Gallo, S. M., Khalak, H. G. & Weeks, C. M. (1994). *SnB: crystal structure determination via Shake-and-Bake*. *J. Appl. Cryst.* **27**, 613–621.
- Moews, P. C. & Kretsinger, R. H. (1975). *Refinement of carp muscle parvalbumin by model building and difference Fourier analysis*. *J. Mol. Biol.* **91**, 201–228.
- Morris, A. L., MacArthur, M. W., Hutchinson, E. G. & Thornton, J. M. (1992). *Stereochemical quality of protein structure coordinates*. *Proteins*, **12**, 345–364.
- MSI (1997). *QUANTA*. MSI, 9685 Scranton Road, San Diego, CA 92121-3752, USA.
- Murshudov, G. N., Vagin, A. A. & Dodson, E. J. (1997). *Refinement of macromolecular structures by the maximum-likelihood method*. *Acta Cryst.* **D53**, 240–255.
- Navaza, J. (1994). *AMoRe: an automated package for molecular replacement*. *Acta Cryst.* **A50**, 157–163.
- Oldfield, T. J. (1992). *SQUID: a program for the analysis and display of data from crystallography and molecular dynamics*. *J. Mol. Graphics*, **10**, 247–252.
- Otwinowski, Z. (1991). In *Proceedings of the CCP4 study weekend. Isomorphous replacement and anomalous scattering*, edited by W. Wolf, P. R. Evans & A. G. W. Leslie, pp. 80–86. Warrington: Daresbury Laboratory.

25. MACROMOLECULAR CRYSTALLOGRAPHY PROGRAMS

25.2 (cont.)

- Pannu, N. S., Murshudov, G. N., Dodson, E. J. & Read, R. J. (1998). *Incorporation of prior phase information strengthens maximum-likelihood structure refinement*. *Acta Cryst.* **D54**, 1285–1294.
- Pannu, N. S. & Read, R. J. (1996a). *Improved structure refinement through maximum likelihood*. *Acta Cryst.* **A52**, 659–668.
- Pannu, N. S. & Read, R. J. (1996b). *Improved structure refinement through maximum likelihood*. In *Proceedings of the CCP4 study weekend. Macromolecular refinement*, edited by E. Dodson, M. Moore, A. Ralph & S. Bailey. Warrington: Daresbury Laboratory.
- Parkin, S., Moezzi, B. & Hope, H. (1995). *XABS2: an empirical absorption correction program*. *J. Appl. Cryst.* **28**, 53–56.
- Pepinsky, R. & Okaya, Y. (1956). *Determination of crystal structures by means of anomalously scattered X-rays*. *Proc. Natl Acad. Sci. USA*, **42**, 286–292.
- Perrakis, A., Morris, R. & Lamzin, V. S. (1999). *Automated protein model building combined with iterative structure refinement*. *Nature Struct. Biol.* **6**, 458–463.
- Perrakis, A., Sixma, T. K., Wilson, K. S. & Lamzin, V. S. (1997). *wARP: improvement and extension of crystallographic phases by weighted averaging of multiple-refined dummy atomic models*. *Acta Cryst.* **D53**, 448–455.
- Perrakis, A., Tews, I., Dauter, Z., Oppenheim, A., Chet, I., Wilson, K. S. & Vorgias, C. E. (1994). *Structure of a bacterial chitinase at 2.3 Å resolution*. *Structure*, **2**, 1169–1180.
- Pontius, J., Richelle, J. & Wodak, S. (1996). *Deviations from standard atomic volumes as a quality measure for protein crystal structures*. *J. Mol. Biol.* **264**, 121–136.
- POV-Ray Team (2000). *POV-Ray – the persistence of Vision Raytracer*. <http://www.povray.org>.
- Ramachandran, G. N., Ramakrishnan, C. & Sasisekharan, V. (1963). *Stereochemistry of polypeptide chain configurations*. *J. Mol. Biol.* **7**, 95–99.
- Ramakrishnan, C. & Ramachandran, G. N. (1965). *Stereochemical criteria for polypeptide and protein chain conformations. II. Allowed conformations for a pair of peptide units*. *Biophys. J.* **5**, 909–933.
- Read, R. J. (1986). *Improved Fourier coefficients for maps using phases from partial structures with errors*. *Acta Cryst.* **A42**, 140–149.
- Read, R. J. (1990). *Structure-factor probabilities for related structures*. *Acta Cryst.* **A46**, 900–912.
- Read, R. J. (1994). *Maximum likelihood refinement of heavy atoms*. Lecture notes for a workshop on isomorphous replacement methods in macromolecular crystallography. American Crystallographic Association Annual Meeting, 1994, Atlanta, GA, USA.
- Read, R. J. (1997). *Model phases: probabilities and bias*. *Methods Enzymol.* **277**, 110–128.
- Research Collaboratory for Structural Bioinformatics (2000). *The RCSB Protein Data Bank*. <http://www.rcsb.org/pdb>.
- Rice, L. M. & Brünger, A. T. (1994). *Torsion angle dynamics: reduced variable conformational sampling enhances crystallographic structure refinement*. *Proteins Struct. Funct. Genet.* **19**, 277–290.
- Richardson, D. C. & Richardson, J. S. (1992). *The kinemage: a tool for scientific illustration*. *Protein Sci.* **1**, 3–9.
- Richardson, D. C. & Richardson, J. S. (1994). *Kinemages – simple macromolecular graphics for interactive teaching and publication*. *Trends Biochem. Sci.* **19**, 135–138.
- Richardson, J. W. & Jacobson, R. A. (1987). *Computer-aided analysis of multi-solution Patterson superpositions*. In *Patterson and Pattersons*, edited by J. P. Glusker, B. Patterson & M. Rossi, pp. 311–317. Oxford: IUCr and Oxford University Press.
- Richardson Laboratory (2000). *The Richardson's 3-D protein structure homepage*. <http://kinemage.biochem.duke.edu> (or <ftp://kinemage.biochem.duke.edu>).
- Rollett, J. S. (1970). *Least-squares procedures in crystal structure analysis*. In *Crystallographic computing*, edited by F. R. Ahmed, S. R. Hall & C. P. Huber, pp. 167–181. Copenhagen: Munksgaard.
- Rossmann, M. G. & Arnold, E. (2001). *Patterson and molecular-replacement techniques*. In *International tables for crystallography*, Vol. B. *Reciprocal space*, edited by U. Shmueli, pp. 235–263. Dordrecht: Kluwer Academic Publishers.
- Rossmann, M. G. & Blow, D. M. (1963). *Determination of phases by the conditions of non-crystallographic symmetry*. *Acta Cryst.* **16**, 39–44.
- Rossmann, M. G., McKenna, R., Tong, L., Xia, D., Dai, J.-B., Wu, H., Choi, H.-K. & Lynch, R. E. (1992). *Molecular replacement real-space averaging*. *J. Appl. Cryst.* **25**, 166–180.
- Sack, J. S. (1988). *CHAIN – a crystallographic modeling program*. *J. Mol. Graphics*, **6**, 224–225.
- Schuller, D. J. (1996). *MAGICSSQUASH: more versatile non-crystallographic averaging with multiple constraints*. *Acta Cryst.* **D52**, 425–434.
- Sheldrick, G. M. (1985). *Computing aspects of crystal structure determination*. *J. Mol. Struct.* **130**, 9–16.
- Sheldrick, G. M. (1990). *Phase annealing in SHELX-90: direct methods for larger structures*. *Acta Cryst.* **A46**, 467–473.
- Sheldrick, G. M. (1991). *Tutorial on automated Patterson interpretation to find heavy atoms*. In *Crystallographic computing 5. From chemistry to biology*, edited by D. Moras, A. D. Podjarny & J. C. Thierry, pp. 145–157. Oxford: IUCr and Oxford University Press.
- Sheldrick, G. M. (1993). *Refinement of large small-molecule structures using SHELXL-92*. In *Crystallographic computing 6. A window on modern crystallography*, edited by H. D. Flack, L. Párkányi & K. Simon, pp. 111–122. Oxford: IUCr and Oxford University Press.
- Sheldrick, G. M. (1997). *Direct methods based on real/reciprocal space iteration*. In *Proceedings of the CCP4 study weekend. Recent advances in phasing*, edited by K. S. Wilson, G. Davies, A. W. Ashton & S. Bailey, pp. 147–157. Warrington: Daresbury Laboratory.
- Sheldrick, G. M. (1998a). *Location of heavy atoms by automated Patterson interpretation*. In *Direct methods for solving macromolecular structures*, edited by S. Fortier, pp. 131–141. Dordrecht: Kluwer Academic Publishers.
- Sheldrick, G. M. (1998b). *SHELX: applications to macromolecules*. In *Direct methods for solving macromolecular structures*, edited by S. Fortier, pp. 401–411. Dordrecht: Kluwer Academic Publishers.
- Sheldrick, G. M., Dauter, Z., Wilson, K. S., Hope, H. & Sieker, L. C. (1993). *The application of direct methods and Patterson interpretation to high-resolution native protein data*. *Acta Cryst.* **D49**, 18–23.
- Sheldrick, G. M. & Gould, R. O. (1995). *Structure solution by iterative peaklist optimization and tangent expansion in space group P1*. *Acta Cryst.* **B51**, 423–431.
- Sheldrick, G. M. & Schneider, T. R. (1997). *SHELXL: high resolution refinement*. *Methods Enzymol.* **277**, 319–343.
- Sim, G. A. (1959). *The distribution of phase angles for structures containing heavy atoms. II. A modification of the normal heavy-atom method for non-centrosymmetrical structures*. *Acta Cryst.* **12**, 813–814.
- Stout, G. H. & Jensen, L. H. (1989). *X-ray structure determination*, p. 33. New York: Wiley Interscience.
- Sussman, J. L., Holbrook, S. R., Church, G. M. & Kim, S.-H. (1977). *A structure-factor least-squares refinement procedure for macromolecular structures using constrained and restrained parameters*. *Acta Cryst.* **A33**, 800–804.
- Ten Eyck, L. F. (1973). *Crystallographic fast Fourier transforms*. *Acta Cryst.* **A29**, 183–191.
- Ten Eyck, L. F. (1977). *Efficient structure-factor calculation for large molecules by the fast Fourier transform*. *Acta Cryst.* **A33**, 486–492.
- Terwilliger, T. C. & Berendzen, J. (1996). *Bayesian weighting for macromolecular crystallographic refinement*. *Acta Cryst.* **D52**, 743–748.
- Terwilliger, T. C. & Eisenberg, D. (1987). *Isomorphous replacement: effects of errors on the phase probability distribution*. *Acta Cryst.* **A43**, 6–13; erratum (1987), **A43**, 286.
- Tickle, I. J., Laskowski, R. A. & Moss, D. S. (1998). *Error estimates of protein structure coordinates and deviations from standard*

REFERENCES

25.2 (cont.)

- geometry by full-matrix refinement of γ B- and γ B2-crystallin. *Acta Cryst.* **D54**, 243–252.
- Tronrud, D. E. (1992). Conjugate-direction minimization: an improved method for the refinement of macromolecules. *Acta Cryst.* **A48**, 912–916.
- Tronrud, D. E. (1996). Knowledge-based B-factor restraints for the refinement of proteins. *J. Appl. Cryst.* **29**, 100–104.
- Tronrud, D. E. (1997). TNT refinement package. *Methods Enzymol.* **277**, 306–319.
- Tronrud, D. E., Ten Eyck, L. F. & Matthews, B. W. (1987). An efficient general-purpose least-squares refinement program for macromolecular structures. *Acta Cryst.* **A43**, 489–501.
- Trueblood, K. N. & Dunitz, J. D. (1983). Internal molecular motions in crystals. The estimation of force constants, frequencies and barriers from diffraction data. A feasibility study. *Acta Cryst.* **B39**, 120–133.
- Tsao, J., Chapman, M. S. & Rossmann, M. G. (1992). Ab initio phase determination for viruses with high symmetry: a feasibility study. *Acta Cryst.* **A48**, 293–301.
- Usón, I., Pohl, E., Schneider, T. R., Dauter, Z., Schmidt, A., Fritz, H.-J. & Sheldrick, G. M. (1999). 1.7 Å structure of the stabilised REI₁ mutant T39K. Application of local NCS restraints. *Acta Cryst.* **D55**, 1158–1167.
- Vellieux, F. M. D. A. P., Hunt, J. F., Roy, S. & Read, R. J. (1995). DEMON/ANGEL: a suite of programs to carry out density modification. *J. Appl. Cryst.* **28**, 347–351.
- Walther, D. & Cohen, F. E. (1999). Conformational attractors on the Ramachandran map. *Acta Cryst.* **D55**, 506–517.
- Wang, B. C. (1985). Resolution of phase ambiguity in macromolecular crystallography. *Methods Enzymol.* **115**, 90–112.
- Watenpaugh, K. D., Sieker, L. C., Herriott, J. R. & Jensen, L. H. (1973). Refinement of the model of a protein: rubredoxin at 1.5 Å resolution. *Acta Cryst.* **B29**, 943–956.
- Weis, W. I., Brünger, A. T., Skehel, J. J. & Wiley, D. C. (1990). Refinement of the influenza virus haemagglutinin by simulated annealing. *J. Mol. Biol.* **212**, 737–761.
- Wilson, A. J. C. (1949). The probability distribution of X-ray intensities. *Acta Cryst.* **2**, 318–321.
- Wilson, K. S., Butterworth, S., Dauter, Z., Lamzin, V. S., Walsh, M., Wodak, S., Pontius, J., Richelle, J., Vaguine, A., Sander, C., Hooft, R. W. W., Vriend, G., Thornton, J. M., Laskowski, R. A., MacArthur, M. W., Dodson, E. J., Murshudov, G., Oldfield, T. J., Kaptein, R. & Rullmann, J. A. C. (1998). Who checks the checkers? Four validation tools applied to eight atomic resolution structures. *J. Mol. Biol.* **276**, 417–436.
- Word, J. M., Bateman, R. C., Presley, B. K., Lovell, S. C. & Richardson, D. C. (2000). Exploring steric constraints on protein mutations using MAGE/PROBE. *Protein Sci.* **11**, 2251–2259.
- Word, J. M., Lovell, S. C., LaBean, T. H., Taylor, H. C., Zalis, M. E., Presley, B. K., Richardson, J. S. & Richardson, D. C. (1999). Visualizing and quantifying molecular goodness-of-fit: small-probe contact dots with explicit hydrogen atoms. *J. Mol. Biol.* **285**, 1711–1733.
- Word, J. M., Lovell, S. C., Richardson, J. S. & Richardson, D. C. (1999). Asparagine and glutamine: using hydrogen atom contacts in the choice of side-chain amide orientation. *J. Mol. Biol.* **285**, 1735–1747.
- Yeates, T. O. & Fam, B. C. (1999). Protein crystals and their evil twins. *Structure*, **7**, R25–R29.
- Zhang, K. Y. J. & Main, P. (1990a). Histogram matching as a new density modification technique for phase refinement and extension of protein molecules. *Acta Cryst.* **A46**, 41–46.
- Zhang, K. Y. J. & Main, P. (1990b). The use of Sayre's equation with solvent flattening and histogram matching for phase extension and refinement of protein structures. *Acta Cryst.* **A46**, 377–381.