

# Subject index

- Ab initio* structure determination, 123  
Abbreviations within CIF data names, 85  
Absolute configuration, 48, 107, 171, 173  
Absorption correction, 98  
*Acta Crystallographica*, 5, 6, 21, 24, 54, 114, 128, 502, 507, 509, 512, 513, 557–562, 564–566  
*ADIT*, 197, 541–543  
Alias, *see* data name  
Ambient conditions  
  coreCIF, 93  
  mmCIF, 149  
  pdCIF, 118, 126  
American Society for Testing and Materials, 44  
Analyser, 94, 95, 127, 203  
Aperiodic structures, 131–140  
API, 484, 494, 522, 523, 541, 544  
Apparatus  
  coreCIF, 94–95  
  pdCIF, 119–120  
Application programming interface, *see* API  
Archiving, 13, 20, 22, 101, 112, 481  
Area detectors, 24, 37, 117, 141, 558  
  resolution of, 95  
Array data, 199–201  
  encoding, 200, 547–549  
Array detector, 199  
ASCII, 4, 8, 14, 16, 17, 21, 22, 24, 27, 30, 37, 39–42, 45, 114, 501, 508  
ASER, *see* data exchange standards  
ASN.1, *see* data exchange standards  
Atom properties  
  coreCIF, 102–111  
  formal charge, 111  
  MIF, 45, 47  
  mmCIF, 164–190  
  msCIF, 134–136  
  rhoCIF, 141–143  
Atom sites  
  alternative category key (coreCIF), 103  
  alternative conformations, 168–169  
  anisotropic displacement parameters, 102, 103, 166  
  atomic displacement parameters, 104  
  attached hydrogen atoms, 105  
  coreCIF, 102  
  isotropic displacement parameters, 103, 166  
  label, 104–105, 146, 165–166  
  mmCIF, 164–167  
  occupancy, 103, 104, 135, 147  
  positional coordinates, 102–104, 135, 166  
  refinement conditions, 105  
  symmetry, 103  
  thermal parameters (*see also* anisotropic displacement parameters, atomic displacement parameters, isotropic displacement parameters), 135  
  transformation matrix, 103, 106  
Attenuator, 94  
  scaling factor, 93  
Attributes, data, *see* DDL1, DDL2  
Audit trail, *see* data block, history  
AutoDep Input Tool, *see* *ADIT*  
Axes  
  atom-centred electron density, 141, 142  
  detector, 203  
  diffraction scan, 205  
  goniometer, 204  
  laboratory coordinate system, 95, 199, 201–202, 204, 551  
  rocking, 127  
  space-group setting, 206  
*Babel*, 483  
Background intensities (pdCIF), 122, 127, 128  
Backslash, use in line-folding protocol, 34, 35  
Backus–Naur form  
  CIF syntax, 28–32, 517  
  STAR File syntax, 14, 16–19, 497  
BCCAB, *see* data exchange standards  
Beam crossfire, 204  
*beCIF*, 506  
Bibliographic information, 113  
Bibliographic references, *see* citation  
Binary data, 8, 24, 37–41, 199  
Binary data section (CBF), 39–42, 547, 549  
Binary format, 8, 37, 483  
Binary word alignment (CBF), 40  
Biological function, 145  
BioMagResBank, 9, 197, 494, 496, 497  
BioSync, 541  
*bison*, 485, 486, 494, 520  
Block code, 15, 16, 21, 25, 46, 491  
  construction guidelines, 115  
  length, 23, 27  
BNF, *see* Backus–Naur form  
Bond angle, 109, 171, 173  
Bond distance, 109, 111, 171, 173  
Bond order, 7, 47, 48, 171, 173  
Bond properties  
  coreCIF, 108  
  MIF, 45  
Bond type, 44, 47, 51, 108, 171  
Bond valence, 111, 190  
Bonding conventions (MIF), 48  
Bragg *R* factor, 100  
Branching request, 492, 493  
Bravais type, 207  
*BuildSiv*, 520–522  
*BUNYIP*, 560  
Byte order (CBF), 37, 42  
Byte padding (CBF), 42  
  
C, 483, 484, 494, 495, 501, 519, 520, 526, 544  
C++, 484, 495, 496, 526, 541  
Calibration, 126, 200  
Cambridge Crystallographic Data Centre, 3, 481, 482, 504, 560  
Cambridge Structural Database, 3, 171, 482  
Case sensitivity, 17, 18, 21, 23, 24, 26, 27, 511, 538  
*CASTOR*, 557  
Category, 33, 54, 62, 64, 76, 80, 90  
  attribute of data definition (DDL1), 55–57, 59  
  attribute of data definition (DDL2), 63, 65, 83  
  definition (DDL2), 68, 80  
  description (DDL1), 77  
  diverse contents of category in pdCIF, 117  
  equivalence to table (DDL2), 62  
  equivalent item in multiple categories, 65, 66  
  examples as attribute of category definition (DDL2), 69  
  overview (DDL1), 77  
  related, 62, 65, 69, 82  
  uniqueness within data block, 69  
Category group, 62, 69, 80, 90  
  attribute of category definition (DDL2), 69  
  comparison across CIF dictionaries, 89–91  
  membership as attribute of data definition (DDL2), 64  
  mmCIF, 147  
Category key, 82  
  absence from coreCIF symmetry categories, 111  
  alternative, 103  
  alternative (PD\_DATA), 121  
  attribute of category definition (DDL2), 64, 69  
  
Category key  
  attribute of data definition (DDL2), 80  
  composite, 81  
  implicit components in geometry categories, 109  
  uniqueness, 62, 81  
CBF, 8, 483, 488  
  complement to CIF, 37  
  data type, 40  
  deprecated practice, 43  
  experimental measurements, 199–205  
  isomorph of imgCIF, 8, 37–39  
  lossless image format, 37  
  ordering of data items, 37, 38, 40  
  software library, 544–556  
  specification, 37–43  
  syntax, 39, 40  
  tree representation, 544–548  
  use of imgCIF dictionary, 199–205  
*CBFlib*, 484, 485, 544–556  
*cciflib*, 484  
*CCP4*, 484, 524, 526, 549, 552  
Cell, *see* unit cell  
Cell subsystem (composite structures), 133, 135  
CGI (Common Gateway Interface), 541  
Character set  
  allowed in CIF, 22, 24, 27, 29–31, 114  
  allowed in STAR, 16  
Charge density, *see* electron density  
*checkcif*, 561–562, 566  
*Chemical Abstracts* Service, 44, 107  
Chemical bonding, 141  
Chemical components (mmCIF), 169–172  
Chemical diagram, 558  
  two-dimensional (coreCIF), 107, 558  
  two-dimensional (MIF), 44, 45, 47  
Chemical entity  
  coreCIF, 108  
  MIF description, 45  
  mmCIF, 169–176  
Chemical formula, 107  
Chemical graph (MIF), 44  
Chemical Information System, NIH/EPA, 481, 482  
Chemical Markup Language, *see* CML  
Chemical species, handling in mmCIF, 169–176  
Chemical structure, *see also* molecular structure  
  coreCIF, 108  
  graph theory, 44  
  MIF, 44–52  
  three-dimensional (MIF), 44  
Chemical Structure Association, 44  
Chemistry, 7, 105, 145  
  coreCIF, 102–111  
  mmCIF, 164–190  
  msCIF, 134–136  
  pdCIF, 123  
Chiral volume, 171, 173  
CIF  
  application of STAR File, 14, 20, 488  
  archival format, 2  
  article format, 557–560  
  data model, 2, 7  
  data-exchange mechanism, 2  
  example file, 5, 6  
  file transformation software, 509–515  
  formal grammar, 28–32  
  formal specification document, 25–36  
  history, 2–10  
  implementation restrictions, 27  
  integration of data and experimental metadata, 92  
  semantics, 23–25, 32–36  
  software design considerations, 481–487, 535–538

## SUBJECT INDEX

- CIF  
specification, 20–36  
standard ontology in structural science, 483  
supplementary material, 558, 562  
syntax, 5, 6, 21–23, 25–32, 117, 499  
syntax checker, 499–501, 507  
terminology, 20–21, 25  
use in publication, 557–569  
version identification, 21, 29, *see also* magic number
- CIF++, 496  
*cif2cbf*, 555, 556  
*cif2cif*, 483, 486, 509, 511–512, 526, 558  
*cif2pdb*, 483, 526  
CIF2SX, 483  
*cif2xml*, 483  
*cifdiff*, 519  
CIFEDIT, 504, 557  
CIFIO, 526  
CIFLIB, 484, 496, 522  
CIFOBJ, 496, 497, 522, 540, 542  
CIFPARSE, 484, 544  
CIFPARSE-OBJ, 522, 540  
*CifSieve*, 484, 486, 520–522  
CIFtbx, 55, 143, 484, 508, 511, 512, 526–538  
*ciftex*, 483, 512–515, 560  
CIFT\*, 197, 484  
*cifZinc*, 518
- Citation  
bibliographic references, 83  
of database entries, 113, 191  
of scientific literature, 112, 190  
of software, 113, 191
- Class, *see* object-oriented STAR programming
- CML, 9, 483, 496, 564
- Collimation, 94, 95, 126, 203
- Colour  
atom and bond representations (MIF), 47  
crystal, 98, 118  
sample (pdCIF), 118
- COMCIFS, 6, 8, 20, 23, 73, 75, 86  
dictionary approval procedure, 74, 75
- Comment, 16–18, 21, 27, 29–32, 34, 37, 38, 40, 45  
legitimate white space, 17
- Commission on Aperiodic Crystals, 8, 131
- Commission on Charge, Spin and Momentum Densities, 8, 141
- Commission on Crystallographic Computing, 3, 5, 6
- Commission on Crystallographic Data, 3, 5, 6
- Commission on Crystallographic Nomenclature, 103
- Committee for the Maintenance of the CIF Standard, *see* COMCIFS
- Completeness, 94
- Compliance, 25, 35, 53, 85
- Composite structures, *see* incommensurate structures
- Compression, image data, 200, 549, 552
- Compression scheme, 43
- Computer language, 484
- Computer programs  
ADIT, 197, 541–543  
Babel, 483  
beCIF, 506  
bison, 485, 486, 494, 520  
BuildSiv, 520–522  
BUNYIP, 560  
CASTOR, 557  
CBFlib, 484, 485, 544–556  
cciflib, 484  
CCP4, 484, 524, 526, 541, 549, 552  
checkcif, 561–562, 566  
CIF++, 496  
*cif2cbf*, 555, 556  
*cif2cif*, 483, 486, 509, 511–512, 526, 558  
*cif2pdb*, 483, 526  
CIF2SX, 483  
*cif2xml*, 483  
*cifdiff*, 519  
CIFEDIT, 504, 557  
CIFIO, 526
- Computer programs  
CFLIB, 484, 496, 522  
CIFOBJ, 496, 497, 522, 540, 542  
CIFPARSE, 484, 544  
CIFPARSE-OBJ, 522, 540  
*CifSieve*, 484, 486, 520–522  
CIFTbx, 55, 143, 484, 508, 511, 512, 526–538  
*ciftex*, 483, 512–515, 560  
CIFT\*, 197, 484  
*cifZinc*, 518  
*convert\_image*, 555  
CYCLOPS, 508–509, 512, 526  
Democritos, 496  
DIFRAC, 483  
emacs, 499  
enCIFer, 499, 501–504, 557, 558  
flex, 486, 494, 520  
GSAS2CIF, 128, 129  
HICCuP, 504–506  
img2cif, 555  
JANA2000, 132, 135, 136  
Jumbo, 496, 497  
lex, 486  
makecbf, 555  
MAXIT, 484  
Mercury, 562  
MISSYM, 560  
mmCIF Loader, 542  
mmLib, 523–525  
mmView, 525  
MOSFLM, 202  
NRCVAX, 560  
OOSTAR, 484, 495, 496  
OpenMMS, 522–523, 541  
ORFLS, 3  
PARST, 560  
*pdb2cif*, 483, 526  
PDB\_EXTRACT, 197, 483, 542, 543  
pdCIFplot, 128  
PREPUB, 560, 566  
printcif, 559, 560  
printCIF for Word, 506–507, 558, 560  
PROTIN/PROLSQ, 161  
PyCifRW, 517  
QUASAR, 14, 483, 486, 509–512, 514, 558  
RESTRAIN, 161  
SHELX76, 557  
SHELX97, 558  
SHELXL, 483  
Star\_Base, 20, 484, 491–494, 496, 497, 499, 511  
StarDOM, 497  
starlib, 494, 497  
StarMarkUp, 494, 495  
STAR::Parser, 515–517  
Star.vim, 494, 499  
vcif, 499–501  
vim, 494, 499  
XD, 143  
XRAY, 3  
Xtal, 560  
yacc, 486, 520  
Yapps2, 517  
zb, 519  
ZINC, 518–519  
zincCif, 519  
zincGrep, 519  
zincNI, 519  
zincSubset, 519
- Conditional request, 492, 493
- Conformational representation, using save frame (MIF), 46
- Connectivity  
coreCIF, 102, 105–108, 558  
MIF, 45, 47  
structural interactions (mmCIF), 182
- Content handler, 24, 34
- Content-Encoding (MIME header), 24
- Content-Transfer-Encoding (MIME header), 39, 41, 42
- Content-Type (MIME header), 24, 39, 41
- Context, within data structure, *see also* STAR File, data instances and context; scope, 20, 488–491
- Context-sensitive productions (formal grammar), 29, 31
- Continuous-wavelength neutron experiments, 8
- Control character, 30
- Controlled vocabulary, 9, 32
- Conventions, alternative  
bonding (MIF), 48  
units (CIF), deprecated, 33, 79
- convert\_image*, 555
- Corba, 523, 541
- Core CIF (core Crystallographic Information File) *see* coreCIF
- coreCIF  
atom properties, 102–111  
category grouping, 89–91  
category groups, 92  
chemistry, 102–108  
classification and use, 92–116  
data collection, 93–97  
dual formalism, 92  
embedded in mmCIF dictionary, 76, 92, 102, 144  
experimental measurements, 92–98  
history, 7  
list of categories, 116  
refinement, 98–101  
relationship to symCIF, 8, 110  
structural model, 102–111  
structure analysis, 98–102
- Crambin (mmCIF example structure), 145–147
- Crenel function, *see* special modulation functions
- Cruickshank diffraction-component precision index, 159
- Cryo-electron microscopy, 197
- Crystal  
characterization, 98, 151  
colour, 98, 118  
faces, 98, 134  
growth, 151–152  
system, 110, 111  
treatment, 94  
type of aperiodicity, 134
- Crystallization, *see* crystal, growth
- Crystallographic Binary File, *see* CBF
- Crystallographic Information File, *see* CIF
- CYCLOPS, 508–509, 512, 526
- CYCLOPS2, *see* CYCLOPS
- data\_ (STAR File keyword), 16, 21, 22, 25, 26, 31, 32, 40
- Data archiving, 2, 3
- Data array, 199–201
- Data block, 14–18, 20, 21, 25, 26, 32, 38, 40, 45, 46, 62, 70, 123, 489–491, 493–495, 546, 548  
container for published crystal structure, 558  
data definition block (DDL1), 54, 56, 76  
history, 114, 194  
intra-file relationship, 25, 114, 115, 117, 123, 124, 129, 132, 136, 139, 194–195  
publication text, 558  
purpose, 115  
reference, 115, 123, 124, 136  
unique identifier (msCIF), 139  
unique identifier (pdCIF), 123  
uniqueness, 21, 115
- Data collection  
CBFlib high-level functions, 549–552  
coreCIF data items, 93–97  
imgCIF data items, 202–204  
mmCIF data items, 149–151  
msCIF data items, 133  
pdCIF data items, 120–121
- Data definition, *see also* DDL1, DDL2, dictionary  
attribute of data definition (DDL1), 55, 58, 78  
attribute of data definition (DDL2), 63, 66  
DDL1, 55–58, 77–79

## SUBJECT INDEX

- Data definition
  - granularity, 83
  - guidelines, 77–79, 81–85
- Data dictionary, *see* dictionary
- Data exchange standards, *see also* CBF, CIF, MIF, STAR File
  - ASER, 3
  - ASN.1, 5, 14, 44, 51, 483
  - BCCAB, 3–5
  - card-image format, 3
  - fixed format, 3, 13, 482
  - HDF, 126, 483
  - HGML, 14
  - JCAMP-DX, 5
  - MTZ, 524
  - NeXus, 126, 483
  - PDB, 3, 5, 14, 104, 144, 193, 482, 484, 524, 539
  - SCFS, 3, 4, 45, 557
  - SMD, 5, 44, 45
  - SMILES, 51
  - Z39.50, 5
- Data item, 15, 20, 25, 32, 40, 45, 488, 491, 492, 494
  - attributes, *see* DDL1, DDL2
  - context, 488–491, 511, 519
  - lowest level of organization (DDL2), 62
  - mandatory membership of category (DDL2), 65
  - matrix or vector structure (DDL2), 67
  - order independence, 20, 23, 26, 53, 481, 483, 485, 488, 526
  - ordering in CBF, 37, 38, 40
  - relationships, 32, 33, 53, 54, 56, 57, 59, 61, 64–67, 76, 79, 82
  - uniqueness, 46
- Data loop list, *see* looped list
- Data model, 13, 488, 491
  - choice of DDL, 75, 76
  - CIF, 2, 7
  - hierarchical, 61, 488, 495
  - object-oriented, 54, 61, 488, 495–497
  - relational, 54, 61, 75, 495, 497
- Data name, 15, 18, 20, 21, 25, 26, 40, 45, 54
  - alias, 32, 54, 61, 63, 66, 144, 529
  - attribute of data definition (DDL1), 55, 58
  - attribute of data definition (DDL2), 63, 65
  - case insensitivity, 21, 526, 538
  - consistency of abbreviations, 85
  - construction, 23, 32, 76, 77, 79, 84
  - correspondence between coreCIF and mmCIF, 144
  - decomposition into category and item
    - components (DDL2), 33, 65, 79, 83, 84
  - length, 22, 23, 27
  - local, 33, 74
  - semantics, 23, 84
  - uniqueness, 16, 22, 25, 26, 45, 558
  - validation, 507–509
- Data packet, *see* loop packet
- Data request, 491, 492
- Data set, 16, 117, 123, 544–546
- Data structure, 13, 127, 482–485, 488, 495, 520, 523, 544–546, 552
- Data type, 23, 33, 53, 76, 82, 492, 520
  - attribute of data definition (DDL1), 55, 58, 77
  - attribute of data definition (DDL2), 63, 67, 83
  - CBF, 40
  - character, 22, 24, 33
  - construction (DDL1), 59, 85
  - construction (DDL2), 68
  - extended types, 24, 34, 67, 68, 85
  - extended types (DDL2), 23, 64
  - handling in CBF, 548
  - inferred, 34
  - null, 24, 33
  - numeric, 22, 23, 26, 33
  - primitive, 22, 23, 33, 68
  - standard uncertainty, 23
  - uchar, 24, 33
- Data validation tests, *see also* *checkcif*, 561–562, 566–568
- Data value, 13, 15, 20, 21, 25, 26, 45, 492
  - alternative values, 50
  - default, 24, 56–58, 66, 94
  - enumeration as attribute of data definition (DDL1), 53, 55, 57, 58, 78
  - enumeration as attribute of data definition (DDL2), 67
  - idempotency within save frame, 15
  - inapplicable (.), 24, 34
  - missing (?), 24, 34
  - range as attribute of data definition (DDL2), 67
  - relationships, 60
- Database
  - entries, 113, 186–187
  - loader and support tools (mmCIF), 541–542
  - query language, 50, 491
- DDL, 7, 32, 47, 53, 54, 73, 208, 483, 494–496, 559
  - choice of data model, 76
  - role in mmCIF metadata architecture, 540
  - self-defining, 53
  - syntax, 55
- DDL0 (undocumented DDL), 7
- DDL1, 7, 8, 32–34, 54, 73, 76, 496
  - application of STAR File, 14, 53
  - comparison with DDL2, 55, 76
  - descriptive attributes, 58
  - dictionaries, 53, 90, 132
  - dictionary, 471–472
  - dictionary organization, 53–54, 76
  - dictionary registration attributes, 60
  - history, 54
  - identification attributes, 58
  - local data name, 74
  - specification, 53–60
  - syntax, 53
  - typing attributes, 58
  - use in coreCIF, 92
  - use in MIF, 45
- DDL2, 7, 8, 32–34, 54, 73, 76, 488, 542
  - application of STAR File, 14, 61
  - backward compatibility with DDL1, 61, 63
  - comparison with DDL1, 55, 76
  - description of categories, 68–70, 80–81
  - description of data blocks, 70
  - description of data items, 65–68, 81–83
  - description of dictionaries, 70
  - description of methods, 70
  - dictionaries, 61, 90, 207
  - dictionary, 473–478
  - history, 54, 61, 144
  - local data name, 74
  - organization, 62
  - presentation of definitions, 61
  - self-defining, 63
  - specification, 61–70
  - syntax, 61
  - use in core dictionary embedded in mmCIF, 92
  - use in mmCIF, 144
- Deadtime, 95, 126, 128, 203
- Decomposition temperature, 107
- Democritos*, 496
- Density functional theory, 141
- Dictionary, 2, 6, 32, 62, 73, 494, 495
  - administration of standard, 73
  - augmented (*CifSieve*), 520
  - authorship, 73
  - browser, 502, 504
  - certification, 73
  - composite, 88, 141
  - coreCIF, 92–116
  - DDL1, 471–472
  - DDL2, 473–478
  - design guidelines, 73–85
  - identification, 35, 70, 76, 79, 85, 89
  - identification (DDL1), 55, 60, 77
  - imgCIF, 199–205, 444–458
  - importance of standard data names, 73
  - lexicographic, 53, 55
  - local, 73
- Dictionary
  - management of multiple dictionaries, 85–89
  - merging protocol, 88–89
  - MIF, 467–470
  - mmCIF, 144–196
  - msCIF, 131–140, 270–289
  - organization, 53–54, 62, 76–77, 79–81
  - PDB exchange (pdbx), 195–197
  - pdCIF, 117–130, 258–269
  - register, 86, 87
  - revision history, 55, 70, 76, 79, 89
  - rhoCIF, 141–143, 290–294
  - symCIF, 206–208, 459–466
- Dictionary definition language, *see* DDL
- Dictionary maintenance group, 75
- Diffraction experiment, overview, 93, 149
- Diffraction point symmetry, 94
- Diffraction scan, 199, 200, 204
  - type, 95
- Diffractionmeter, 95
  - axes, 95
- DIFRAC*, 483
- Dihedral angle, 109
- Dimensionality, superspace, 131, 133, 134, 137
- Discontinuous atomic domains, 131, 132, 136
- Disorder, 103–106, 131, 160
- Displacive modulation, 131, 135, 136, 138
- Disulfide link, 145, 182
- Document object model, 496, 497
- Document-type definition, *see* DTD
- DREL, 496
- DTD, 9, 497, 562
- EBCDIC, 22
- EBNF (extended BNF), *see* Backus–Naur form
- Efficiency, 2, 37, 38, 53
- Electron density, 141–143
- Electron density CIF (electron density Crystallographic Information File), *see* rhoCIF
- Element symbol, 106
- emacs*, 499
- E-mail, 4, 562
- Empty file, 17
- Enantiomer, 50
- enCIFer*, 499, 501–504, 557, 558
- Encoding, 22, 24, 27, 34
- Energy-dispersive X-ray experiments, 8, 117, 122, 127
- Enumeration, *see* data value
- Error checking, 41
- Estimated standard deviation (e.s.d.), *see* standard uncertainty
- European Bioinformatics Institute, 195
- Example
  - attribute of data definition (DDL1), 58
  - attribute of data definition (DDL2), 64, 67
- Exchange protocol, 2
- Experimental measurements
  - CBF data items, 199–205
  - coreCIF data items, 92–98
  - imgCIF data items, 199–205
  - mmCIF data items, 148–152
  - msCIF data items, 133–134
  - pdCIF data items, 118–121
- Extensibility, 2, 13, 37, 51, 53, 54, 83
- Extensible markup language, *see* XML
- External reference file, 25, 32
  - standard chemical data for monomers, 170
  - standard instrument settings, 126
- Extinction, 99
- F*(000), 98
- File extension
  - CBF, 40
  - imgCIF, 40
- FILM*, 541
- flex*, 486, 494, 520
- Flexibility, 13, 37, 48, 51, 53, 54, 495, 526
- Formula, chemical, 107
- Fortran, 484, 508, 509, 519, 520, 526–538

## SUBJECT INDEX

- Fourier series modulation function, 132, 135, 138, 139
- Frame, image data, 199, 203, 205
- Frame code, 15, 16, 25, 46, 489, 491, 495  
length, 27  
uniqueness, 25
- Friedel equivalents, 101
- Ftp, 4, 22, 40, 41, 86
- Generator, 207
- Generic structures (MIF), 7, 490
- Genetically manipulated source of biological macromolecules, 174
- Geometry, 108–110, 136, 171–174, 176–178
- `global_` (STAR File keyword), 16, 22, 26, 27, 40, 47
- Global block, 14–18, 45, 47, 49, 489–492, 494  
forbidden in CIF, 27  
handling by *CIFtbx*, 529
- Goniometer, 95, 98, 202, 204, 551
- Grammar, 13
- Granularity of data definitions, 83
- Graph theory (chemical structure), 44
- Graphical editor, 501–507
- Greek letters, 36
- GSAS2CIF*, 128, 129
- Hall space-group symbol, 110, 111, 206, 207
- HDF, *see* data exchange standards
- Header (CBF), 37–40, 42
- Hermann–Mauguin symbol, 110, 111
- HGML, *see* data exchange standards
- HICCuP*, 504–506
- Hierarchical data model (DDL2), 61, 62
- Hill convention for chemical formulae, 107
- HTML, 482, 483, 494, 496, 515
- Human Genome Mapping Library language (HGML), *see* data exchange standards
- Hydrogen bond, 109, 110, 182, 188
- Image CIF (image Crystallographic Information File), *see* *imgCIF*
- Image data, 8, 24, 37, 38, 42, 117, 199–205, 544–556
- Image plate, 8, 117, 126, 127, 552
- img2cif*, 555
- imgCIF*, 127  
category grouping, 89–91  
classification and use, 199–205  
dictionary, 444–458  
experimental measurements, 199–205  
history, 8, 483  
isomorph of CBF, 8, 37–39  
potential use for publication graphics, 558  
software library, 544–556  
specification, 37–43
- Incident-intensity monitor, 128
- Incommensurate structures, 8, 102, 131–140, 206, 208
- Index terms, 113
- Indexing in powder diffraction, *see* phase identification
- Inorganic structures, described by coreCIF, 92
- Instrumentation  
coreCIF, 94–95  
pdCIF, 119–120
- Integration time, 205
- Intensity measurement, 95–97  
in pdCIF, 120–121  
using an image detector, 200, 204, 550
- Intensity measurements, 149  
binning, 97, 101, 102, 127  
excluded from refinement, 100, 101, 159  
number used in refinement, 101  
processed, 96  
raw, 96  
scaling, 96–98, 101, 102, 122  
standard, 96, 97  
standard uncertainty, 99  
threshold, 99–102, 159, 163
- Intensity measurements  
units (mmCIF), 163  
used in refinement, 100–101, 162–164
- Interatomic contacts, 109
- International Centre for Diffraction Data (ICDD), 123
- International Structural Genomics Organization, 195
- International Union of Crystallography, *see* IUCr
- International Union of Pure and Applied Chemistry, *see* IUPAC
- Interoperability, 9, 25, 61, 73
- Intramolecular geometry, 109, 173
- Irreducible set of data items, *see also* subcategory, 54, 56, 58, 64, 77, 79–81
- Isomorphous phasing, *see* phasing
- IUCr, 2, 3, 5–8, 14, 20, 45, 61, 73, 131, 141, 195, 557
- IUPAC, 9, 94, 107, 564
- JANA2000*, 132, 135, 136
- Java, 496, 497, 523
- JCAMP-DX, *see* data exchange standards
- Journal, *see* publishing
- Jumbo*, 496, 497
- Key, *see* category key
- Keywords, 13, 16–18, 189
- $\LaTeX$ , 515
- Lattice centring, 111
- Laue class, 207
- Least-squares plane, 109
- lex*, 486
- Lexical scan, 29, 30, 486
- Lexical tokens, 17, 486, 495
- Line folding, 34–35
- Line length  
CBF, 39, 40  
CIF, 22–24, 27, 34, 500, 511  
MIF, 45
- Line terminator, 14, 22, 27, 30, 37, 39, 41  
CBF convention, 39, 40  
multi-platform convention, 27, 30  
STAR File, 17
- List, *see also* looped list  
attribute of data definition (DDL1), 56, 59, 78  
dependencies, 56, 59, 60, 78, 81  
join (DDL1), 56  
key, 56, 59, 60, 81  
mandatory item, 56, 57, 59, 60, 78, 82
- Lifetime, 128, *see also* deadtime
- `loop_` (STAR File keyword), 15, 16, 21, 22, 26, 31, 40, 45, 540
- Loop level, 15, 58
- Loop packet, 15, 45, 53, 488, 489, 493
- Looped list, 15, 16, 18, 20, 21, 40, 45, 54, 78, 488, 494, 511  
editor, 503, 506  
nested, *see* nested loop  
nesting prohibited in CIF, 21, 27
- Macromolecular CIF (macromolecular Crystallographic Information File), *see* mmCIF
- Macromolecular structure, 145–147, 178–189  
biological units, 179–181  
secondary structure, 181–182
- Magic number, 21, 29, 37, 40
- Magnetic structures, 206
- makecbf*, 555
- MAXIT*, 484
- Melting point, 107
- Mercury*, 562
- Meta character, *see* data value, missing; data value, inapplicable
- Metadata, 25, 62, 92, 114–116, 123, 136, 194–195, 481, 483, 496, 539, 540, 542, 562
- Methods, 62, 70, 207, 208, 496, 497, 540  
attribute of category definition (DDL2), 69  
attribute of data definition (DDL2), 67
- MIF  
application of STAR File, 14, 44, 45, 488  
as complement to CIF, 44  
compared with coreCIF, 108  
data model, 7  
design objectives, 45  
development, 7, 44  
dictionary, 467–470  
specification, 44–52
- MIME  
candidate content headers in CIF, 24  
chemical/x-cif, 562  
Content-Encoding, 24  
Content-Transfer-Encoding, 39, 41, 42  
Content-Type, 24, 39, 41  
encoding in CBF, 37–39, 41, 43, 547, 556  
X-Binary-Element-Type, 39, 41  
X-Binary-Size, 39, 41
- MISSYM*, 560
- mmCIF  
application of STAR File, 488  
atom properties, 164–190  
category grouping, 89–91  
category groups, 147, 148  
chemistry, 164–190  
classification and use, 144–196  
complemented by NMRStar, 9  
conversion to XML, 9  
data collection, 149–151  
design considerations, 144–145  
dictionary, 295–443  
experimental measurements, 148–152  
history, 7, 8, 144–145  
list of categories, 195–196  
rationale for use of DDL2, 61  
refinement, 158–162  
relation to PDB format, 192  
software tools, 522–525  
structural model, 145–147, 164–190  
structure analysis, 152–164  
use as domain ontology, 9  
use in PDB data management, 195–197, 539–543
- mmCIF Loader*, 542
- mmLib*, 523–525
- mmView*, 525
- Modulated structures, *see* incommensurate structures
- Modulated structures CIF (modulated structures Crystallographic Information File), *see* msCIF
- Molecular averaging, *see* phasing
- Molecular chemistry, differences between coreCIF and mmCIF, 169–174
- Molecular connectivity, *see* connectivity
- Molecular fragment represented by save frame (MIF), 46
- Molecular geometry, *see* geometry
- Molecular Information File, *see* MIF
- Molecular structure, *see also* chemical structure  
MIF, 44–52  
three-dimensional (MIF), 45, 47
- Molecule, 7  
MIF description, 45
- Monochromatization, 94, 126
- Monomer components of biological macromolecules, 170–174
- MOSFLM*, 202
- Mounting, 95, 119
- msCIF  
atom properties, 134–136  
category grouping, 89–91  
category groups, 131  
chemistry, 134–136  
classification and use, 131–140  
data collection, 133  
design considerations, 131–132  
dictionary, 270–289  
examples of use, 137–139

## SUBJECT INDEX

- msCIF  
 experimental measurements, 133–134  
 history, 8, 131  
 refinement, 134  
 structural model, 134–136  
 structure analysis, 134  
 symmetry, 136
- MTZ, *see* data exchange standards
- Multi-byte character set, 22
- Multichannel analyser, 127
- Multiple detectors, 117, 126, 127
- Multiple isomorphous replacement (MIR), *see* phasing
- Multiple-wavelength anomalous dispersion (MAD), *see* phasing
- Multiplicity, 103, 208
- Multipole expansion model, 141, 142
- Multipurpose Internet Mail Extensions, *see* MIME
- Multivariate logic, 492
- Name space, 33, 74
- Natural tissue, source of biological macromolecules, 175
- Nested loop, 15, 58, 59  
 image data structure in *CBFlib*, 545  
 MIF, 45  
 STAR File, 18, 58, 488, 489, 495, 497
- Networking, 4
- Neutron diffraction, 117, 123, 124, 126, 129
- Neutron time-of-flight detection, 117, 127
- NeXus, *see* data exchange standards
- NMR structures, 9, 169, 197, 496, 539, 540
- NMRStar, 9, 20, 197, 496, 497
- Noncrystallographic symmetry, 131, 153, 160, 161, 184–186
- NRCVAX*, 560
- Nucleic Acid Database, 496, 522
- Object Management Group, 541
- Object-oriented CIF libraries, 515, 517, 522, 526–538, 540
- Object-oriented STAR programming, 495–497
- Objective-C, 484, 495
- ‘Observed’ reflections, *see* intensity measurements, threshold
- Occupancy, *see* atom sites, occupancy, 106
- Occupational modulation, 131, 135, 138
- Ontology, 2, 9, 32, 51, 53, 481, 483, 523, 539
- OOSTAR*, 484, 495, 496
- OpenMMS*, 522–523, 541
- Operating-system dependence, 17, 22, 27, 30, 37, 40
- Optical rotation, 107
- Order independence, *see* data item, ordering in CBF
- ORFLS*, 3
- Orientation matrix, 95
- Origin choice, space group, 206
- Packing geometry, *see* geometry
- Parsing rules, 17, 21, 23, 25, 30, 81, 83, 85, 109, 114, 486, 495, 499, 517, 535
- PARST*, 560
- PDB, *see* data exchange standards
- PDB exchange data dictionary, 539–543
- pdb2cif*, 483, 526
- PDB\_EXTRACT*, 197, 483, 542, 543
- pdCIF  
 category grouping, 89–91  
 category groups, 118  
 chemistry, 123  
 classification and use, 117–130  
 data collection, 120–121  
 design considerations, 117  
 dictionary, 258–269  
 examples of use, 126–130  
 experimental measurements, 118–121  
 history, 8  
 measured intensities, 121  
 naming convention for data items, 117  
 processed intensities, 121
- pdCIF  
 simulated intensities, 122, 128, 129  
 structural model, 123  
 structure analysis, 121–123  
 unprocessed measurements, 121, 126–129
- pdCIFplot*, 128
- Peak intensities (pdCIF), 122, 123
- Peak positions (pdCIF), 121–123
- Peak width (pdCIF), 121, 122
- Perl, 495, 515, 520
- Phase description (pdCIF), 123, 124, 128, 129
- Phase identification, 117, 129
- Phasing, 98, 152–158  
 characterization of data sets, 153, 157–158  
 isomorphous replacement, 153–154  
 MAD, 154–155  
 MIR, 155–156  
 molecular averaging, 153
- Phason correction, 134, 135
- Pixel, 552
- Pixel array, *see* data array
- Pixel characteristics, 200–201
- PLATON*, 560, 566
- Point group, 207
- Polarization, 204
- Portability, 2, 13, 20, 22, 23, 27, 37, 482, 535
- Position-sensitive detector, 117
- Powder CIF (powder Crystallographic Information File), *see* pdCIF
- Powder diffraction, 8, 117–130, 558
- Powder Diffraction File, 122, 123
- Precision electron density studies, 141
- Preferred orientation, 127
- PREPUB*, 560, 566
- Pressure, *see* ambient conditions
- printcif*, 559, 560
- printCIF for Word*, 506–507, 558, 560
- Privileged constructs, 16
- Production (formal grammar), 17, 18, 29–32
- Profile fitting, 122
- Protein Data Bank, 2, 3, 190, 481, 482, 496, 517, 522, 539–543  
 data exchange dictionary, 195–197
- Protein Data Bank Japan, 195
- Protein Expression Purification and Crystallization database (PEPCdb), 197
- Protein production, 197
- PROTIN/PROLSQ*, 161
- Protocols  
 data exchange, 2, 6  
 dictionary merging, 35, 88–89, 141  
 dictionary retrieval, 87–88  
 http, 557  
 line folding, 24, 34–35  
 network file sharing, 27  
 networking, 4
- Publishing, *see also Acta Crystallographica, Zeitschrift für Kristallographie*  
 CIF as a markup language, 483  
 CIF as supplementary material, 562  
 CIF editors, 507  
 contents of an article, 114  
 data items (coreCIF), 112–114  
 data items (mmCIF), 190–194  
 electronic submission, 5, 6, 557, 560, 562  
 potential use of CBF for graphics, 37  
 proofs, 560  
 request list, 558, 559, 564–566  
 small-molecule crystal structures, 557–569
- PyCifRW*, 517
- Python, 495, 504, 515, 517, 524
- Quantum chemistry basis sets, 488, 491, 493
- QUASAR*, 14, 483, 486, 509–512, 514, 558
- Quasicrystals, 131, 206, 208
- Query language (MIF), 50
- Quoted text string, 14, 18, 22, 24, 26, 31, 33, 34, 38–41, 45, 59
- R* factor, 99, 158  
 Bragg, 100  
 Hamilton generalized, 160  
 Luzzati analysis, 160  
 $R_{\text{free}}$ , 159, 164  
 $R_{\text{merge}}$ , 164  
 real-space, 184
- Racemic mixture, 50
- Radiation  
 mean wavelength (Laue experiments), 101  
 polychromatic, 95, 101, 117, 122
- Radiation detector, 95, 126
- Radiation generator, 94, 95
- Radiation source, 94, 95, 126
- Radiation type, 94, 95, 120
- Radiation wavelength, 94
- Reaction schemes, 7
- Record padding, 22
- Redundancy, 29, 41, 48, 79, 101, 102, 159
- Reference list, *see* citation
- Refinement  
 characteristics of individual reflections, 100  
 constraints, 103, 105  
 coreCIF data items, 98–101  
 cycle, 101, 162  
 goodness of fit, 99  
 history, 159, 162  
 ideal groups, 174  
 mmCIF data items, 158–162  
 msCIF data items, 134  
 number of reflections included in, 101  
 of hydrogen atoms, 99  
 pdCIF, 122  
 quality metrics, 160  
 residual factor, *see* *R* factor  
 restraints, 103, 105, 160–161, 173  
 Rietveld, *see* Rietveld refinement  
 solvent (mmCIF), 159  
 structure-factor coefficient, 99  
 weighted residual, 99  
 weighting scheme, 99
- Reflection table (pdCIF), 121, 123, 128, 129
- Reflections, *see* intensity measurements
- Register  
 CIF dictionaries, 86, 87, 559  
 reserved prefixes, 74, 559
- Relational data model, *see* data model
- Research Collaboratory for Structural Bioinformatics, 195, 522, 539–543
- Reserved feature, 20, 27, 33
- Reserved prefix (CIF data names), 33, 74, 87, 559
- Reserved words (STAR), *see also* *data\_*, *global\_*, *loop\_*, *save\_*, *stop\_*, 20, 22, 26–28, 31  
 case insensitivity, 23
- Resolution limits, 100, 156
- Resolution shells, 98, 100, 102, 155, 156, 160–161
- RESTRAIN*, 161
- rhoCIF  
 atom properties, 141–143  
 category grouping, 89–91  
 classification and use, 141–143  
 design considerations, 141  
 dictionary, 290–294  
 history, 8
- Rietveld refinement, 100, 117, 121–123, 128–129, 558  
 quality, 128
- RTF, 482, 507
- Sample (pdCIF), 118  
 characterization, 118  
 colour, 118  
 orientation, 127  
 preparation, 118
- Satellite reflections, aperiodic structures, 131, 134, 137, 139
- save\_* (STAR File keyword), 15, 16, 22, 25, 26, 31, 32, 40, 46

## SUBJECT INDEX

- Save frame, 14–16, 18, 25, 26, 32, 45, 489–495, 500  
 data definition block (DDL2), 21, 54, 61, 79, 81, 82  
 MIF, 45, 46  
 nested, 15, 26  
 reference, 15, 22, 27, 46, 48, 49, 489–491, 494  
 structural template (MIF), 48, 49  
 uniqueness, 26, 46  
 use in CIF dictionary, 20
- Sawtooth function, *see* special modulation functions
- Scan, *see* diffraction scan
- Scattering factor, 103, 106
- SCFS, *see* data exchange standards
- Schema, 9
- Schoenflies symbols, 206, 207
- Scientific notation, 23
- Scope, 15, 16, 47, 79, 115, 490, 492–494, 541
- Secondary structure (protein), 181–182
- Self-defining Text Archive and Retrieval File, *see* STAR File
- Semantics, 2, 53, 491, 494, 499
- Sequence, macromolecular, 166, 181–182
- Sequence alignment, 186
- Sequence heterogeneity, 145, 147, 176
- SGML, 9, 482, 483, 515, 562, 563  
 use in publication, 563
- SHELX76*, 557
- SHELX97*, 558
- SHELXL*, 483
- Single pulse-counting detectors, 126
- Small-molecule structures, described by coreCIF, 92
- SMD, *see* data exchange standards
- SMILES, *see* data exchange standards
- Software, *see also* computer programs; data exchange standards; networking; protocols  
 file transformation, 509–515  
 performance, 481, 484  
 rapid development tools, 517–522  
 STAR File utilities, 488–498  
 syntactic utilities for CIF, 499–525
- Software design considerations, 481–487, 535–538
- Space groups, 94, 206–208  
 Hall symbol, 206, 207  
 Hermann–Mauguin symbol, 206, 207  
 origin choice, 110  
 Schoenflies symbol, 206, 207
- Space-group information  
 coreCIF, 110–111  
 symCIF, 206–208
- Special characters, 22, 26, 27, 34–36, 107, 502, 507
- Special modulation functions, 132, 136
- Special positions, 103, 207
- Specimen (pdCIF), 118  
 characterization, 119  
 preparation, 119
- Spectroscopic data, 7
- SPINE, 197
- SQL, 523, 542
- Standard Crystallographic File Structure (SCFS), *see* data exchange standards
- Standard Generalized Markup Language, *see* SGML
- Standard Molecular Data (SMD), *see* data exchange standards
- Standard uncertainty  
 attribute of data definition (DDL1), 34, 56, 59  
 attribute of data definition (DDL2), 23, 64  
 image detector gain, 200  
 in geometric calculations, 109  
 intensity measurements, 99, 126  
 measurements of physical properties, 94  
 overall measures (mmCIF), 159  
 range constraint, 511, 529  
 separate data names (mmCIF), 85, 147
- Stanford Synchrotron Radiation Laboratory, 552
- STAR File  
 adoption for MIF, 44, 45  
 basis for macromolecular structure ontology, 539  
 binary tree representation, 494, 497  
 conversion to HTML, 494, 496
- STAR File  
 data instances and context, 488  
 development, 5  
 format, 13  
 grammar, 17–19  
 lack of data typing, 20  
 NMRStar, 9  
 query language, 491–494, 496  
 software utilities, 488–498  
 specification, 13–19  
 syntax, 5, 6, 14–19, 488, 495  
 syntax restrictions in CIF, 23  
 universal data language, 13, 53
- Star\_Base*, 20, 484, 491–494, 496, 497, 499, 511
- StarDDL, 14, 495
- StarDOM*, 497
- starlib*, 494, 497
- StarMarkUp*, 494, 495
- STAR::Parser*, 515–517
- Star.vim*, 494, 499
- Stereochemistry, 47, 48, 50, 51
- Stereogenic geometry (MIF), 50
- stop\_ (STAR File keyword), 15, 16, 18, 22, 31, 40
- String, *see* text string, quoted text string
- Structural genomics, 197, 540, 542
- Structural model  
 coreCIF, 102–111  
 mmCIF data items, 164–190  
 msCIF, 134–136  
 pdCIF, 123
- Structural Proteomics in Europe (SPINE), 197
- Structural template (MIF), 48, 49
- Structure analysis  
 coreCIF, 98–102  
 mmCIF, 152–164  
 msCIF, 134  
 pdCIF, 121–123
- Structure checking, 541
- Structure factor, 99, 100, 558
- Structure refinement, *see* refinement
- Structure solution, 98, 106
- Subcategory, 54, 62, 64, 67, 70, 79
- Subgroup, 206, 208
- Sublimation temperature, 107
- Subscripts (markup in CIF), 36
- Substructure query, 44, 48, 51, 108
- Superscripts (markup in CIF), 36
- Superspace, 131–133, 136, 137
- Supplementary data, 3, 558
- symCIF  
 category grouping, 89–91  
 classification and use, 206–208  
 design considerations, 206  
 dictionary, 459–466  
 history, 8, 206  
 relationship to coreCIF, 110
- Symmetry, 8, 206–208  
 coreCIF, 110–111  
 mmCIF, 190  
 msCIF, 136  
 superspace, 131, 132, 136, 137  
 transformation, 109
- Symmetry CIF (symmetry Crystallographic Information File), *see* symCIF
- Symmetry operation, 206, 207
- Symmetry reinforcement factor  $\epsilon$ , 101
- Symmetry-equivalent positions, 110, 111
- Symmetry-equivalent reflections, 101
- Synchrotron, 8, 117, 128, 199, 204
- Synchrotron research, 8, 126
- Syntax, 2, 3, 13, 14, 53, 499  
 CBF, 39, 40  
 CIF, 5, 6, 40, 53  
 DDL, 55  
 DDL1, 53  
 MIF, 45  
 STAR File, 5, 6, 14–20, 45
- Syntax checker, 499–501, 507
- Systematic absences, 94, 97, 100, 163
- Tag, *see* data name
- Taxonomy, 32
- Tcl/Tk, 494, 495, 504, 515, 519
- Temperature, *see* ambient conditions
- Template, *see* structural template (MIF)
- TeX, 482, 512, 513, 515, 562, 563  
 use in publication, 114, 560
- Text block, 17
- Text field, *see* quoted text string
- Text string, 14, 15, 17, 22, 24, 26, 33, 45, 58
- Texture, 127
- Time-of-flight neutron experiments, 8, 117, 127
- Tokenization, 17, 21, 22, 24, 29, 30
- Topology (chemical structure), 45
- Topology (electron density), 141
- Torsion angle, 110, 171, 173, 184
- Typographic markup, 24, 34–36, 114, 563
- Unicode, 22, 27
- UNIMOL, 560
- Unit  
 attribute of data definition (DDL1), 56, 58, 59, 78  
 attribute of data definition (DDL2), 64, 68, 83
- Unit cell  
 composite structures, 133  
 contents, 107  
 parameters and measurement conditions, 93, 148  
 volume, 93
- Units, 33, 54, 83, 563  
 alternative (deprecated), 33, 79, 87  
 conversion table (DDL2), 64, 68, 83
- Universal data language, 13, 44, 53
- Validation, 7, 29, 33, 48, 53, 54, 58, 61, 63, 74, 85, 87–89, 97, 102, 109, 491, 494, 496, 497, 499, 502, 504, 506, 507, 511, 526–528, 541, 543, 560
- Validation reply form, 561
- vcif*, 499–501
- Version information  
 CBF, 38, 40  
 data dictionary, 55, 60
- vim*, 494, 499
- Virtual dictionary, *see* dictionary, composite
- Visual Basic, 507, 560
- Visualization, 145, 501, 503, 525, 557, 562
- Voxel characteristics, 200–201
- Wave vector, 131–133, 135, 137
- Wavelength  
 components, 95  
 notation, 94
- Web sites  
 Cambridge Crystallographic Data Centre:  
<http://www.ccdc.cam.ac.uk>, 483  
 CCP4: <http://www.ccp4.ac.uk>, 484  
 Chemical Markup Language: <http://cml.sf.net>, 496  
 Glasgow University, CIF software:  
<http://www.chem.gla.ac.uk>, 483  
 GNU software: <http://www.gnu.org>, 486  
 IUCr checkCIF service: <http://checkcif.iucr.org>, 561  
 IUCr CIF dictionaries:  
<ftp://ftp.iucr.org/pub/cifdics>, 86  
 IUCr CIF information:  
<http://www.iucr.org/iucr-top/cif>, 2, 7, 74, 75, 137, 525  
 IUCr ftp site: <ftp://ftp.iucr.org>, 483  
 IUCr journals: <http://journals.iucr.org>, 128, 560, 561, 566  
 NASA data systems standards:  
<http://ssdoo.gsfc.nasa.gov/nost>, 483  
 NeXus format: <http://www.nexus.anl.gov/>, 483  
 Object Management Group:  
<http://www.omg.org/>, 541  
 OpenMMS software: <http://openmms.sdsc.edu>, 541  
 PDB deposition: <http://deposit.pdb.org/>, 197, 523

## SUBJECT INDEX

### Web sites

PDB mmCIF site: <http://mmcif.pdb.org/>, 195, 197, 539, 540  
 PDB Protein Expression Purification and Crystallization Database: <http://pepcdb.pdb.org/>, 197  
 PDB software tools: <http://sw-tools.pdb.org/>, 197, 483, 484, 540–543  
 Research Collaboratory for Structural Bioinformatics: <http://www.rcsb.org>, 483  
 Research Collaboratory for Structural Bioinformatics data standardization: <ftp://beta.rcsb.org/>, 541  
 San Diego Supercomputer Center: <http://www.sdsc.edu>, 484  
 SMILES format: <http://www.daylight.com/smiles/>, 51  
 Structural Proteomics in Europe: <http://www.spineurope.org/>, 197

### Web sites

World Wide Web Consortium: <http://www.w3.org/>, 30  
 White space, 14, 16–18, 21, 22, 24, 26, 27, 29, 31, 32, 38, 40, 538  
 elision of trailing, 22  
 Wilson *B* factor, 163  
 Working Party on Crystallographic Information, 5, 45  
 World Wide Web, 2, *see also* web sites, 5, 557  
 Worldwide PDB, 195  
 Wyckoff letter, 206, 208  
 X-Binary-Element-Type (MIME header), 39, 41  
 X-Binary-Size (MIME header), 39, 41  
 XD, 143  
 XML, 9, 30, 73, 481, 483, 496, 497, 515, 523, 526, 563, 564  
 conversion from CIF, 563, 564

### XML

conversion from mmCIF, 9, 523, 564  
 mmCIF schema, 523, 541, 542  
 use in publication, 114, 563  
 XRAY, 3  
 X-ray film, 117, 126, 127  
*Xtal*, 560  
*yacc*, 486, 520  
*Yapps2*, 517  
 Z (number of formula units in unit cell), 93, 107  
*zb*, 519  
*Zeitschrift für Kristallographie*, 557  
 ZINC (isomorph of CIF), 483, 518–519  
*zincCif*, 519  
*zincGrep*, 519  
*zincNI*, 519  
*zincSubset*, 519

## Index of categories and data names

This is an index of data categories and data names referred to in this volume. The main headings (in capital letters) are categories; subordinate entries (in lower-case letters) refer to data items belonging to the parent category. Where the initial part of a data name can be constructed from the name of the category (which is normally the case), this is indicated by a long dash. Thus the first entry under the ARRAY\_DATA heading refers to the data name `_array_data.array_id` etc. Primary definitions in the data dictionaries are indicated by **bold** page numbers. Data items appearing in examples are indicated by *italic* page numbers. Items in the Dictionary Definition Language (DDL1 and DDL2) and Molecular Information File (MIF) dictionaries appear twice in the index: alphabetically and under their own main headings.

- ARRAY\_DATA, 38, 39, 42, 199, **444**, 445, 446
  - array\_id, 38, 39, 42, 199, **444**, 444, 455, 456, 554
  - binary\_id, 38, 39, 42, 43, 199, 203, **444**, 444, 445, 449, 451, 455, 456, 554
  - data, 37, 38, 39, 39, 41, 42, 199, **444**, 444, 455, 456, 554
- ARRAY\_ELEMENT\_SIZE, 199, 200, **445**
  - array\_id, 39, 200, **445**, 455, 456
  - index, 39, 200, **445**, 455, 456
  - size, 39, 200, **445**, 455, 456
- ARRAY\_INTENSITIES, 199, 200, **445**, 550, 552
  - array\_id, 38, 39, 200, **445**, 445, 455, 456, 554
  - binary\_id, 38, 39, 200, **445**, 455, 456, 554
  - gain, 200, **445**, 445, 455, 456, 550, 554
  - gain\_esd, 200, **446**, 455, 456, 550, 554
  - linearity, 38, 39, 200, 445, 445, **446**, 455, 456, 554
  - offset, 200, **446**
  - overload, 38, 39, 200, 445, **446**, 455, 456, 551, 554
  - scaling, 200, **446**
  - undefined\_value, 38, 39, 200, 445, **446**, 455, 456, 554
- ARRAY\_STRUCTURE, 199, 200, 444, 445, **446**, 447
  - byte\_order, 39, 200, **446**, 446, 455, 456, 554
  - compression\_type, 39, 200, **446**, 446, 455, 456, 554
  - encoding\_type, 39, 39, 41, 200, 445, **446**, 446, 455, 456, 554
  - id, 39, 199, 200, 444, 445, **446**, 446, 447, 449, 451, 455, 456, 554
- ARRAY\_STRUCTURE\_LIST, 199–201, 203, 445, **447**, 450, 551, 552
  - array\_id, 39, 200, **447**, 455, 456, 554
  - axis\_set\_id, 200, 201, **447**, 455, 456, 554
  - dimension, 39, 200, **447**, 455, 456, 554
  - direction, 39, 200, **447**, 455, 456, 554
  - index, 39, 200, 445, **447**, 455, 456, 554
  - precedence, 39, 200, **447**, 455, 456, 554
- ARRAY\_STRUCTURE\_LIST\_AXIS, 199–201, 203, **447**, 450, 552
  - angle, 200, 201, **447**, 456
  - angle\_increment, 200, 201, **447**
  - angular\_pitch, 200, 201, **447**, 456
  - axis\_id, 200, 201, **447**, 455, 456, 554
  - axis\_set\_id, 200, 201, **447**, 455, 456, 554
  - displacement, 200, 201, **447**, 455, 456, 554
  - displacement\_increment, 200, 201, **448**, 455, 554
  - radial\_pitch, 200, 201, **448**, 456
- \_atom\_attach\_all, *see* MIF
- \_atom\_attach\_h, *see* MIF
- \_atom\_attach\_nh, *see* MIF
- \_atom\_attach\_ring, *see* MIF
- \_atom\_charge, *see* MIF
- \_atom\_cip, *see* MIF
- \_atom\_coord\_x, *see* MIF
- \_atom\_coord\_y, *see* MIF
- \_atom\_coord\_z, *see* MIF
- \_atom\_environment, *see* MIF
- \_atom\_frag\_id, *see* MIF
- \_atom\_frag\_key, *see* MIF
- \_atom\_id, *see* MIF
- \_atom\_label, *see* MIF
- \_atom\_mass\_number, *see* MIF
- \_atom\_radical\_count, *see* MIF
- \_atom\_spin\_multiplicity, *see* MIF
- \_atom\_type, *see* MIF
- \_atom\_valency, *see* MIF
- ATOM\_LOCAL\_AXES, 141, 142, **290**, 292, 293
  - atom[n] ( $n = 0, 1, 2$ ), 141, 142, **290**, 290
  - atom\_label, 141, 142, 142, **290**, 290, 291
  - ax[n] ( $n = 1, 2$ ), 141, 142, 290, **291**
- ATOM\_RHO\_MULTIPOLE, 141, 142, **291**
  - atom\_label, 142, 143, 291, **292**, 293, 294
  - coeff\_Pmm ( $m = 0, \dots, 4, n = -m, \dots, m$ ), 142, 143, 291, **292**
  - coeff\_Pc, 142, **292**, 293
  - coeff\_Pv, 142, 143, 291, **292**
  - configuration, 142, 143, **292**
  - core\_source, 142, 143, **292**
  - kappa, 142, 143, 143, 291, **292**, 293
  - kappa\_primen ( $n = 0, \dots, 4$ ), 142, 143, 291, **292**
  - radial\_function\_type, 142, **293**
  - radial\_slater\_nm ( $n = 0, \dots, 4$ ), 142, 143, **293**
  - radial\_slater\_zetan ( $n = 0, \dots, 4$ ), 142, 143, **293**
  - scat\_core, 142, 292, **293**
  - scat\_valence, 142, 292, **293**, 294
  - valence\_source, 142, 143, **294**
- ATOM\_SITE, 56, 57, 78, 90, 102–105, 109, 134, 135, 142, 146, 156, 164–167, 169, 171, 174, 175, 180, 182, 196, **210**, 214, 248, 250, 252, **270**, 288, 292, **294**, **295**, 296–299, 302–310, 312, 322, 323, 333, 352, 354, 362–371, 407, 410, 414, 420–426, 428–431, 436–441, 560
  - adp\_type, 164, **296**
  - adp\_type, 102, 103, 103, **210**, 210, 565
  - aniso\_B[m][n] ( $m, n = 1, 2, 3$ ), 164, 165, **296**, **297**
  - aniso\_B[m][n]\_esd ( $m, n = 1, 2, 3$ ), **296**, **297**
  - aniso\_B\_mm ( $m, n = 1, 2, 3$ ), 102, 210, **211**
  - aniso\_label, 56, 57, 78, 78, 102–104, 104, 210, **211**, 506, 565
  - aniso\_ratio, 165, **297**
  - aniso\_ratio, 102, **211**
  - aniso\_type\_symbol, 102, 210, **211**
  - aniso\_U[m][n] ( $m, n = 1, 2, 3$ ), 165, **298**, **299**
  - aniso\_U[m][n]\_esd ( $m, n = 1, 2, 3$ ), **298**, **299**
  - aniso\_U\_mm ( $m, n = 1, 2, 3$ ), 78, 102, 104, **211**, 565
  - attached\_hydrogens, 165, **299**, 333
  - attached\_hydrogens, 88, 102, 105, **211**, 220
  - auth\_asym\_id, 165, **299**, 362, 364, 366, 367, 370, 421–423, 425, 430, 431, 438, 439
  - auth\_atom\_id, 165, **299**, 362–364, 366, 367, 370, 423, 436, 437, 440
  - auth\_comp\_id, 165, **300**, 363, 364, 366, 368, 370, 421–423, 425, 428, 430, 431, 438, 440
  - auth\_seq\_id, 5, 165, 166, 166, 295, **300**, 363–366, 368, 370, 421–423, 425, 428, 430, 431, 436–438, 440
- ATOM\_SITE
  - B\_equiv\_geom\_mean, 165, **300**
  - B\_equiv\_geom\_mean, 102, **211**
  - B\_equiv\_geom\_mean\_esd, **300**
  - B\_iso\_or\_equiv, 5, 147, 165, 166, 166, 295, **300**
  - B\_iso\_or\_equiv, 102, **211**
  - B\_iso\_or\_equiv\_esd, **300**
  - calc\_attached\_atom, 165, **300**
  - calc\_attached\_atom, 102, 210, **211**
  - calc\_flag, 165, **301**
  - calc\_flag, 102, 103, 103, 210, **211**
  - Cartn\_x, 5, 147, 165, 166, 295, **301**
  - Cartn\_x, 102, 103, **212**
  - Cartn\_x\_esd, **301**
  - Cartn\_y, 5, 147, 165, 166, 295, **301**
  - Cartn\_y, 102, 103, **212**
  - Cartn\_y\_esd, **301**
  - Cartn\_z, 5, 147, 165, 166, 295, 301, **301**
  - Cartn\_z, 102, 103, **212**
  - Cartn\_z\_esd, **301**
  - chemical\_conn\_number, 165, **301**, 333
  - chemical\_conn\_number, 102, 105, 210, **212**
  - constraints, 165, **301**, 393, 394
  - constraints, 102, **212**, 244
  - description, 102, 138, **212**
  - details, 79, 165, **301**
  - disorder\_assembly, 165, 168, **301**
  - disorder\_assembly, 102, 103, 105, 210, **212**, 565
  - disorder\_group, 165, 168, **301**
  - disorder\_group, 102, 103, 105, 210, **212**, 565
  - displace\_modulation\_flag, 135, **270**
  - footnote\_id, 147, 165, 166, 166, 167, 295, **301**
  - fract\_x, 33, 165, **301**
  - fract\_x, 6, 21, 32, 78, 90, 102, 103, 105, 109, 124, 129, 138, 210, **212**, 236–238, 290, 560, 565
  - fract\_x\_esd, **301**
  - fract\_y, 165, **301**
  - fract\_y, 6, 21, 33, 78, 102, 103, 105, 109, 124, 129, 138, 210, **212**, 236–238, 290, 560, 565
  - fract\_y\_esd, **301**
  - fract\_z, 165, **301**, 302
  - fract\_z, 6, 21, 33, 78, 102, 103, 105, 109, 124, 129, 138, 210, **212**, 236–238, 290, 560, 565
  - fract\_z\_esd, **302**
  - group\_PDB, 165, 166, 166, 295, **302**
  - id, 5, 147, 165, 166, 166, 295, 300, **302**, 305, 363, 365, 366, 368, 370
  - label, 6, 21, 56, 57, 75, 78, 78, 102, 103, 103, 104, 105, 110, 129, 136, 138, 142, 165, 210, 211, **212**, 213, 236–238, 272, 275–278, 280, 287, 290, 290, 291, 292, **294**, 302, 560, 565
  - label\_alt\_id, 5, 147, 147, 165, 166, 166, 169, 295, **302**, 363, 365, 366, 368, 370, 371
  - label\_asym\_id, 5, 147, 147, 165, 166, 166, 295, 299, **302**, 363, 365, 366, 368, 371, 421–424, 426, 429–431, 440
  - label\_atom\_id, 5, 147, 165, 166, 166, 295, 299, **302**, 363, 365, 366, 368, 371, 436, 437



## INDEX OF CATEGORIES AND DATA NAMES

- ATOM\_SITE**
- label\_comp\_id, 5, 147, 147, 165, 166, 166, 187, 295, 300, **302**, 363, 365, 366, 368, 371, 421–424, 426, 429–431, 440
  - label\_component\_n ( $n = 0, \dots, 6$ ), 102, 103, **212**
  - label\_entity\_id, 5, 147, 165, 166, **302**
  - label\_seq\_id, 5, 147, 165, 166, 166, 295, 300, **302**, 363–365, 367–369, 371, 421–424, 426, 429–431, 436–438, 440
  - occ\_modulation\_flag, 135, **270**
  - occupancy, 5, 147, 165, 166, 295, **302**
  - occupancy, 103, 103, 105, 124, 129, 138, 210, **212**, 290, 565
  - occupancy\_esd, **302**
  - refinement\_flags, 165, 301, **302**, 303, 393, 394
  - refinement\_flags, 103, 105, 212, **213**
  - refinement\_flags\_adp, 165, **302**
  - refinement\_flags\_adp, 103, 105, **213**
  - refinement\_flags\_occupancy, 165, **302**
  - refinement\_flags\_occupancy, 103, **213**
  - refinement\_flags\_posn, 165, 302, **303**
  - refinement\_flags\_posn, 103, 103, 105, **213**
  - restraints, 165, **303**
  - restraints, 103, **213**
  - subsystem\_code, 135, **270**
  - symmetry\_multiplicity, 165, **303**
  - symmetry\_multiplicity, 103, 124, **213**
  - thermal\_displace\_type, 165, **303**
  - thermal\_displace\_type, 78, 103, 124, **213**
  - type\_symbol, 5, 84, 147, 165, 166, 295, **303**
  - type\_symbol, 21, 84, 103, 103, 104, 124, 212, **213**, 560
  - U\_equiv\_geom\_mean, 165, **303**
  - U\_equiv\_geom\_mean, 103, **213**
  - U\_equiv\_geom\_mean\_esd, **303**
  - U\_iso\_or\_equiv, 165, **303**
  - U\_iso\_or\_equiv, 21, 78, 78, 103, 103, 105, 124, 129, 210, **213**, 560, 565
  - U\_iso\_or\_equiv\_esd, **303**
  - U\_modulation\_flag, 135, **270**
  - Wyckoff\_symbol, 165, **303**
  - Wyckoff\_symbol, 103, **213**, 560
- ATOM\_SITE\_ANISOTROP**, 102, 164–166, 295–299, **303**, 304–307
- B[m][n] ( $m, n = 1, 2, 3$ ), 165, **304**, **305**
  - B[m][n]\_esd ( $m, n = 1, 2, 3$ ), **304**, **305**
  - id, 165, 166, 303, **305**
  - ratio, 165, **305**
  - type\_symbol, 165, 303, **305**
  - U[m][n] ( $m, n = 1, 2, 3$ ), 165, 303, **305**, **306**, **307**
  - U[m][n]\_esd ( $m, n = 1, 2, 3$ ), **306**, **307**
- ATOM\_SITE\_DISPLACE\_FOURIER**, 134–136, **270**, 272, 278, 281
- atom\_site\_label, 135, 138, 270, **271**, 271, 272, 272, 273, 274, 274, 275, 278
  - axis, 135, 138, 270, 271, **272**, 272, 273, 274, 274, 275
  - id, 135, 136, 138, 270, 271, **272**, 272, 273, 274, 274
  - wave\_vector\_seq\_id, 135, 138, 270, 271, **272**, 272–274
- ATOM\_SITE\_DISPLACE\_FOURIER\_PARAM**, 134–136, 270, **272**, 279
- cos, 135, 138, 272, 273, **274**, 274
  - id, 135, 138, 272, 273, **274**, 274
  - modulus, 135, **274**, 274
  - phase, 135, **274**, 274
  - sin, 135, 136, 138, 272–274, **275**
- ATOM\_SITE\_DISPLACE\_SPECIAL\_FUNC**, 134, 136, **275**
- atom\_site\_label, 136, **275**, 275
  - sawtooth\_ax, 136, **275**, 275
  - sawtooth\_ay, 136, **275**, 275
  - sawtooth\_az, 136, **275**, 275
  - sawtooth\_c, 136, **275**, 275
  - sawtooth\_w, 136, **275**, 275
- ATOM\_SITE\_FOURIER\_WAVE\_VECTOR**, 134–136, **275**
- description, 135, 138, 270–274, **275**, 275
  - seq\_id, 135, 136, 138, 270, 271, 272, 272–275, **276**, 279, 280
  - x, 135, 138, 270–275, **276**
  - y, 135, **276**
  - z, 135, 271, 273, 274, **276**
- ATOM\_SITE\_OCC\_FOURIER**, 134–136, **276**
- atom\_site\_label, 135, **276**, 276, 277
  - id, 135, **276**, 276
  - wave\_vector\_seq\_id, 135, **276**, 276, 277
- ATOM\_SITE\_OCC\_FOURIER\_PARAM**, 134, 135, **276**
- cos, 135, **276**
  - id, 135, **276**, 276
  - modulus, 135, 276, **277**
  - phase, 135, 276, **277**
  - sin, 135, **277**
- ATOM\_SITE\_OCC\_SPECIAL\_FUNC**, 134, 136, **277**
- atom\_site\_label, 136, **277**, 277
  - crenel\_c, 136, **277**, 277
  - crenel\_w, 136, **277**, 277
- ATOM\_SITE\_PHASON**, 134, 135, **278**
- atom\_site\_label, 135, **278**
  - coeff, 135, **278**
  - formula, 135, **278**
- ATOM\_SITE\_ROT\_FOURIER**, 134–136, 270, **278**, 279
- atom\_site\_label, 135, 138, 272, **278**, 278, 279, 280
  - axis, 135, 138, **278**, 278, 279, 280
  - id, 135, 138, **278**, 278, 279
  - wave\_vector\_seq\_id, 135, 138, 278, **279**
- ATOM\_SITE\_ROT\_FOURIER\_PARAM**, 134–136, 272, 278, **279**
- cos, 135, 138, 274, **279**, 279
  - id, 135, 138, **279**, 279
  - modulus, 135, 274, **279**, 279
  - phase, 135, 274, **279**, 279
  - sin, 135, 138, 275, 279, **280**
- ATOM\_SITE\_U\_FOURIER**, 134–136, **280**
- atom\_site\_label, 135, **280**, 280, 281
  - id, 135, **280**, 280, 281
  - tens\_elem, 135, **280**, 280, 281
  - wave\_vector\_seq\_id, 135, **280**, 280
- ATOM\_SITE\_U\_FOURIER\_PARAM**, 134, 135, **280**
- cos, 135, **280**, 281
  - id, 135, 280, **281**
  - modulus, 135, **280**, **281**
  - phase, 135, 280, **281**
  - sin, 135, **281**
- ATOM\_SITES**, 90, 102, 103, 105, 164, 167, **214**, **307**
- Cartn\_tran\_matrix\_mn ( $m, n = 1, 2, 3$ ), 105, **214**, 214
  - Cartn\_tran\_vector\_n ( $n = 1, 2, 3$ ), 105, **214**
  - Cartn\_transf\_matrix[m][n] ( $m, n = 1, 2, 3$ ), 167, **307**, 307, **308**
  - Cartn\_transf\_vector[n] ( $n = 1, 2, 3$ ), 167, 307, **308**
  - Cartn\_transform\_axes, 167, 301, 307, 307, **308**, 309, 310, 382, 383
  - Cartn\_transform\_axes, 105, 212, **214**, 214
  - entry\_id, 167, 307, **308**
  - fract\_tran\_matrix\_mn ( $m, n = 1, 2, 3$ ), 90, 105, 106, **214**
  - fract\_tran\_vector\_n ( $n = 1, 2, 3$ ), 106, **214**
  - fract\_transf\_matrix[m][n] ( $m, n = 1, 2, 3$ ), 167, **309**
  - fract\_transf\_vector[n] ( $n = 1, 2, 3$ ), 167, **310**
  - solution\_hydrogens, 167, **310**
  - solution\_hydrogens, 98, 106, **214**
  - solution\_primary, 167, **310**
  - solution\_primary, 98, 106, **214**
  - solution\_secondary, 167, **310**
  - solution\_secondary, 106, **214**
- ATOM\_SITES\_ALT**, 147, 164, 166, 168, 302, **310**, 311, 312, 423, 424, 426, 429–431, 440
- details, 168, 168, 310, **311**
  - id, 166, 168, 168, 302, 310, **311**, 312, 423, 424, 426, 429–431, 440
- ATOM\_SITES\_ALT\_ENS**, 164, 168, **311**, 312
- details, 168, 168, **311**, 311
  - id, 168, 168, **311**, 311, 312
- ATOM\_SITES\_ALT\_GEN**, 164, 168, 169, **312**
- alt\_id, 168, 168, **312**, 312
  - ens\_id, 168, 168, **312**, 312
- ATOM\_SITES\_DISPLACE\_FOURIER**, 134–136, **281**
- axes\_description, 135, 272, 274, 275, **281**
- ATOM\_SITES\_FOOTNOTE**, 164, 166, 167, 301, **312**
- id, 166, 167, 167, 301, **312**, 312
  - text, 167, 167, **312**, 312
- ATOM\_SITES\_MODULATION**, 134–136, **281**
- global\_phase\_t\_n ( $n = 1, \dots, 8$ ), 135, **281**
- ATOM\_SITES\_ROT\_FOURIER**, 134–136, **282**
- axes\_description, 135, 278, **282**
- ATOM\_TYPE**, 90, 102–104, 106, 164, 165, 167, **214**, 303, 305, **312**, 323, 333, 382
- analytical\_mass\_%, 106, 118, **215**
  - analytical\_mass\_percent, 167, **313**
  - description, 5, 167, **313**
  - description, 104, 106, **215**, 565
  - number\_in\_cell, 5, 167, 312, **313**
  - number\_in\_cell, 106, 124, 214, **215**
  - oxidation\_number, 167, 312, **313**
  - oxidation\_number, 90, 106, 214, **215**
  - radius\_bond, 167, **313**
  - radius\_bond, 6, 106, **215**
  - radius\_contact, 167, **313**
  - radius\_contact, 106, **215**
  - scat\_Cromer\_Mann\_an ( $n = 1, \dots, 4$ ), 167, 312, **313**
  - scat\_Cromer\_Mann\_an ( $n = 1, \dots, 4$ ), 106, **215**
  - scat\_Cromer\_Mann\_bn ( $n = 1, \dots, 4$ ), 167, 312, **313**
  - scat\_Cromer\_Mann\_bn ( $n = 1, \dots, 4$ ), 106, **215**
  - scat\_Cromer\_Mann\_c, 167, 312, **313**
  - scat\_Cromer\_Mann\_c, 106, **215**
  - scat\_dispersion\_imag, 167, 312, **313**
  - scat\_dispersion\_imag, 106, 214, **215**, 565
  - scat\_dispersion\_real, 167, 312, **313**
  - scat\_dispersion\_real, 106, 214, **215**, 565
  - scat\_dispersion\_source, 167, **314**
  - scat\_dispersion\_source, 106, **215**
  - scat\_length\_neutron, 167, **314**
  - scat\_length\_neutron, 106, 125, **215**
  - scat\_source, 167, 312, **314**
  - scat\_source, 6, 106, 125, 214, **215**, 565
  - scat\_versus\_stol\_list, 167, **314**
  - scat\_versus\_stol\_list, 106, **215**
  - symbol, 5, 167, 303, 305, 312, **314**, 323, 333, 382
  - symbol, 6, 104, 106, 124, 125, 211–213, 214, **215**, 220, 565
- AUDIT**, 114, 115, 132, 136, 137, 194, **215**, **314**
- block\_code, 115, 115, 116, 116, 137, 139, 194, **215**, 215, 217, 271, 273, 282
  - creation\_date, 5, 194, **314**, 314
  - creation\_date, 6, 85, 115, 115, **215**, 215
  - creation\_method, 5, 194, **314**, 314
  - creation\_method, 6, 115, 115, **215**, 215
  - revision\_id, 194, **314**, 314
  - update\_record, 5, 194, **314**, 314
  - update\_record, 6, 115, 115, **215**, 215
- AUDIT\_AUTHOR**, 114, 115, 194, **216**, **314**
- address, 194, 314, **315**
  - address, 115, **216**, 216

## INDEX OF CATEGORIES AND DATA NAMES

- AUDIT\_AUTHOR**  
 —.name, 194, **314**, **315**  
 —.name, 115, **216**, **216**
- AUDIT\_CONFORM**, 25, 114, 115, 194, **216**, **315**  
 —.dict\_location, 35, 194, **315**, **315**  
 —.dict\_location, 35, 85, 115, **216**, **216**  
 —.dict\_name, 35, 85, 87, 194, **315**, **315**  
 —.dict\_name, 35, 85, 87, 115, **216**, **216**  
 —.dict\_version, 35, 194, **315**, **315**  
 —.dict\_version, 35, 85, 115, **216**, **216**
- AUDIT\_CONTACT\_AUTHOR**, 114, 115, 194, **216**, **315**  
 —.address, 194, **315**, **315**  
 —.address, 115, **216**, **216**  
 —.email, 194, **315**, **315**  
 —.email, 115, **216**, **216**  
 —.fax, 194, **315**, **315**  
 —.fax, 115, **216**, **216**  
 —.name, 194, **315**, **315**  
 —.name, 115, **216**, **216**  
 —.phone, 194, **315**, **315**  
 —.phone, 115, **216**, **217**
- AUDIT\_LINK**, 25, 114, 115, 132, 136, 137, 194, 195, **217**, 270, **282**, **316**  
 —.block\_code, 195, **316**, **316**  
 —.block\_code, 115, 116, 137, 139, **217**, **217**, 271, 273, 282  
 —.block\_description, 195, **316**, **316**  
 —.block\_description, 115, 116, 139, **217**, **217**, 271, 273, 282
- AXIS**, 199, 201, 202, 204, 205, 447, **448**, 449, 450, 452, 453, 457, 458, 551, 552  
 —.depends\_on, 202, **448**, **448**, **455**, **456**, **554**  
 —.equipment, 202, **448**, **448**, **455**, **456**, **554**  
 —.id, 201–203, 205, 447, 448, **448**, **449**, 450, 452, **455**, **456**, **457**, **458**, **554**  
 —.offset[*n*] (*n* = 1, 2, 3), 202, **448**, **449**, **455**, **456**, **554**  
 —.type, 202, **448**, **449**, **455**, **456**, **554**  
 —.vector[*n*] (*n* = 1, 2, 3), 202, **448**, **449**, **455**, **456**, **554**
- bond\_cip, *see* MIF  
bond\_environment, *see* MIF  
bond\_id\_1, *see* MIF  
bond\_id\_2, *see* MIF  
bond\_type\_casreg3, *see* MIF  
bond\_type\_ccdc, *see* MIF  
bond\_type\_mif, *see* MIF
- category, *see* DDL1  
category.description, *see* DDL2  
category.id, *see* DDL2  
category.implicit\_key, *see* DDL2  
category.mandatory\_code, *see* DDL2  
category\_examples.case, *see* DDL2  
category\_examples.detail, *see* DDL2  
category\_examples.id, *see* DDL2  
category\_group.category\_id, *see* DDL2  
category\_group.id, *see* DDL2  
category\_group\_list.description, *see* DDL2  
category\_group\_list.id, *see* DDL2  
category\_group\_list.parent\_id, *see* DDL2  
category\_key.id, *see* DDL2  
category\_key.name, *see* DDL2
- CATEGORY**, 64, 68, 69, **473**  
**CATEGORY\_EXAMPLES**, 64, 69, **473**  
**CATEGORY\_GROUP**, 64, 69, **473**  
**CATEGORY\_GROUP\_LIST**, 64, 69, **473**  
**CATEGORY\_KEY**, 64, 69, **473**  
**CATEGORY\_METHODS**, 69, **473**
- CELL**, 93, 101, 132, 133, 148, 149, 157, **217**, 236–238, 249, **282**, 286, 287, **316**, 356, 362, 364, 366, 367, 369, 409, 410  
 —.angle\_alpha, 5, 148, **149**, **316**, **316**, 318  
 —.angle\_alpha\_esd, 6, 21, 93, **124**, **217**, **217**, 218, 559, 563, 565  
 —.angle\_alpha\_esd, **316**  
 —.angle\_beta, 5, 148, **149**, **316**, **316**, 318  
 —.angle\_beta\_esd, **316**  
 —.angle\_gamma, 5, 148, **149**, **316**, **316**, 318  
 —.angle\_gamma\_esd, 6, 21, 93, **124**, **217**, **217**, 218, 559, 563, 565  
 —.angle\_gamma\_esd, **316**  
 —.details, 148, **149**, **316**, **316**  
 —.entry\_id, 148, **149**, 195, **316**, **316**  
 —.formula\_units\_Z, 148, **316**  
 —.formula\_units\_Z, 6, 93, 107, **217**, 563, 565  
 —.length\_a, 5, 144, 148, **148**, **149**, 301, **316**, **317**, 318, 383  
 —.length\_a, 6, 21, 33, 93, **124**, 144, **148**, **217**, 217, 218, 500, 559, 563, 565  
 —.length\_a\_esd, **148**, **149**, **316**, **317**  
 —.length\_b, 5, 148, **149**, 301, **316**, **317**, 318, 383  
 —.length\_b, 6, 21, 93, **124**, **217**, **217**, 218, 500, 559, 563, 565  
 —.length\_b\_esd, **149**, **316**, **317**  
 —.length\_c, 5, 148, **149**, 301, **316**, **317**, 318, 383  
 —.length\_c, 6, 21, 93, **124**, **217**, **217**, 559, 563, 565  
 —.length\_c\_esd, **149**, **316**, **317**  
 —.measurement\_pressure, 93, **217**  
 —.measurement\_radiation, 93, **217**  
 —.measurement\_reflns\_used, 6, 93, **217**, **217**, 563, 565  
 —.measurement\_temperature, 6, 93, **217**, **217**, 563, 565  
 —.measurement\_theta\_max, 6, 93, **217**, **217**, 563, 565  
 —.measurement\_theta\_min, 6, 93, **217**, **217**, 563, 565  
 —.measurement\_wavelength, 93, **217**  
 —.modulation\_dimension, 133, **138**, **276**, **282**, 283–289  
 —.reciprocal\_angle\_alpha, 148, **317**  
 —.reciprocal\_angle\_alpha, 93, **218**  
 —.reciprocal\_angle\_alpha\_esd, **317**  
 —.reciprocal\_angle\_beta, 148, **317**  
 —.reciprocal\_angle\_beta, 93, **218**  
 —.reciprocal\_angle\_beta\_esd, **317**  
 —.reciprocal\_angle\_gamma, 148, **317**  
 —.reciprocal\_angle\_gamma, 93, **218**  
 —.reciprocal\_angle\_gamma\_esd, **317**  
 —.reciprocal\_basis\_description, 133, **137**, **138**, **282**, 284, 285, 288  
 —.reciprocal\_length\_a, 148, **317**  
 —.reciprocal\_length\_a, 93, **218**  
 —.reciprocal\_length\_a\_esd, **317**  
 —.reciprocal\_length\_b, 148, **318**  
 —.reciprocal\_length\_b, 93, **218**  
 —.reciprocal\_length\_b\_esd, **318**  
 —.reciprocal\_length\_c, 148, **318**  
 —.reciprocal\_length\_c, 93, **218**  
 —.reciprocal\_length\_c\_esd, **318**  
 —.special\_details, 93, **218**  
 —.volume, 148, **149**, **316**, **318**  
 —.volume, 6, 93, **124**, **217**, **218**, 563, 565, 566  
 —.volume\_esd, **316**, **318**  
 —.Z\_PDB, 148, **318**
- CELL\_MEASUREMENT**, 148, 149, **318**  
 —.entry\_id, 148, **149**, **318**, **318**  
 —.pressure, 148, **318**  
 —.pressure\_esd, **318**  
 —.radiation, 148, **318**  
 —.reflns\_used, 148, **318**, **318**  
 —.temp, 148, **149**, **318**, **318**  
 —.temp\_esd, **149**, **318**, **318**  
 —.theta\_max, 148, **149**, **318**, **319**  
 —.theta\_min, 148, **149**, **318**, **319**  
 —.wavelength, 148, **149**, **318**, **318**, **319**
- CELL\_MEASUREMENT\_REFLN**, 93, 148, **218**, **318**, **319**  
 —.index\_h, 148, **319**, **319**  
 —.index\_h, 93, **218**  
 —.index\_k, 148, **319**, **319**
- CELL\_MEASUREMENT\_REFLN**  
 —.index\_k, 93, **218**  
 —.index\_l, 148, **319**, **319**  
 —.index\_l, 93, **218**  
 —.theta, 148, **319**, **319**  
 —.theta, 93, **218**
- CELL\_SUBSYSTEM**, 132, 133, **282**  
 —.code, 133, 135, 138, 270, 270, **272**, **282**, 282  
 —.description, 133, 138, 270, 272, 282, **283**  
 —.matrix\_W\_m\_n (*m, n* = 1, ..., 11), 85, 133, 138, 270, 272, 282, **283**
- CELL\_SUBSYSTEMS**, 132, 133, **284**  
 —.number, 133, **138**, 282, 283, **284**, **284**
- CELL\_WAVE\_VECTOR**, 133, **284**  
 —.seq\_id, 133, **137**, **284**, 284, 285, 286, 288  
 —.x, 133, **137**, **284**, **284**  
 —.y, 133, **284**  
 —.z, 133, **284**
- CELL\_WAVE\_VECTORS**, 133, **284**  
 —.meas\_details, 133, **284**, **284**  
 —.pressure\_max, 133, **285**  
 —.pressure\_min, 133, **285**  
 —.temp\_max, 133, **285**  
 —.temp\_min, 133, **285**  
 —.variation, 133, **285**
- CHEM\_COMP**, 146, 164, 166, 169–173, 175, 302, **319**, 320–325, 353, 355, 434, 438  
 —.formula, **147**, 169, **172**, **319**  
 —.formula\_weight, 169, **172**, **319**  
 —.id, **147**, 166, 169, **172**, 302, **319**, **319**, 320–325, 355, 434, 438  
 —.model\_details, 169, 171, **320**  
 —.model\_eref, 169–171, **320**  
 —.model\_source, 170, 171, **319**, **320**  
 —.mon\_nstd\_class, 170, **320**  
 —.mon\_nstd\_details, 170, **320**  
 —.mon\_nstd\_flag, **147**, 170, **320**  
 —.mon\_nstd\_parent, 170, **320**  
 —.mon\_nstd\_parent\_comp\_id, 170, **320**  
 —.name, **147**, 170, **172**, **319**, **320**  
 —.number\_atoms\_all, 170, **172**, **320**  
 —.number\_atoms\_nh, 170, **172**, **320**  
 —.one\_letter\_code, 170, 171, **320**  
 —.three\_letter\_code, 170, 171, **320**  
 —.type, 170–172, **172**, **321**, 324, 325
- CHEM\_COMP\_ANGLE**, 169–171, 319, **321**  
 —.atom\_id\_1, 170, **321**, **321**, 327  
 —.atom\_id\_2, 170, **321**, **321**  
 —.atom\_id\_3, 170, **321**, **321**, 327  
 —.comp\_id, 170, **321**, **321**  
 —.value\_angle, 170, **321**, **321**  
 —.value\_angle\_esd, **321**  
 —.value\_dist, 170, **321**, **321**, 327  
 —.value\_dist\_esd, **321**
- CHEM\_COMP\_ATOM**, 166, 169–172, 302, 319, 321, **322**, 323–326, 423, 424, 440  
 —.alt\_atom\_id, 170, **322**  
 —.atom\_id, 166, 170, **172**, 302, 321, **322**, **322**, 323–325, 423, 424, 440  
 —.charge, 170, **322**  
 —.comp\_id, 170, **172**, **322**, 322, 326  
 —.model\_Cartn\_x, 170, **172**, **322**, **322**  
 —.model\_Cartn\_x\_esd, **322**  
 —.model\_Cartn\_y, 170, **172**, **322**, **322**  
 —.model\_Cartn\_y\_esd, **322**  
 —.model\_Cartn\_z, 170, **172**, **322**, **323**  
 —.model\_Cartn\_z\_esd, **323**  
 —.partial\_charge, 170, **323**  
 —.substruct\_code, 170, 322, **323**  
 —.type\_symbol, 170, **172**, **322**, **323**
- CHEM\_COMP\_BOND**, 169–172, 182, 319, **323**  
 —.atom\_id\_1, 170, **172**, **323**, **323**  
 —.atom\_id\_2, 170, **172**, **323**, **323**  
 —.comp\_id, 170, **172**, **323**, **323**  
 —.value\_dist, 170, **172**, **323**  
 —.value\_dist\_esd, **172**, **323**  
 —.value\_order, 170, **172**, **323**, **323**

## INDEX OF CATEGORIES AND DATA NAMES

- CHEM\_COMP\_CHIR, 169–171, 173, **323**, 324
- atom\_config, 170, **324**
  - atom\_id, 170, **323**, **324**
  - comp\_id, 170, **323**, **324**
  - id, 170, **323**, **324**
  - number\_atoms\_all, 170, **324**
  - number\_atoms\_nh, 170, **324**
  - volume\_flag, 170, **324**
  - volume\_three, 170, **324**
  - volume\_three\_esd, **324**
- CHEM\_COMP\_CHIR\_ATOM, 169–171, 173, **323**, **324**
- atom\_id, 170, **324**, **324**
  - chir\_id, 170, **324**, **324**
  - comp\_id, 170, **324**, **324**
  - dev, 170, **324**
- CHEM\_COMP\_LINK, 169, 170, 172, **324**
- details, 170, **324**
  - link\_id, 170, 172, **324**
  - type\_comp\_1, 170, **324**, **327**
  - type\_comp\_2, 170, **325**, **327**
- CHEM\_COMP\_PLANE, 169–171, 173, **325**
- comp\_id, 170, **325**, **325**
  - id, 170, **325**, **325**
  - number\_atoms\_all, 170, **325**
  - number\_atoms\_nh, 170, **325**
- CHEM\_COMP\_PLANE\_ATOM, 169–171, 173, **325**
- atom\_id, 170, **325**, **325**
  - comp\_id, 170, **325**, **325**
  - dist\_esd, **325**
  - plane\_id, 170, **325**, **325**
- CHEM\_COMP\_TOR, 169–172, **325**, **326**
- atom\_id\_1, 170, 172, **325**, **325**, **326**
  - atom\_id\_2, 170, 172, **325**, **325**
  - atom\_id\_3, 170, 172, **325**, **325**
  - atom\_id\_4, 170, 172, **325**, **325**, **326**
  - comp\_id, 170, 172, **325**, **325**
  - id, 170, 172, **325**, **326**
- CHEM\_COMP\_TOR\_VALUE, 169, 170, 172, **325**, **326**
- angle, 170, 172, **326**, **326**
  - angle\_esd, **326**
  - comp\_id, 170, 172, **326**, **326**
  - dist, 170, 172, **326**, **326**
  - dist\_esd, **326**
  - tor\_id, 170, 172, **326**, **326**
- CHEM\_LINK, 164, 169, 172–174, 182, 324, **326**, 327–330, 353
- details, 172, **326**
  - id, 172, 174, 324, **326**, 327–330, 353
- CHEM\_LINK\_ANGLE, 169, 172, 173, **326**
- atom\_1\_comp\_id, 172, 173, **326**, **327**
  - atom\_2\_comp\_id, 172, 173, **326**, **327**
  - atom\_3\_comp\_id, 172, 173, **326**, **327**
  - atom\_id\_1, 172, 173, **326**, **327**
  - atom\_id\_2, 172, 173, **326**, **327**
  - atom\_id\_3, 172, 173, **326**, **327**
  - link\_id, 172, 173, **326**, **327**
  - value\_angle, 172, 173, **326**, **327**
  - value\_angle\_esd, 173, **326**, **327**
  - value\_dist, 172, **327**
  - value\_dist\_esd, **327**
- CHEM\_LINK\_BOND, 169, 172, 173, **327**
- atom\_1\_comp\_id, 172, 173, **327**, **327**
  - atom\_2\_comp\_id, 172, 173, **327**, **327**
  - atom\_id\_1, 172, 173, **327**, **328**
  - atom\_id\_2, 172, 173, **327**, **328**
  - link\_id, 172, 173, **327**, **328**
  - value\_dist, 172, 173, **327**, **328**
  - value\_dist\_esd, 173, **327**, **328**
  - value\_order, 172, **328**
- CHEM\_LINK\_CHIR, 169, 172, 173, **328**, **329**
- atom\_comp\_id, 172, **328**
  - atom\_config, 172, **328**
  - atom\_id, 172, **328**
  - id, 172, **328**, **329**
  - link\_id, 172, **328**
- CHEM\_LINK\_CHIR\_ATOM, 169, 172, 173, **328**, **329**
- atom\_comp\_id, 172, **329**
  - atom\_id, 172, **329**
  - chir\_id, 172, **329**
  - dev, 172, **329**
- CHEM\_LINK\_PLANE, 169, 172, 173, **329**
- id, 172, **329**
  - link\_id, 172, **329**
  - number\_atoms\_all, 172, **329**
  - number\_atoms\_nh, 172, **329**
- CHEM\_LINK\_PLANE\_ATOM, 169, 172, 173, **329**
- atom\_comp\_id, 172, **329**
  - atom\_id, 172, **329**
  - plane\_id, 172, **329**
- CHEM\_LINK\_TOR, 169, 172, 173, **329**, **330**
- atom\_1\_comp\_id, 172, **329**
  - atom\_2\_comp\_id, 172, **329**
  - atom\_3\_comp\_id, 172, **329**
  - atom\_4\_comp\_id, 172, **330**
  - atom\_id\_1, 172, **330**
  - atom\_id\_2, 172, **330**
  - atom\_id\_3, 172, **330**
  - atom\_id\_4, 172, **330**
  - id, 172, **330**
  - link\_id, 172, **330**
- CHEM\_LINK\_TOR\_VALUE, 169, 172, 174, **329**, **330**
- angle, 172, **330**
  - angle\_esd, **330**
  - dist, 172, **330**
  - dist\_esd, **330**
  - tor\_id, 172, **330**
- CHEMICAL, 105–107, 164, 169, 174, **218**, **330**, 352
- absolute\_configuration, 169, **330**
  - absolute\_configuration, 106, **218**, 567
  - compound\_source, 169, **331**
  - compound\_source, 6, 106, **218**
  - entry\_id, 38, 169, **330**, **331**
  - melting\_point, 169, **331**
  - melting\_point, 106, 118, **218**, 219, 565
  - melting\_point\_gt, 169, **331**
  - melting\_point\_gt, 106, **219**
  - melting\_point\_lt, 169, **331**
  - melting\_point\_lt, 106, **219**
  - name\_common, 38, 169, **331**
  - name\_common, 106, **219**
  - name\_mineral, 169, **331**
  - name\_mineral, 106, **219**
  - name\_structure\_type, 169, **331**
  - name\_structure\_type, 106, **219**
  - name\_systematic, 169, **330**, **331**
  - name\_systematic, 6, 21, 35, 106, 218, **219**
  - optical\_rotation, 169, **331**
  - optical\_rotation, 107, **219**
  - properties\_biological, 169, **331**
  - properties\_biological, 107, **219**
  - properties\_physical, 169, **331**
  - properties\_physical, 107, **219**
  - temperature\_decomposition, 169, **331**
  - temperature\_decomposition, 107, **219**
  - temperature\_decomposition\_esd, **331**
  - temperature\_decomposition\_gt, 169, **332**
  - temperature\_decomposition\_gt, 107, **219**
  - temperature\_decomposition\_lt, 169, **332**
  - temperature\_decomposition\_lt, 107, **219**
  - temperature\_sublimation, 169, **332**
  - temperature\_sublimation, 107, **219**
  - temperature\_sublimation\_esd, **332**
  - temperature\_sublimation\_gt, 169, **332**
  - temperature\_sublimation\_gt, 107, **219**
- CHEMICAL
- temperature\_sublimation\_lt, 169, **332**
  - temperature\_sublimation\_lt, 107, **219**
- CHEMICAL\_CONN\_ATOM, 105–108, 169, **219**, 301, **332**, **333**
- charge, 169, **332**
  - charge, 107, **220**
  - display\_x, 169, **332**, **332**
  - display\_x, 105, 107, **108**, **220**, **220**
  - display\_y, 169, **332**, **332**
  - display\_y, 105, 107, **108**, **220**, **220**
  - NCA, 169, **332**, **333**
  - NCA, 105, 107, **108**, **220**, **220**
  - NH, 169, **332**, **333**
  - NH, 105, 107, **108**, **220**, **220**
  - number, 169, 301, **332**, **333**
  - number, 105, 107, **108**, 212, **220**, **220**
  - type\_symbol, 169, **332**, **333**
  - type\_symbol, 105, 107, **108**, **220**, **220**
- CHEMICAL\_CONN\_BOND, 105–108, 169, **220**, **332**, **333**
- atom\_1, 169, **333**, **333**
  - atom\_1, 107, **108**, **220**, **220**
  - atom\_2, 169, **333**, **333**
  - atom\_2, 105, 107, **108**, **220**, **220**
  - type, 169, 171, **333**, **333**
  - type, 107, **108**, **220**, **220**
- CHEMICAL\_FORMULA, 106, 107, 169, **221**, **333**, **334**
- analytical, 169, **333**, **334**
  - analytical, 107, **107**, **221**
  - entry\_id, 169, **333**, **334**
  - iupac, 169, **334**
  - iupac, 107, **108**, **221**, **221**
  - moiety, 169, 316, **333**, **333**, **334**
  - moiety, 6, 21, 35, 85, 107, **108**, **221**, **221**, 559, 563, 565
  - structural, 169, 316, **333**, **334**
  - structural, 107, **108**, **221**, **221**
  - sum, 169, 316, **333**, **333**, **334**
  - sum, 6, 35, 107, **108**, **221**, **221**, 488, 559, 565, 566
  - weight, 169, **333**, **334**
  - weight, 6, 21, 35, 107, **221**, **221**, 559, 565, 566
  - weight\_meas, 169, **334**
  - weight\_meas, 107, **221**
- CITATION, 83, 112, 190, 191, **222**, **334**, 335–337, 416
- abstract, 190, **335**
  - abstract, 112, **222**
  - abstract\_id\_CAS, 190, **335**
  - abstract\_id\_CAS, 112, **222**
  - book\_id\_ISBN, 190, **334**, **335**
  - book\_id\_ISBN, 112, **222**, **222**
  - book\_publisher, 190, **334**, **335**
  - book\_publisher, 112, **222**, **222**
  - book\_publisher\_city, 190, **335**
  - book\_publisher\_city, 112, **222**
  - book\_title, 190, **334**, **335**
  - book\_title, 112, **222**, **222**
  - coordinate\_linkage, 190, **334**, **335**
  - coordinate\_linkage, 112, **222**, **222**
  - country, 190, **334**, **335**
  - country, 112, **222**, **222**
  - database\_id\_CSD, 190, **335**
  - database\_id\_CSD, 112, **222**
  - database\_id\_Medline, 190, **335**
  - database\_id\_Medline, 112, **222**
  - details, 191, **334**, **335**
  - id, 5, 65, 190, 191, **334**, **335**, 336, 337, 416
  - id, 112, **112**, **222**, **222**, **223**, **224**
  - journal\_abbrev, 5, 190, **334**, **335**
  - journal\_abbrev, 112, **112**, **222**, **222**
  - journal\_full, 190, **335**
  - journal\_full, 112, **223**
  - journal\_id\_ASTM, 190, **334**, **335**
  - journal\_id\_ASTM, 5, 112, **222**, **223**
  - journal\_id\_CSD, 190, **334**, **336**

## INDEX OF CATEGORIES AND DATA NAMES

### CITATION

- journal\_id\_CSD, 112, **223**
- journal\_id\_ISSN, 190, **334, 336**
- journal\_id\_ISSN, 5, 112, **112, 222, 223**
- journal\_issue, 190, **334, 336**
- journal\_issue, 112, **222, 223**
- journal\_volume, 5, 190, **334, 336**
- journal\_volume, 112, **112, 222, 223**
- language, 190, **336**
- language, 112, **223**
- page\_first, 5, 190, **334, 336**
- page\_first, 112, **112, 222, 223**
- page\_last, 191, **334, 336**
- page\_last, 112, **112, 222, 223**
- special\_details, 112, **222, 223**
- title, 191, **334, 336**
- title, 5, 112, **112, 222, 223**
- year, 5, 191, **334, 336**
- year, 112, **112, 222, 223**

CITATION\_AUTHOR, 83, 112, 190, 191, **223, 336**

- citation\_id, 5, 191, **336, 336**
- citation\_id, 112, **112, 223, 223**
- name, 5, 191, **336, 336**
- name, 112, **112, 223, 223**
- ordinal, 191, **336, 336**
- ordinal, 112, **223**

CITATION\_EDITOR, 83, 112, 190, 191, **224, 337**

- citation\_id, 191, **337, 337**
- citation\_id, 112, **224, 224**
- name, 191, **337, 337**
- name, 112, **224, 224**
- ordinal, 191, **337**
- ordinal, 112, **224**

COMPUTING, 91, 113, 190, 191, **224, 337, 416**

- cell\_refinement, 191, **337, 337**
- cell\_refinement, 6, 113, **224, 224, 565**
- data\_collection, 191, **337, 337**
- data\_collection, 6, 113, **224, 224, 565**
- data\_reduction, 191, **337, 337**
- data\_reduction, 6, 113, **224, 224, 565**
- entry\_id, 191, **337**
- molecular\_graphics, 191, **337, 337**
- molecular\_graphics, 6, 113, **224, 224, 565**
- publication\_material, 191, **337, 337**
- publication\_material, 6, 113, **224, 224, 565**
- structure\_refinement, 191, **337, 337**
- structure\_refinement, 6, 113, **224, 224, 565**
- structure\_solution, 191, **337, 337**
- structure\_solution, 6, 98, 113, **224, 224, 565**

DATABASE, 113, 190–192, 195, **224, 337, 338**

- code\_CAS, 192, **337**
- code\_CAS, 84, 113, **224**
- code\_CSD, 192, **337**
- code\_CSD, 84, **84, 113, 224, 224**
- code\_depnum\_ccdc\_archive, 192, **338**
- code\_depnum\_ccdc\_archive, 113, **224**
- code\_depnum\_ccdc\_fiz, 192, **338**
- code\_depnum\_ccdc\_fiz, 113, **224**
- code\_depnum\_ccdc\_journal, 192, **338**
- code\_depnum\_ccdc\_journal, 113, **224**
- code\_ICSD, 192, **337**
- code\_ICSD, 113, **224**
- code\_MDF, 192, **338**
- code\_MDF, 113, **224**
- code\_NBS, 192, **338**
- code\_NBS, 113, **224**
- code\_PDB, 192, **338**
- code\_PDB, 84, 113, **224**
- code\_PDF, 192, **338**
- code\_PDF, 113, **224**
- CSD\_history, 192, **338**
- CSD\_history, 113, **224**
- entry\_id, 192, **338**
- journal\_ASTM, 192, **338**
- journal\_ASTM, 113, **224**
- journal\_CSD, 192, **338**
- journal\_CSD, 113, **224**

DATABASE\_2, 84, 113, 186, 190–192, 195, **338**

- database\_code, 84, **84, 192, 338, 338**
- database\_id, 84, **84, 192, 338, 338**

DATABASE\_PDB\_CAVEAT, 192, 193, 195, **338**

- id, 192, 193, **339, 339**
- text, 192, **193, 339, 339**

DATABASE\_PDB\_MATRIX, 192, 193, 195, **339**

- entry\_id, 192, **339**
- origx[m][n] ( $m, n = 1, 2, 3$ ), 192, **339**
- origx\_vector[n] ( $n = 1, 2, 3$ ), 192, **339**
- scale[m][n] ( $m, n = 1, 2, 3$ ), 192, **339**
- scale\_vector[n] ( $n = 1, 2, 3$ ), 192, **339, 340**

DATABASE\_PDB\_REMARK, 192, 193, 195, **340**

- id, 192, 193, **340, 340**
- text, 192, **193, 340, 340**

DATABASE\_PDB\_REV, 192, 193, 195, **340, 341**

- author\_name, 192, **340, 340**
- date, 192, **340, 340**
- date\_original, 192, **340, 340**
- mod\_type, 192, **340, 340**
- num, 192, **340, 340, 341**
- replaced\_by, 192, **340**
- replaces, 192, **341**
- status, 192, **340, 341**

DATABASE\_PDB\_REV\_RECORD, 192, 193, 195, **341**

- details, 192, **341, 341**
- rev\_num, 192, **341, 341**
- type, 192, **341, 341**

DATABASE\_PDB\_TVECT, 192, 193, 195, **341**

- details, 192, **341**
- id, 192, **341**
- vector[1], 192, **341**
- vector[2], 192, **341**
- vector[3], 192, **341**

—datablock.description, *see* DDL2

—datablock.id, *see* DDL2

DATABLOCK, 70, **474**

DATABLOCK\_METHODS, 70, **474**

DDL0 (informal Dictionary Definition Language)

- compliance, 7
- definition, 7
- enumeration, 7
- enumeration\_default, 7
- enumeration\_detail, 7
- enumeration\_range, 7
- esd, 7
- esd\_default, 7
- example, 7
- example\_detail, 7
- list, 7
- list\_identifier, 7
- name, 7
- type, 7
- units\_conversion, 7
- units\_description, 7
- units\_extension, 7
- update\_history, 7

DDL1 (Dictionary Definition Language)

- category, 47, 55, 55–58, 59, 75, 75, 76, 76, 77, 77, 78, 78, 89, **471, 472**
- definition, 55, 55–57, 58, 58, 59, 75–77, 78, 78, 89, **471**
- dictionary\_history, 55, 60, 76, 77, 89, **471**
- dictionary\_name, 55, 60, 76, 76, 77, 85, 87–89, **471**
- dictionary\_update, 55, 60, 76, 77, 89, **471**
- dictionary\_version, 55, 60, 76, 77, 85, 88, 89, **471**
- enumeration, 51, 57, 58, 58, 78, 105, 471, **471, 472**
- enumeration\_default, 56, 56, 57, 58, 89, **471**
- enumeration\_detail, 57, 58, 58, **471**
- enumeration\_range, 51, 55, 55, 56, 58, 75, 78, 89, 212, 243, **471**
- example, 57, 58, 89, **471, 490, 490, 491**
- example\_detail, 57, 58, 76, 77, 89, **471**
- list, 46, 55, 56, 56, 57, 58, 58, 59, 75, 78, 89, 89, **471**

DDL1 (Dictionary Definition Language)

- list\_level, 58, 59, **471**
- list\_link\_child, 53, 56, 57, 59, 78, 88, **471**
- list\_link\_parent, 53, 56, 57, 59, 75, **471**
- list\_mandatory, 56, 57, 59, 60, 75, 75, 78, 81, **471, 472**
- list\_reference, 54, 55, 56, 56–58, 59, 60, 75, 75, 76, 78, 78, 81, 89, **471**
- list\_uniqueness, 59, 60, 75, 81, **472**
- name, 55, 55, 56, 56, 57, 58, 58, 59, 75–78, 88, 89, 89, 259, **472, 520**
- related\_function, 56, 57, 59, 60, 471, **472**
- related\_item, 56, 57, 59, 60, 471, **472**
- type, 55, 55, 56, 56, 57, 58, 58, 59, 75, 76, 77, 77, 78, 89, **472, 520**
- type\_conditions, 34, 50, 55, 56, 56, 57, 58, 59, 75, 78, 148, **472**
- type\_construct, 58, 59, 59, 85, **472**
- units, 55, 56, 56, 57, 58, 59, 75, 78, 78, 79, **472**
- units\_detail, 55, 56, 56, 57, 58, 59, 75, 78, 79, **472**

DDL2 (Dictionary Definition Language)

- category.description, 65, 66, 68, 81, **473**
- category.id, 65, 66, 68, 81, **473**
- category.implicit\_key, 68, 70, **473**
- category.mandatory\_code, 64, 65, 66, 68, 81, **473**
- category\_examples.case, 64, 65, 69, 81, **473**
- category\_examples.detail, 64, 65, 69, 81, **473**
- category\_examples.id, 69
- category\_group.category\_id, 69
- category\_group.id, 65, 66, 80, 81
- category\_group\_list.description, 69, 69, 80, 81, **473**
- category\_group\_list.id, 69, 80, 81, **473**
- category\_group\_list.parent\_id, 69, 69, 80, 81, **473**
- category\_key.id, 69
- category\_key.name, 54, 65, 66, 69, 81, **473**
- datablock.description, 70, **474**
- datablock.id, 70, **474**
- dictionary.datablock\_id, 70, 79, 80, **474**
- dictionary.title, 70, 79, 80, 87, **474**
- dictionary.version, 70, 80, **474**
- dictionary\_history.revision, 80, **474**
- dictionary\_history.update, 80, **474**
- dictionary\_history.version, 80, **474**
- item.category\_id, 55, 61, 64, 65, 66, 80, 82, 83
- item.mandatory\_code, 55, 61, 64, 66, 66, 82, 82, 83, **474**
- item.name, 55, 61, 63, 64, 65, 66, 66, 67, 82, 82, 83, 88, **474, 520**
- item\_aliases.alias\_name, 55, 61, 64, 66, 83, 144, **474, 520**
- item\_aliases.dictionary, 55, 61, 64, 66, 66, 83, **474**
- item\_aliases.name, 66
- item\_aliases.version, 55, 61, 64, 66, 66, 83, **474**
- item\_default.name, 66
- item\_default.value, 64, 66, **475**
- item\_dependent.dependent\_name, 55, 64, 66, 82, **475**
- item\_dependent.name, 54
- item\_description.description, 55, 61, 64, 66, 66, 82, 83, 83, **475**
- item\_description.name, 63, 66
- item\_enumeration.detail, 67, **475**
- item\_enumeration.name, 67
- item\_enumeration.value, 67, **475**
- item\_examples.case, 64, 66, 67, **475**
- item\_examples.detail, 67, **475**
- item\_linked.child\_name, 66, 82, **475**
- item\_linked.parent\_name, 66, 66, 67, 82, **475, 520**
- item\_range.maximum, 64, 67, 83, **475**
- item\_range.minimum, 64, 67, 83, **475**
- item\_related.function\_code, 55, 64, 64, 65, 67, 83, **476**
- item\_related.name, 476

## INDEX OF CATEGORIES AND DATA NAMES

### DDL2 (Dictionary Definition Language)

- `_item_related.related_name`, 55, 64, 65, 67, 83, 476
- `_item_structure.code`, 67
- `_item_structure.organization`, 67, **476**
- `_item_structure_list.code`, 67, **476**
- `_item_structure_list.dimension`, 67, **476**
- `_item_structure_list.index`, 67, **476**
- `_item_sub_category.id`, 55, 64, 82
- `_item_type.code`, 55, 61, 64, 66, 67, 69, 82, 83, 476, 520
- `_item_type.name`, 68, 69
- `_item_type_conditions.code`, 23, 55, 64, 83, **476**
- `_item_type_list.code`, 67, 68, 68, 80, 85, **476**
- `_item_type_list.construct`, 68, 68, 80, **477**
- `_item_type_list.detail`, 68, 80, **477**
- `_item_type_list.primitive_code`, 68, 68, 80, **477**
- `_item_units.code`, 55, 64, 64, 68, 83, 83
- `_item_units.name`, 68
- `_item_units_conversion.factor`, 68, 80, **477**
- `_item_units_conversion.from_code`, 68, 80, **477**
- `_item_units_conversion.operator`, 68, 80, **477**
- `_item_units_conversion.to_code`, 68, 80, **477**
- `_item_units_list.code`, 68, 80, 83, **477**
- `_item_units_list.detail`, 80, 83, **477**
- `_method_list.code`, 70, **477**
- `_method_list.detail`, 70, **477**
- `_method_list.id`, 70, **477**
- `_method_list.inline`, 70, **477**
- `_method_list.language`, 70, **477**
- `_sub_category.description`, 80, 80, **478**
- `_sub_category.id`, 80, 80, **478**
- `_sub_category_examples.case`, 70, **478**
- `_sub_category_examples.detail`, 70, **478**
- `_sub_category_examples.id`, 70
- `_sub_category_methods.method_id`, 70
- `_sub_category_methods.sub_category_id`, 70
- `_define_bonding_convention`, *see* MIF
- `_define_stereo_relationship`, *see* MIF
- `_definition`, *see* DDL1
- `_dictionary.datablock_id`, *see* DDL2
- `_dictionary_history`, *see* DDL1
- `_dictionary_history.revision`, *see* DDL2
- `_dictionary_history.update`, *see* DDL2
- `_dictionary_history.version`, *see* DDL2
- `_dictionary_name`, *see* DDL1
- `_dictionary.title`, *see* DDL2
- `_dictionary_update`, *see* DDL1
- `_dictionary.version`, *see* DDL2
- `_dictionary_version`, *see* DDL1

DICTIONARY, 70, **474**

DICTIONARY\_HISTORY, 70, **474**

DIFFRN, 77, 92, 93, 133, 148–151, 157, 199, 201–203, **225**, **341**, 343–345, 347, 348, 351, 352, 450–452, 552

- `—ambient_environment`, 149, 151, **341**, 341
- `—ambient_environment`, 93, 94, **225**
- `—ambient_pressure`, 149, **341**, 342
- `—ambient_pressure`, 93, 118, **225**, 266
- `—ambient_pressure_esd`, **342**
- `—ambient_pressure_gt`, 149, **342**
- `—ambient_pressure_gt`, 93, **225**
- `—ambient_pressure_lt`, 149, **342**
- `—ambient_pressure_lt`, 93, **225**
- `—ambient_temp`, 149, 151, 341, **342**
- `—ambient_temp_details`, 149, **342**
- `—ambient_temp_esd`, **342**
- `—ambient_temp_gt`, 149, **342**
- `—ambient_temp_lt`, 149, **342**
- `—ambient_temperature`, 93, 94, 118, **225**, 225, 266
- `—ambient_temperature_gt`, 93, **225**
- `—ambient_temperature_lt`, 93, 94, **225**
- `—crystal_id`, 38, 149, 151, **342**, 454, 455, 553
- `—crystal_support`, 149, 151, 341, **342**
- `—crystal_treatment`, 149, 151, 341, **342**
- `—crystal_treatment`, 93, 94, **225**
- `—details`, 149, 341, **342**

### DIFFRN

- `—id`, 38, 149, 150, 151, 203, 341, **342**, 343–345, 347, 348, 351, 352, 450–452, 454, 455, 550, 553
- `—measured_fraction_theta_full`, 93, **225**, 565, 567
- `—measured_fraction_theta_max`, 93, **225**, 565, 567
- `—special_details`, 93, 94, **225**, 225
- `—symmetry_description`, 93, 137, 138, **225**

DIFFRN\_ATTENUATOR, 93, 94, 149, **225**, **342**

- `—code`, 149, **342**, 342, 343, 347
- `—code`, 94, 94, **225**, 225, 228
- `—material`, 149, **342**
- `—material`, 94, 94, **225**
- `—scale`, 149, 342, 342, **343**
- `—scale`, 94, 94, **225**, 225

DIFFRN\_DATA\_FRAME, 202, 203, **449**, 451, 457, 458

- `—array_id`, 203, **449**, 449, 454, 456, 550, 553
- `—binary_id`, 203, **449**, 449, 454, 456, 553
- `—detector_element_id`, 203, **449**, 449, 454, 456, 553
- `—id`, 203–205, **449**, 449, 453, 454, 456, 457, 458, 553

DIFFRN\_DETECTOR, 93–95, 149, 202, 203, **225**, 227, **343**, 345, 448, **449**, 450, 452, 550, 552

- `_diffrn_radiation_detector`, 95, **226**
- `_diffrn_radiation_detector_dtime`, 95, **226**
- `—`, 95, **225**, 225
- `—area_resol_mean`, 149, **343**
- `—area_resol_mean`, 95, **226**, 565
- `—details`, 149, 203, **343**, **449**, 553
- `—details`, 95, **226**
- `—detector`, 38, 149, 151, 203, **343**, 343, 449, **450**
- `—diffrn_id`, 38, 149, 150, 151, 203, **343**, 343, 449, **450**, 454, 455, 553
- `—dtime`, 149, 203, **343**, **450**
- `—dtime`, 95, 119, 126, **226**
- `—id`, 38, 203, **450**, 454, 455, 553
- `—number_of_axes`, 203, **450**, 454, 455, 553
- `—type`, 38, 149, 151, 203, **343**, 343, 449, **450**, 454, 455, 553
- `—type`, 95, 120, 126, 225, **226**

DIFFRN\_DETECTOR\_AXIS, 199, 202–204, 447, **450**, 552

- `—axis_id`, 203, **450**, 454, 455, 553
- `—detector_id`, 203, **450**, 454, 455, 553
- `—id`, **450**

DIFFRN\_DETECTOR\_ELEMENT, 202, 203, 449, **450**, 451, 550, 552

- `—center[1]`, 203, **450**, 450
- `—center[2]`, 203, **450**, 450
- `—detector_id`, 38, 203, **450**, 450, 454, 455, 553
- `—id`, 38, 203, 449, **450**, 450, 451, 454, 455, 550, 553

DIFFRN\_FRAME\_DATA, 449, **451**, 555

- `—array_id`, 38, **451**
- `—binary_id`, 38, **451**
- `—detector_element_id`, 38, **451**
- `—id`, 38, **451**

DIFFRN\_MEASUREMENT, 93, 95, 149, 202, 203, **226**, **343**, **451**, 452, 550, 551

- `—details`, 149, 151, 203, **343**, 343, **451**, 451, 553
- `—details`, 95, **226**
- `—device`, 149, 151, 203, **343**, 343, **451**, 451, 452
- `—device`, 6, 95, **226**
- `—device_details`, 149, 151, 203, **343**, 343, **451**, 451
- `—device_details`, 95, **226**
- `—device_type`, 149, 151, 203, **343**, 343, **451**, 451
- `—device_type`, 95, **226**, 226, 565
- `—diffrn_id`, 38, 149, 151, 203, **343**, 343, **451**, 451, 454, 456, 553
- `—id`, 203, **451**, 452, 454, 456, 553
- `—method`, 38, 149, 151, 203, **343**, 343, **451**, 451, 454, 456, 553
- `—method`, 6, 95, 95, **226**, 226, 565

### DIFFRN\_MEASUREMENT

- `—number_of_axes`, 203, **451**, 454, 456, 553
- `—specimen_support`, 149, 203, **344**, **452**
- `—specimen_support`, 95, **226**

DIFFRN\_MEASUREMENT\_AXIS, 199, 202–204, 451, **452**, 551

- `—axis_id`, 203, **452**, 454, 456, 553
- `—id`, **452**
- `—measurement_device`, 203, **452**
- `—measurement_id`, 203, **452**, 454, 456, 553

DIFFRN\_ORIENT\_MATRIX, 93, 95, 149, **226**, **344**

- `—diffrn_id`, 149, **344**, 344
- `—type`, 149, **344**, 344
- `—type`, 95, **226**, 226
- `—UB[m][n]` ( $m, n = 1, 2, 3$ ), 149, **344**, 344
- `—UB_mn` ( $m, n = 1, 2, 3$ ), 95, **226**, 226

DIFFRN\_ORIENT\_REFLN, 93, 95, 149, **227**, **344**, 345

- `—angle_chi`, 149, 344, **345**
- `—angle_chi`, 95, **227**
- `—angle_kappa`, 149, 344, **345**
- `—angle_kappa`, 95, **227**, 227
- `—angle_omega`, 149, 344, **345**
- `—angle_omega`, 95, **227**, 227
- `—angle_phi`, 149, 344, **345**
- `—angle_phi`, 95, **227**, 227
- `—angle_psi`, 149, 344, **345**
- `—angle_psi`, 95, **227**
- `—angle_theta`, 149, 344, **345**
- `—angle_theta`, 95, **227**, 227
- `—diffrn_id`, 149, 344, **345**
- `—index_h`, 149, 344, **345**
- `—index_h`, 95, **227**, 227
- `—index_k`, 149, 344, **345**
- `—index_k`, 95, **227**, 227
- `—index_l`, 149, 344, **345**
- `—index_l`, 95, **227**, 227

DIFFRN\_RADIATION, 93–95, 101, 149, 202, 204, **227**, 228, **345**, 348, 409, **452**, 549, 550

- `—collimation`, 149, 151, 204, **345**, 345, **452**, 452, 553
- `—collimation`, 94, **227**
- `—diffrn_id`, 38, 149, 151, 204, **345**, 345, **452**, 452, 454, 455, 553
- `—div_x_source`, 204, **452**, 454, 455, 550, 553
- `—div_x_y_source`, 204, **452**, 454, 455, 550, 553
- `—div_y_source`, 204, **452**, 454, 455, 550, 553
- `—filter_edge`, 149, 204, **345**, **452**
- `—filter_edge`, 94, **227**
- `—inhomogeneity`, 149, 204, **345**, **452**
- `—inhomogeneity`, 94, **227**
- `—monochromator`, 149, 151, 204, **345**, 345, **452**, 452, 454, 455, 553
- `—monochromator`, 94, **227**, 227
- `—polarisn_norm`, 149, 204, **345**, **452**, 453
- `—polarisn_norm`, 94, **227**
- `—polarisn_ratio`, 149, 204, **345**, **453**
- `—polarisn_ratio`, 94, **227**, 261, 452
- `—polarisn_source_norm`, 204, **453**, 454, 455, 549, 553
- `—polarisn_source_ratio`, 204, **453**, 454, 455, 549, 553
- `—probe`, 149, 204, **346**, **453**, 553
- `—probe`, 94, 120, 125, 129, **227**, 261
- `—type`, 149, 151, 204, 345, **346**, **452**, **453**
- `—type`, 6, 94, 120, **227**, 227, 261, 563, 565, 566
- `—wavelength_id`, 38, 150, 151, 204, 345, **346**, 348, 409, 452, **453**, 454, 455, 549, 553
- `—xray_symbol`, 150, 204, **346**, **453**
- `—xray_symbol`, 94, **227**

DIFFRN\_RADIATION\_WAVELENGTH, 93–95, 149, 150, **227**, 319, **346**, 453, 549

- `—`, 6, 94, 129, 215, 217, **228**, 261, 565, 566
- `—id`, 38, 150, 151, 313, **346**, 346, 453, 454, 455, 553
- `—id`, 94, 95, 122, **228**, 250, 261, 265, 268
- `—wavelength`, 38, 150, 151, **346**, 346, 454, 455, 549, 553

## INDEX OF CATEGORIES AND DATA NAMES

- DIFFRN\_RADIATION\_WAVELENGTH  
 —wt, 38, 150, 151, **346**, 346, 454, 455, 553  
 — wt, 94, **228**, 261
- DIFFRN\_REFLN, 93, 95–97, 100, 101, 132, 133, 149–151, 202, 204, **228**, 229, **285**, **346**, 347–351, 411, 413, **453**  
 —angle\_chi, 150, 204, **346**, 346  
 — angle\_chi, 94, 96, 96, **228**, 228  
 —angle\_kappa, 150, 204, **346**, 346  
 — angle\_kappa, 96, 96, **228**, 228  
 —angle\_omega, 150, 204, **346**, **347**  
 —angle\_omega, 96, 96, **228**, 228  
 —angle\_phi, 150, 204, **346**, **347**  
 — angle\_phi, 96, 96, **228**, 228  
 —angle\_psi, 150, 204, **346**, **347**  
 — angle\_psi, 96, **228**  
 —angle\_theta, 150, 204, **346**, **347**  
 — angle\_theta, 96, 96, **228**, 228  
 —attenuator\_code, 150, 204, 342, **346**, **347**  
 — attenuator\_code, 94, 94, 96, 225, **228**  
 —class\_code, 150, **347**  
 — class\_code, 96, 97, **228**  
 —counts\_bg\_1, 150, 204, **346**, **347**  
 — counts\_bg\_1, 94, 96, 96, **228**, 228  
 —counts\_bg\_2, 150, 204, **346**, **347**  
 — counts\_bg\_2, 94, 96, 96, **228**, 228  
 —counts\_net, 150, 204, **346**, **347**  
 — counts\_net, 96, **228**  
 —counts\_peak, 150, 204, **346**, **347**  
 — counts\_peak, 96, **228**  
 —counts\_total, 150, 204, **346**, **347**  
 — counts\_total, 94, 96, 96, **228**, 228  
 — crystal\_id, 96, **228**, 235  
 —detect\_slit\_horiz, 150, 204, **346**, **347**  
 — detect\_slit\_horiz, 96, **228**  
 —detect\_slit\_vert, 150, 204, **346**, **347**  
 — detect\_slit\_vert, 96, **228**  
 —diffrn\_id, 150, 151, 204, **346**, **346**, **347**  
 —elapsed\_time, 150, 204, **346**, **347**  
 — elapsed\_time, 94, 96, 96, 97, **228**, 228  
 —frame\_id, 204, **453**  
 —id, 150, 151, 204, **346**, **347**  
 —index\_h, 82, 150, 204, **346**, **347**, 348, 349  
 — index\_h, 82, 84, 94, 95, 96, 151, 217, 228, **229**, 230  
 —index\_k, 82, 150, 204, **346**, **347**, 349  
 — index\_k, 82, 84, 94, 95, 96, 228, **229**  
 —index\_l, 82, 150, 204, **346**, **347**, 349  
 — index\_l, 82, 84, 94, 95, 96, 228, **229**  
 —index\_m\_n ( $n = 1, \dots, 8$ ), 133, **285**  
 —intensity\_net, 150, 204, **346**, **348**  
 — intensity\_net, 96, **229**  
 —intensity\_sigma, 150, 204, **346**, **348**  
 — intensity\_sigma, 96, **229**  
 —intensity\_u, 150, **348**  
 — intensity\_u, 96, **229**  
 —scale\_group\_code, 150, 204, **346**, **348**  
 — scale\_group\_code, 96–98, **229**  
 —scan\_mode, 150, 204, **346**, **348**  
 — scan\_mode, 96, **229**  
 —scan\_mode\_backgd, 150, 204, **346**, 348, **348**  
 — scan\_mode\_backgd, 96, **229**  
 —scan\_rate, 150, 204, **346**, **348**  
 — scan\_rate, 94, 96, 96, 228, **229**  
 —scan\_time\_backgd, 150, 204, **346**, **348**  
 — scan\_time\_backgd, 96, **229**  
 —scan\_width, 150, 204, **346**, **348**  
 — scan\_width, 94, 96, 96, 228, **229**  
 —sint/lambda, 96, **229**  
 —sint\_over\_lambda, 150, 204, **346**, **348**  
 —standard\_code, 150, 204, **346**, **348**  
 — standard\_code, 96, 97, **229**, 232  
 —wavelength, 150, 204, **346**, **348**  
 — wavelength, 96, **229**  
 —wavelength\_id, 150, 204, **346**, **346**, **348**  
 — wavelength\_id, 95, 96, **229**
- DIFFRN\_REFLNS, 93, 96, 97, 100, 132, 133, 149, 150, 202, **228**, **229**, **285**, 346, **348**  
 —av\_R\_equivalents, 150, **348**
- DIFFRN\_REFLNS  
 —av\_R\_equivalents, 6, 96, 229, **230**, 565, 566  
 —av\_sigmal/netI, 96, **230**  
 —av\_sigmal\_over\_netI, 150, **348**  
 —av\_unetI/netI, 150, **348**  
 —av\_unetI/netI, 96, 229, **230**  
 —diffrn\_id, 150, **346**, **348**  
 —limit\_h\_max, 150, **348**, 411  
 — limit\_h\_max, 6, 96, 137, 229, **230**, 565  
 —limit\_h\_min, 150, **349**, 411  
 — limit\_h\_min, 6, 96, 137, 229, **230**, 565  
 —limit\_index\_m\_n\_max ( $n = 1, \dots, 8$ ), 133, 137, **285**  
 — limit\_index\_m\_n\_min ( $n = 1, \dots, 8$ ), 133, 137, **285**  
 —limit\_k\_max, 150, **349**, 411  
 — limit\_k\_max, 6, 96, 137, 229, **230**, 565  
 —limit\_k\_min, 150, **349**, 411  
 — limit\_k\_min, 6, 96, 137, 229, **230**, 565  
 —limit\_l\_max, 150, **349**, 411  
 — limit\_l\_max, 6, 96, 137, 229, **230**, 565  
 —limit\_l\_min, 150, **349**, 411  
 — limit\_l\_min, 6, 96, 137, 229, **230**, 565  
 —number, 150, **349**  
 — number, 6, 96, 97, 229, **230**, 565–567  
 —reduction\_process, 150, 347, **349**  
 — reduction\_process, 96, 229, **230**  
 —resolution\_full, 96, **230**  
 —resolution\_max, 96, **230**  
 —satellite\_order\_max, 133, 137, **285**  
 —theta\_full, 94, 96, 225, **230**, 565, 567  
 —theta\_max, 150, **349**  
 — theta\_max, 6, 96, 137, 225, 229, **230**, 565, 567  
 —theta\_min, 150, **349**  
 — theta\_min, 96, 137, 229, **230**  
 —transf\_matrix[m][n] ( $m, n = 1, 2, 3$ ), 150, **349**  
 — transf\_matrix\_11, 96, **230**  
 — transf\_matrix\_12, 96, **230**  
 — transf\_matrix\_13, 96, **230**  
 — transf\_matrix\_21, 96, **230**  
 — transf\_matrix\_22, 96, **230**  
 — transf\_matrix\_23, 96, **230**  
 — transf\_matrix\_31, 96, **230**  
 — transf\_matrix\_32, 96, **230**  
 — transf\_matrix\_33, 96, **230**
- DIFFRN\_REFLNS\_CLASS, 93, 96, 97, 149, 150, 164, **230**, **350**  
 —av\_R\_eq, 150, **350**, 350  
 —av\_R\_eq, 96, 97, **230**, 230  
 —av\_sgI/I, 150, **350**  
 —av\_sgI/I, 96, **230**  
 —av\_ul/I, 150, **350**  
 —av\_ul/I, 96, **231**  
 —code, 150, **350**, 350  
 —code, 96, 97, **230**, **231**  
 —d\_res\_high, 150, **350**, 350  
 —d\_res\_high, 96, 97, 230, **231**  
 —d\_res\_low, 150, **350**, 350  
 —d\_res\_low, 96, 97, **230**, **231**  
 —description, 150, **350**, 350  
 —description, 96, 97, 230, **231**  
 —number, 150, **350**, 350  
 —number, 96, 97, 230, **231**
- DIFFRN\_SCALE\_GROUP, 93, 96–98, 150, **231**, 348, **350**  
 —code, 150, 348, **350**, 350  
 —code, 96, 97, 97, 229, **231**, 231  
 —I\_net, 150, **350**, 350  
 — I\_net, 96, 97, 97, **231**, 231
- DIFFRN\_SCAN\_SCAN, 202, 204, 205, **453**, 458  
 —date\_end, 204, 453, **457**  
 —date\_start, 204, 205, 453, **457**  
 —frame\_id\_end, 204, 453, 454, 456, **457**, 553  
 —frame\_id\_start, 204, 205, 453, 454, 456, **457**, 553  
 —frames, 204, 205, 453, 454, 456, **457**, 553  
 —id, 204, 205, 453, 454, 456, **457**, 458, 553  
 —integration\_time, 204, 205, 453, **457**
- DIFFRN\_SCAN\_AXIS, 199, 202, 204, 205, **457**, 458, 551  
 —angle\_increment, 204, 453, 454, 456, **457**, 553  
 —angle\_range, 204, 453, 454, 456, **457**, 553  
 —angle\_rstrt\_incr, 204, **457**  
 —angle\_start, 204, 453, 454, 456, **457**, 553  
 —axis\_id, 204, 205, 453, 454, 456, **457**, 553  
 —displacement\_increment, 204, 453, 454, 456, **457**, 553  
 —displacement\_range, 204, 453, 454, 456, **457**, 553  
 —displacement\_rstrt\_incr, 204, **457**  
 —displacement\_start, 204, 453, 454, 456, **458**, 553  
 —scan\_id, 204, 205, 453, 454, 456, **458**, 553
- DIFFRN\_SCAN\_FRAME, 202, 204, 205, **458**, 551  
 —date, 204, 205, 454, 456, **458**, 553  
 —frame\_id, 204, 205, 454, 456, **458**, 553  
 —frame\_number, 204, 205, 454, 456, **458**, 553  
 —integration\_time, 204, 205, 454, 456, 457, **458**, 551, 553  
 —scan\_id, 204, 454, 456, **458**, 553
- DIFFRN\_SCAN\_FRAME\_AXIS, 202, 204, 205, **458**, 551  
 —angle, 204, 205, 454, 456, 457, **458**, 553  
 —angle\_increment, 205, 454, 457, **458**  
 —angle\_rstrt\_incr, 205, 457, **458**  
 —axis\_id, 204, 205, 454, 456, **458**, 553  
 —displacement, 205, 454, 456, 457, **458**, 553  
 —displacement\_increment, 205, 454, **458**  
 —displacement\_rstrt\_incr, 205, **458**  
 —frame\_id, 204, 205, 454, 456, **458**, 553
- DIFFRN\_SOURCE, 93–95, 149, 150, 202, **231**, **350**, 550  
 \_diffrn\_radiation\_source, 94, 95, **231**  
 —, 94, 95, **231**, 231, 261  
 —current, 150, 151, **350**, 350, 553  
 —current, 94, **231**, 231  
 —details, 150, **351**  
 —details, 94, 95, **231**  
 —diffrn\_id, 38, 150, 151, 350, **351**, 454, 455, 553  
 —power, 150, 151, 350, **351**  
 —power, 94, **231**, 231  
 —size, 150, 350, **351**  
 —size, 94, **231**, 231  
 —source, 38, 150, 151, 350, **351**, 454, 455, 553  
 —take-off\_angle, 150, **351**  
 —take-off\_angle, 94, **232**  
 —target, 150, 151, **351**  
 —target, 94, 95, **232**  
 —type, 38, 150, 151, 350, **351**, 454, 455, 553  
 —type, 94, 231, **232**  
 —voltage, 150, **351**  
 —voltage, 94, **232**
- DIFFRN\_STANDARD\_REFLN, 93, 96, 97, 132, 133, 149, 150, **232**, **285**, 348, **351**  
 —code, 150, 348, **351**, 351  
 —code, 96, 97, 229, **232**  
 —diffrn\_id, 150, **351**, 351  
 —index\_h, 150, **351**, 351  
 —index\_h, 96, **232**, 232  
 —index\_k, 150, **351**, 351  
 —index\_k, 96, **232**, 232  
 —index\_l, 150, **351**, 351  
 —index\_l, 96, **232**, 232  
 —index\_m\_n ( $n = 1, \dots, 8$ ), 133, **285**
- DIFFRN\_STANDARDS, 93, 96, 97, 149, 150, **232**, **352**  
 —decay\_%, 150, **352**  
 —decay\_%, 6, 96, **232**, 565  
 —diffrn\_id, 150, **352**, 352  
 —interval\_count, 150, **352**  
 —interval\_count, 6, 96, **232**, 565  
 —interval\_time, 150, **352**, 352  
 —interval\_time, 6, 96, **232**, 232, 565  
 —number, 150, **352**, 352  
 —number, 6, 96, **232**, 232, 565
- DIFFRN\_REFLNS, 93, 96, 97, 100, 132, 133, 149, 150, 202, **228**, **229**, **285**, 346, **348**  
 —av\_R\_equivalents, 150, **348**

## INDEX OF CATEGORIES AND DATA NAMES

### DIFFRN\_STANDARDS

- scale\_sigma, 150, **352**
- scale\_sigma, 96, **232**
- scale\_u, 150, **352**
- scale\_u, 96, **232**
- \_display\_colour, *see* MIF
- \_display\_conn\_colour, *see* MIF
- \_display\_conn\_id, *see* MIF
- \_display\_conn\_symbol, *see* MIF
- \_display\_coord\_x, *see* MIF
- \_display\_coord\_y, *see* MIF
- \_display\_define\_origin, *see* MIF
- \_display\_define\_scale, *see* MIF
- \_display\_define\_span\_x, *see* MIF
- \_display\_define\_span\_y, *see* MIF
- \_display\_id, *see* MIF
- \_display\_object, *see* MIF
- \_display\_size, *see* MIF
- \_display\_symbol, *see* MIF

- ENTITY, 91, 146, 164, 166, 174–176, 180, 302, 330, 332, 333, **352**, 353–356, 418, 433
- details, 5, 174, 175, **352**, 352
  - formula\_weight, 145, 174, 175, **352**, 352
  - id, 5, 145, 166, 174, 175, 176, 302, **352**, 352, 353–356, 418, 433
  - src\_method, 145, 174, 176, **353**
  - type, 5, 145, 174, 175, 176, 352, **353**

### ENTITY\_KEYWORDS, 174, 176, **353**

- entity\_id, 174, 176, **353**, 353
- text, 174, 176, **353**, 353

### ENTITY\_LINK, 169, 173, 174, 182, **353**

- details, 173, **353**
- entity\_id\_1, 173, **353**
- entity\_id\_2, 173, **353**
- entity\_seq\_num\_1, 173, **353**
- entity\_seq\_num\_2, 173, **353**
- link\_id, 173, 174, **353**

### ENTITY\_NAME\_COM, 174–176, **353**

- entity\_id, 146, 174, 175, 176, **353**, 353
- name, 146, 174, 175, 176, **353**, 353

### ENTITY\_NAME\_SYS, 174, 175, **354**

- entity\_id, 174, 175, **354**, 354
- name, 174, 175, **354**, 354
- system, 174, 175, 175, **354**

### ENTITY\_POLY, 146, 174–176, 353, **354**

- entity\_id, 146, 175, 176, **354**, 354
- nstd\_chirality, 146, 175, 176, **354**, 354
- nstd\_linkage, 146, 175, 176, **354**, 354
- nstd\_monomer, 146, 175, 176, **354**, 354
- number\_of\_monomers, 175, 176, **354**
- type, 146, 175, 176, **354**, 354
- type\_details, 146, 175, **354**, 354

### ENTITY\_POLY\_SEQ, 166, 174–176, 302, 353, **354**, 355, 434

- entity\_id, 5, 146, 175, 176, 354, **355**
- hetero, 175, **355**
- mon\_id, 5, 146, 146, 175, 176, 176, 354, **355**
- num, 5, 146, 166, 175, 176, 302, 353, 354, **355**, 434

### ENTITY\_SRC\_GEN, 174, 175, 195, 353, **355**

- entity\_id, 174, 175, **355**, 355
- gene\_src\_common\_name, 174, 175, **355**, 355
- gene\_src\_details, 174, **355**
- gene\_src\_genus, 174, **355**, 355
- gene\_src\_species, 174, **355**, 355
- gene\_src\_strain, 174, 175, **355**, 355
- gene\_src\_tissue, 174, **355**
- gene\_src\_tissue\_fraction, 174, **355**
- host\_org\_common\_name, 174, 175, **355**, 355
- host\_org\_details, 174, **356**
- host\_org\_genus, 174, 175, 355, **356**
- host\_org\_species, 174, 175, 355, **356**
- host\_org\_strain, 174, **356**
- plasmid\_details, 174, **356**
- plasmid\_name, 174, 175, 355, **356**

### ENTITY\_SRC\_NAT, 174, 175, 195, 353, **356**

- common\_name, 146, 174, **356**, 356
- details, 146, 174, **356**, 356

### ENTITY\_SRC\_NAT

- entity\_id, 146, 174, **356**, 356
  - genus, 146, 174, **356**, 356
  - species, 146, 174, **356**, 356
  - strain, 174, **356**
  - tissue, 174, **356**
  - tissue\_fraction, 174, **356**
- ENTRY, 194, 195, 308, 316, 318, 331, 334, 337–339, **356**, 357, 362, 373, 374, 377, 387, 389, 391, 398, 411, 418, 424, 442
- id, 5, 38, 64, 194, 195, 308, 316, 318, 331, 334, 337–339, **356**, 356, 357, 362, 373, 374, 377, 387, 389, 391, 398, 411, 418, 424, 442
- ENTRY\_LINK, 194, 195, **357**
- details, 194, **357**, 357
  - entry\_id, 194, **357**, 357
  - id, 194, **357**, 357

### \_enumeration, *see* DDL1

### \_enumeration\_default, *see* DDL1

### \_enumeration\_detail, *see* DDL1

### \_enumeration\_range, *see* DDL1

### \_example, *see* DDL1

### \_example\_detail, *see* DDL1

### EXPTL, 76, 77, 90, 97, 98, 133, 134, 148, 151, 152, **233**, 356, **357**

- absorpt\_coefficient\_mu, 81, 151, **357**, 357
- absorpt\_coefficient\_mu, 6, 77, 97, 118, **233**, 233, 260, 563, 565
- absorpt\_correction\_T\_max, 81, 151, **357**, 357
- absorpt\_correction\_T\_max, 6, 77, 97, **233**, 233, 565
- absorpt\_correction\_T\_min, 81, 151, **357**, 357
- absorpt\_correction\_T\_min, 6, 77, 97, **233**, 233, 565
- absorpt\_correction\_type, 81, 151, **357**, 357
- absorpt\_correction\_type, 6, 77, 97, **233**, 233, 565, 566
- absorpt\_process\_details, 81, 151, **357**, 357
- absorpt\_process\_details, 77, 97, **233**, 233, 565
- crystals\_number, 81, 151, 152, **357**, 357
- crystals\_number, 97, **233**
- details, 81, 151, **357**, 357
- entry\_id, 151, 152, **357**, 357
- method, 81, 151, 152, **357**, 357
- method\_details, 81, 151, 152, 357, **358**
- special\_details, 97, 98, **233**

### EXPTL\_CRYSTAL, 76, 97, 98, 134, 151, 152, **233**, **286**, 342, **358**, 359–362, 408

- colour, 38, 151, 152, **358**, 358
- colour, 6, 76, 90, 97, 98, 118, **233**, 233, 563, 565
- colour\_lustre, 151, **358**
- colour\_lustre, 97, 98, **233**
- colour\_modifier, 151, **358**
- colour\_modifier, 97, **233**, 234
- colour\_primary, 151, **358**
- colour\_primary, 97, 233, **234**
- density\_diffn, 151, 334, **358**, 358
- density\_diffn, 6, 97, 233, **234**, 563, 565, 566
- density\_Matthews, 151, **358**, 358
- density\_meas, 151, **358**, 358, 359
- density\_meas, 6, 76, 97, 233, **234**, 235, 563, 565, 566
- density\_meas\_esd, **358**
- density\_meas\_gt, 151, 358, **359**
- density\_meas\_gt, 97, 233, **234**
- density\_meas\_lt, 151, 358, **359**
- density\_meas\_lt, 97, 233, **234**
- density\_meas\_temp, 151, 358, **359**
- density\_meas\_temp, 97, **234**
- density\_meas\_temp\_esd, **359**
- density\_meas\_temp\_gt, 151, **359**
- density\_meas\_temp\_gt, 97, **234**
- density\_meas\_temp\_lt, 151, 358, **359**
- density\_meas\_temp\_lt, 97, 233, **234**
- density\_method, 151, 358, **359**
- density\_method, 6, 97, 233, **235**, 563, 565
- density\_percent\_sol, 151, 152, 358, **359**

### EXPTL\_CRYSTAL

- description, 151, 152, 358, **359**
- description, 6, 98, 233, **235**, 563, 565
- F\_000, 151, 358, **359**
- F\_000, 98, 233, **235**, 563
- id, 38, 151, 152, 342, 358, **359**, 360–362, 408
- id, 97, 98, 228, **235**, 248
- preparation, 151, 357, 358, **360**
- preparation, 98, 233, **235**
- pressure\_history, 98, **235**
- recrystallization\_method, 98, **235**
- size\_length, 98, **235**
- size\_max, 151, 152, 358, **360**
- size\_max, 6, 98, 233, **235**, 563, 565
- size\_mid, 151, 152, 358, **360**
- size\_mid, 6, 98, 233, **235**, 563, 565
- size\_min, 151, 152, 358, **360**
- size\_min, 6, 98, 233, **235**, 563, 565
- size\_rad, 151, 358, **360**
- size\_rad, 6, 98, **235**, 565
- thermal\_history, 98, **235**
- type\_of\_structure, 134, 134, 137, 138, **286**

### EXPTL\_CRYSTAL\_FACE, 76, 97, 98, 132, 134, 151, **235**, **286**, 359, **360**

- crystal\_id, 151, **360**, 360
- diffr\_chi, 151, **360**, 360
- diffr\_chi, 98, **235**
- diffr\_kappa, 151, **360**, 360
- diffr\_kappa, 98, **235**
- diffr\_phi, 151, **360**, 360
- diffr\_phi, 98, **235**
- diffr\_psi, 151, **360**, 360
- diffr\_psi, 98, **235**
- index\_h, 151, **360**, 360
- index\_h, 98, **235**, 235
- index\_k, 151, **360**, 360
- index\_k, 98, **235**, 235
- index\_l, 151, **360**, 360
- index\_l, 98, **235**, 235
- index\_m\_n ( $n = 1, \dots, 8$ ), 134, **286**
- perp\_dist, 151, **360**, 360
- perp\_dist, 76, 98, **235**, 235, 286

### EXPTL\_CRYSTAL\_GROW, 148, 151, 152, **360**

- apparatus, 152, 152, **360**, 360
- atmosphere, 152, 152, 360, **361**
- crystal\_id, 152, 152, 360, **361**
- details, 152, 152, **361**
- method, 152, 152, 360, **361**
- method\_ref, 152, **361**
- pH, 152, 152, 360, **361**
- pressure, 152, **361**
- pressure\_esd, **361**
- seeding, 152, **361**
- seeding\_ref, 152, **361**
- temp, 152, 152, 360, **361**
- temp\_details, 152, **361**
- temp\_esd, **361**
- time, 152, 152, 360, **361**

### EXPTL\_CRYSTAL\_GROW\_COMP, 148, 151, 152, **361**, 362

- conc, 152, 152, 361, **362**
- crystal\_id, 152, 152, 361, **362**
- details, 152, 152, 361, 361, **362**
- id, 152, 152, 361, **362**
- name, 152, 152, 361, **362**
- sol\_id, 152, 152, 361, **362**
- volume, 152, 152, 361, **362**

### GEOM, 105, 108, 109, 134, 164, 176, **236**, 356, **362**

- details, 176, **362**
- entry\_id, 176, 195, **362**
- special\_details, 108, 109, **236**, 236

### GEOM\_ANGLE, 108, 132, 134, 136, 176, **236**, **286**, **362**

- , 108, 109, **236**, 236, 566
- atom\_site\_auth\_asym\_id\_1, 176, **362**
- atom\_site\_auth\_asym\_id\_2, 176, **362**
- atom\_site\_auth\_asym\_id\_3, 176, **362**
- atom\_site\_auth\_atom\_id\_1, 176, **362**

## INDEX OF CATEGORIES AND DATA NAMES

### GEOM\_ANGLE

—atom\_site\_auth\_atom\_id\_2, 176, **362**  
 —atom\_site\_auth\_atom\_id\_3, 176, **363**  
 —atom\_site\_auth\_comp\_id\_1, 176, **363**  
 —atom\_site\_auth\_comp\_id\_2, 176, **363**  
 —atom\_site\_auth\_comp\_id\_3, 176, **363**  
 —atom\_site\_auth\_seq\_id\_1, 176, **363**  
 —atom\_site\_auth\_seq\_id\_2, 176, **363**  
 —atom\_site\_auth\_seq\_id\_3, 176, **363**  
 —atom\_site\_id\_1, 176, 362, **363**  
 —atom\_site\_id\_2, 176, 362, **363**, 364  
 —atom\_site\_id\_3, 176, 362, **363**  
 —atom\_site\_label\_1, 108, 109, **236**, 236, 286, 566  
 —atom\_site\_label\_2, 108, 109, **236**, 236, 566  
 —atom\_site\_label\_3, 108, 109, **236**, 236, 566  
 —atom\_site\_label\_alt\_id\_1, 176, **363**  
 —atom\_site\_label\_alt\_id\_2, 177, **363**  
 —atom\_site\_label\_alt\_id\_3, 177, **363**  
 —atom\_site\_label\_asym\_id\_1, 176, **363**  
 —atom\_site\_label\_asym\_id\_2, 177, **363**  
 —atom\_site\_label\_asym\_id\_3, 177, **363**  
 —atom\_site\_label\_atom\_id\_1, 176, **363**  
 —atom\_site\_label\_atom\_id\_2, 177, **363**  
 —atom\_site\_label\_atom\_id\_3, 177, **363**  
 —atom\_site\_label\_comp\_id\_1, 177, **363**  
 —atom\_site\_label\_comp\_id\_2, 177, **363**  
 —atom\_site\_label\_comp\_id\_3, 177, **363**  
 —atom\_site\_label\_seq\_id\_1, 177, **363**  
 —atom\_site\_label\_seq\_id\_2, 177, **363**  
 —atom\_site\_label\_seq\_id\_3, 177, **364**  
 —av, 136, **286**  
 —max, 136, **286**  
 —min, 136, **286**  
 —publ\_flag, 177, 362, **364**  
 —publ\_flag, 108, 109, 109, **236**, 236, 566  
 —site\_ssg\_symmetry\_1, 136, **286**  
 —site\_ssg\_symmetry\_2, 136, **286**  
 —site\_ssg\_symmetry\_3, 136, **286**  
 —site\_symmetry\_1, 176, 362, **364**  
 —site\_symmetry\_1, 108, **236**, 236, 566  
 —site\_symmetry\_2, 176, 362, **364**  
 —site\_symmetry\_2, 108, **236**, 236, 566  
 —site\_symmetry\_3, 176, 362, **364**  
 —site\_symmetry\_3, 108, **236**, 236, 566  
 —value, 177, 362, **364**  
 —value\_esd, 362, **364**

### GEOM\_BOND

75, 78, 81, 108, 109, 111, 132, 134, 136, 176, 177, **236**, **286**, 362, **364**  
 —atom\_site\_auth\_asym\_id\_1, 177, **364**  
 —atom\_site\_auth\_asym\_id\_2, 177, **364**  
 —atom\_site\_auth\_atom\_id\_1, 177, **364**  
 —atom\_site\_auth\_atom\_id\_2, 177, **364**  
 —atom\_site\_auth\_comp\_id\_1, 177, **364**  
 —atom\_site\_auth\_comp\_id\_2, 177, **364**  
 —atom\_site\_auth\_seq\_id\_1, 177, **364**  
 —atom\_site\_auth\_seq\_id\_2, 177, **365**  
 —atom\_site\_id\_1, 81, 177, 364, **365**  
 —atom\_site\_id\_2, 81, 177, 364, **365**  
 —atom\_site\_label\_1, 6, 75, 75, 78, 78, 108, 109, **236**, 236, 500, 565  
 —atom\_site\_label\_2, 6, 75, 78, 78, 108, 109, **236**, 236, 500, 565  
 —atom\_site\_label\_alt\_id\_1, 177, **365**  
 —atom\_site\_label\_alt\_id\_2, 177, **365**  
 —atom\_site\_label\_asym\_id\_1, 177, **365**  
 —atom\_site\_label\_asym\_id\_2, 177, **365**  
 —atom\_site\_label\_atom\_id\_1, 177, **365**  
 —atom\_site\_label\_atom\_id\_2, 177, **365**  
 —atom\_site\_label\_comp\_id\_1, 177, **365**  
 —atom\_site\_label\_comp\_id\_2, 177, **365**  
 —atom\_site\_label\_seq\_id\_1, 177, **365**  
 —atom\_site\_label\_seq\_id\_2, 177, **365**  
 —dist, 81, 177, 364, **365**  
 —dist\_esd, 81, 364, **365**  
 —distance, 6, 75, 75, 78, 108, 109, **236**, 236, 237, 500, 565  
 —distance\_av, 136, **286**  
 —distance\_max, 136, **286**

### GEOM\_BOND

—distance\_min, 136, **286**  
 —publ\_flag, 81, 177, 364, **365**  
 —publ\_flag, 108, 109, 236, **237**, 559, 565  
 —site\_ssg\_symmetry\_1, 136, **286**  
 —site\_ssg\_symmetry\_2, 136, **286**  
 —site\_symmetry\_1, 81, 177, 364, **365**  
 —site\_symmetry\_1, 6, 24, 85, 108, 109, 236, **237**, 565  
 —site\_symmetry\_2, 81, 177, 364, **365**  
 —site\_symmetry\_2, 6, 108, 109, 236, **237**, 565  
 —valence, 177, **365**  
 —valence, 108, 111, **237**

### GEOM\_CONTACT

108, 109, 132, 134, 136, 176, 177, 236, **237**, **287**, 362, **366**  
 —atom\_site\_auth\_asym\_id\_1, 177, **366**  
 —atom\_site\_auth\_asym\_id\_2, 177, **366**  
 —atom\_site\_auth\_atom\_id\_1, 177, **366**  
 —atom\_site\_auth\_atom\_id\_2, 177, **366**  
 —atom\_site\_auth\_comp\_id\_1, 177, **366**  
 —atom\_site\_auth\_comp\_id\_2, 177, **366**  
 —atom\_site\_auth\_seq\_id\_1, 177, **366**  
 —atom\_site\_auth\_seq\_id\_2, 177, **366**  
 —atom\_site\_id\_1, 177, **366**, 366  
 —atom\_site\_id\_2, 177, **366**, 366  
 —atom\_site\_label\_1, 108, **110**, **237**  
 —atom\_site\_label\_2, 108, **110**, **237**  
 —atom\_site\_label\_alt\_id\_1, 177, **366**  
 —atom\_site\_label\_alt\_id\_2, 177, **366**  
 —atom\_site\_label\_asym\_id\_1, 177, **366**  
 —atom\_site\_label\_asym\_id\_2, 177, **366**  
 —atom\_site\_label\_atom\_id\_1, 177, **366**  
 —atom\_site\_label\_atom\_id\_2, 177, **366**  
 —atom\_site\_label\_comp\_id\_1, 177, **366**  
 —atom\_site\_label\_comp\_id\_2, 177, **366**  
 —atom\_site\_label\_seq\_id\_1, 177, **367**  
 —atom\_site\_label\_seq\_id\_2, 177, **367**  
 —dist, 177, 366, **367**  
 —dist\_esd, 366, **367**  
 —distance, 108, **110**, **237**  
 —distance\_av, 136, **287**  
 —distance\_max, 136, **287**  
 —distance\_min, 136, **287**  
 —publ\_flag, 177, 366, **367**  
 —publ\_flag, 108, **110**, **237**  
 —site\_ssg\_symmetry\_1, 136, **287**  
 —site\_ssg\_symmetry\_2, 136, **287**  
 —site\_symmetry\_1, 177, 366, **367**  
 —site\_symmetry\_1, 108, **110**, **237**  
 —site\_symmetry\_2, 177, 366, **367**  
 —site\_symmetry\_2, 108, **110**, **237**

### GEOM\_HBOND

108, 109, 176, 177, 236, **237**, 362, **367**  
 —angle\_DHA, 177, **367**, 367  
 —angle\_DHA, 108, **110**, **237**, 237, 566  
 —angle\_DHA\_esd, **367**  
 —atom\_site\_auth\_asym\_id\_A, 177, **367**  
 —atom\_site\_auth\_asym\_id\_D, 177, **367**  
 —atom\_site\_auth\_asym\_id\_H, 177, **367**  
 —atom\_site\_auth\_atom\_id\_A, 177, **367**  
 —atom\_site\_auth\_atom\_id\_D, 177, **367**  
 —atom\_site\_auth\_atom\_id\_H, 177, **367**  
 —atom\_site\_auth\_comp\_id\_A, 177, **368**  
 —atom\_site\_auth\_comp\_id\_D, 177, **368**  
 —atom\_site\_auth\_comp\_id\_H, 177, **368**  
 —atom\_site\_auth\_seq\_id\_A, 177, **368**  
 —atom\_site\_auth\_seq\_id\_D, 177, **368**  
 —atom\_site\_auth\_seq\_id\_H, 177, **368**  
 —atom\_site\_id\_A, 177, 367, **368**  
 —atom\_site\_id\_D, 177, 367, **368**  
 —atom\_site\_id\_H, 177, 367, **368**  
 —atom\_site\_label\_A, 108, **110**, **237**, 237, 566  
 —atom\_site\_label\_alt\_id\_A, 177, **368**  
 —atom\_site\_label\_alt\_id\_D, 178, **368**  
 —atom\_site\_label\_alt\_id\_H, 178, **368**  
 —atom\_site\_label\_asym\_id\_A, 177, **368**  
 —atom\_site\_label\_asym\_id\_D, 178, **368**  
 —atom\_site\_label\_asym\_id\_H, 178, **368**  
 —atom\_site\_label\_atom\_id\_A, 178, **368**

### GEOM\_HBOND

—atom\_site\_label\_atom\_id\_D, 178, **368**  
 —atom\_site\_label\_atom\_id\_H, 178, **368**  
 —atom\_site\_label\_comp\_id\_A, 178, **368**  
 —atom\_site\_label\_comp\_id\_D, 178, **368**  
 —atom\_site\_label\_comp\_id\_H, 178, **368**  
 —atom\_site\_label\_D, 108, **110**, **237**, 237, 566  
 —atom\_site\_label\_H, 108, 109, **110**, **237**, 237, 566  
 —atom\_site\_label\_seq\_id\_A, 178, **368**  
 —atom\_site\_label\_seq\_id\_D, 178, **369**  
 —atom\_site\_label\_seq\_id\_H, 178, **369**  
 —dist\_DA, 178, 367, **369**  
 —dist\_DA\_esd, **369**  
 —dist\_DH, 178, 367, **369**  
 —dist\_DH\_esd, **369**  
 —dist\_HA, 178, 367, **369**  
 —dist\_HA\_esd, **369**  
 —distance\_DA, 108, **110**, 237, **238**, 566  
 —distance\_DH, 108, **110**, 237, **238**, 566  
 —distance\_HA, 108, **110**, 237, **238**, 566  
 —publ\_flag, 178, 367, **369**  
 —publ\_flag, 108, **110**, 237, **238**, 566  
 —site\_symmetry\_A, 177, **369**  
 —site\_symmetry\_A, 108, **238**, 566  
 —site\_symmetry\_D, 177, **369**  
 —site\_symmetry\_D, 108, **238**, 566  
 —site\_symmetry\_H, 177, **369**  
 —site\_symmetry\_H, 108, **238**, 566

### GEOM\_TORSION

108–110, 132, 134, 136, 176, 178, 236, **238**, **287**, 362, **369**  
 —, 109, **110**, **238**, 566  
 —atom\_site\_auth\_asym\_id\_1, 178, **370**  
 —atom\_site\_auth\_asym\_id\_2, 178, **370**  
 —atom\_site\_auth\_asym\_id\_3, 178, **370**  
 —atom\_site\_auth\_asym\_id\_4, 178, **370**  
 —atom\_site\_auth\_atom\_id\_1, 178, **370**  
 —atom\_site\_auth\_atom\_id\_2, 178, **370**  
 —atom\_site\_auth\_atom\_id\_3, 178, **370**  
 —atom\_site\_auth\_atom\_id\_4, 178, **370**  
 —atom\_site\_auth\_comp\_id\_1, 178, **370**  
 —atom\_site\_auth\_comp\_id\_2, 178, **370**  
 —atom\_site\_auth\_comp\_id\_3, 178, **370**  
 —atom\_site\_auth\_comp\_id\_4, 178, **370**  
 —atom\_site\_auth\_seq\_id\_1, 178, **370**  
 —atom\_site\_auth\_seq\_id\_2, 178, **370**  
 —atom\_site\_auth\_seq\_id\_3, 178, **370**  
 —atom\_site\_auth\_seq\_id\_4, 178, **370**  
 —atom\_site\_id\_1, 178, 369, **370**  
 —atom\_site\_id\_2, 178, 369, **369**, **370**  
 —atom\_site\_id\_3, 178, 369, **370**  
 —atom\_site\_id\_4, 178, 369, **370**  
 —atom\_site\_label\_1, 109, **110**, **238**, 566  
 —atom\_site\_label\_2, 109, **110**, **238**, 566  
 —atom\_site\_label\_3, 109, **110**, **238**, 566  
 —atom\_site\_label\_4, 109, **110**, **238**, 566  
 —atom\_site\_label\_alt\_id\_1, 178, **370**  
 —atom\_site\_label\_alt\_id\_2, 178, **370**  
 —atom\_site\_label\_alt\_id\_3, 178, **371**  
 —atom\_site\_label\_alt\_id\_4, 178, **371**  
 —atom\_site\_label\_asym\_id\_1, 178, **371**  
 —atom\_site\_label\_asym\_id\_2, 178, **371**  
 —atom\_site\_label\_asym\_id\_3, 178, **371**  
 —atom\_site\_label\_asym\_id\_4, 178, **371**  
 —atom\_site\_label\_atom\_id\_1, 178, **371**  
 —atom\_site\_label\_atom\_id\_2, 178, **371**  
 —atom\_site\_label\_atom\_id\_3, 178, **371**  
 —atom\_site\_label\_atom\_id\_4, 178, **371**  
 —atom\_site\_label\_comp\_id\_1, 178, **371**  
 —atom\_site\_label\_comp\_id\_2, 178, **371**  
 —atom\_site\_label\_comp\_id\_3, 178, **371**  
 —atom\_site\_label\_comp\_id\_4, 178, **371**  
 —atom\_site\_label\_seq\_id\_1, 178, **371**  
 —atom\_site\_label\_seq\_id\_2, 178, **371**  
 —atom\_site\_label\_seq\_id\_3, 178, **371**  
 —atom\_site\_label\_seq\_id\_4, 178, **371**  
 —av, 136, **287**  
 —max, 136, **287**  
 —min, 136, **287**



## INDEX OF CATEGORIES AND DATA NAMES

### GEOM\_TORSION

—publ\_flag, 178, 369, **371**  
 —publ\_flag, 109, 110, **238**, 566  
 —site\_ssg\_symmetry\_1, 136, **287**  
 —site\_ssg\_symmetry\_2, 136, **287**  
 —site\_ssg\_symmetry\_3, 136, **287**  
 —site\_ssg\_symmetry\_4, 136, **287**  
 —site\_symmetry\_1, 178, 369, **371**  
 —site\_symmetry\_1, 109, 110, **238**, 566  
 —site\_symmetry\_2, 178, 369, **371**  
 —site\_symmetry\_2, 109, 110, **238**, 566  
 —site\_symmetry\_3, 178, 369, **372**  
 —site\_symmetry\_3, 109, 110, **238**, 566  
 —site\_symmetry\_4, 178, 369, **372**  
 —site\_symmetry\_4, 109, 110, **238**, 566  
 —value, 178, 369, **372**  
 —value\_esd, **372**

\_item.category\_id, *see* DDL2  
 \_item.mandatory\_code, *see* DDL2  
 \_item.name, *see* DDL2  
 \_item\_aliases.alias\_name, *see* DDL2  
 \_item\_aliases.dictionary, *see* DDL2  
 \_item\_aliases.name, *see* DDL2  
 \_item\_aliases.version, *see* DDL2  
 \_item\_default.name, *see* DDL2  
 \_item\_default.value, *see* DDL2  
 \_item\_dependent.dependent\_name, *see* DDL2  
 \_item\_dependent.name, *see* DDL2  
 \_item\_description.description, *see* DDL2  
 \_item\_description.name, *see* DDL2  
 \_item\_enumeration.detail, *see* DDL2  
 \_item\_enumeration.name, *see* DDL2  
 \_item\_enumeration.value, *see* DDL2  
 \_item\_examples.case, *see* DDL2  
 \_item\_examples.detail, *see* DDL2  
 \_item\_linked.child\_name, *see* DDL2  
 \_item\_linked.parent\_name, *see* DDL2  
 \_item\_range.maximum, *see* DDL2  
 \_item\_range.minimum, *see* DDL2  
 \_item\_related.function\_code, *see* DDL2  
 \_item\_related.name, *see* DDL2  
 \_item\_related.related\_name, *see* DDL2  
 \_item\_structure.code, *see* DDL2  
 \_item\_structure.organization, *see* DDL2  
 \_item\_structure\_list.code, *see* DDL2  
 \_item\_structure\_list.dimension, *see* DDL2  
 \_item\_structure\_list.index, *see* DDL2  
 \_item\_sub\_category.id, *see* DDL2  
 \_item\_type.code, *see* DDL2  
 \_item\_type.name, *see* DDL2  
 \_item\_type\_conditions.code, *see* DDL2  
 \_item\_type\_list.code, *see* DDL2  
 \_item\_type\_list.construct, *see* DDL2  
 \_item\_type\_list.detail, *see* DDL2  
 \_item\_type\_list.primitive\_code, *see* DDL2  
 \_item\_units.code, *see* DDL2  
 \_item\_units.name, *see* DDL2  
 \_item\_units\_conversion.factor, *see* DDL2  
 \_item\_units\_conversion.from\_code, *see* DDL2  
 \_item\_units\_conversion.operator, *see* DDL2  
 \_item\_units\_conversion.to\_code, *see* DDL2  
 \_item\_units\_list.code, *see* DDL2  
 \_item\_units\_list.detail, *see* DDL2  
 ITEM, 63, 65–68, **474**  
 ITEM\_ALIASES, 63, 66, **474**  
 ITEM\_DEFAULT, 66, **475**  
 ITEM\_DEPENDENT, 64, 66, **475**  
 ITEM\_DESCRIPTION, 63, 66, **475**  
 ITEM\_ENUMERATION, 67, **475**  
 ITEM\_EXAMPLES, 64, 67, **475**  
 ITEM\_LINKED, 65–67, **475**  
 ITEM\_METHODS, 67, **475**  
 ITEM\_RANGE, 64, 67, **475**  
 ITEM\_RELATED, 64, 67, **475**  
 ITEM\_STRUCTURE, 67, **476**  
 ITEM\_STRUCTURE\_LIST, 67, **476**  
 ITEM\_SUB\_CATEGORY, 64, 67, **476**  
 ITEM\_TYPE, 63, 67–69, **476**

### ITEM\_TYPE\_CONDITIONS, 68, **476**

ITEM\_TYPE\_LIST, 63, 64, 67, 68, **476**  
 ITEM\_UNITS, 64, 68, **477**  
 ITEM\_UNITS\_CONVERSION, 64, 68, **477**  
 ITEM\_UNITS\_LIST, 64, 68, **477**

### JOURNAL, 84, 113, 193, 194, **239**, 314, **372**

—coden\_ASTM, 193, **372**, 372  
 —coden\_ASTM, 113, **239**, 239  
 —coden\_Cambridge, 193, **372**  
 —coden\_Cambridge, 113, **239**  
 —coeditor\_address, 193, **372**  
 —coeditor\_address, 113, **239**  
 —coeditor\_code, 193, **372**, 372  
 —coeditor\_code, 113, **239**, 239  
 —coeditor\_email, 193, **372**  
 —coeditor\_email, 113, **239**  
 —coeditor\_fax, 193, **372**  
 —coeditor\_fax, 113, **239**  
 —coeditor\_name, 193, **372**  
 —coeditor\_name, 113, **239**  
 —coeditor\_notes, 193, **372**  
 —coeditor\_notes, 113, **239**  
 —coeditor\_phone, 193, **372**  
 —coeditor\_phone, 84, 113, **239**  
 —data\_validation\_number, 193, **372**  
 —data\_validation\_number, 113, **239**  
 —date\_accepted, 193, **372**, 372  
 —date\_accepted, 113, **239**, 239  
 —date\_from\_coeditor, 193, **372**, 372  
 —date\_from\_coeditor, 113, **239**, 239  
 —date\_printers\_final, 193, **372**  
 —date\_printers\_final, 113, **239**  
 —date\_printers\_first, 193, **372**, 372  
 —date\_printers\_first, 113, **239**, 239  
 —date\_proofs\_in, 193, **372**  
 —date\_proofs\_in, 113, **239**  
 —date\_proofs\_out, 193, **372**, 372  
 —date\_proofs\_out, 113, **239**, 239  
 —date\_recd\_copyright, 193, **373**  
 —date\_recd\_copyright, 113, **239**  
 —date\_recd\_electronic, 193, **372**, **373**  
 —date\_recd\_electronic, 113, **239**, 239  
 —date\_recd\_hard\_copy, 193, **373**  
 —date\_recd\_hard\_copy, 113, **239**  
 —date\_to\_coeditor, 193, **373**  
 —date\_to\_coeditor, 113, **239**  
 —entry\_id, 193, **372**, **373**  
 —issue, 193, **372**, **373**  
 —issue, 113, **239**, 239  
 —language, 193, **373**  
 —language, 113, **239**  
 —name\_full, 193, **372**, **373**  
 —name\_full, 113, **239**, 239  
 —page\_first, 193, **372**, **373**  
 —page\_first, 113, **239**, 239  
 —page\_last, 193, **372**, **373**  
 —page\_last, 113, **239**, 239  
 —paper\_category, 193, **373**  
 —paper\_category, 113, **239**  
 —suppl\_publ\_number, 193, **373**  
 —suppl\_publ\_number, 113, **239**  
 —suppl\_publ\_pages, 193, **373**  
 —suppl\_publ\_pages, 113, **239**  
 —techeditor\_address, 193, **373**  
 —techeditor\_address, 113, **239**  
 —techeditor\_code, 193, **372**, **373**  
 —techeditor\_code, 113, **239**, 239  
 —techeditor\_email, 193, **373**  
 —techeditor\_email, 113, **239**  
 —techeditor\_fax, 193, **373**  
 —techeditor\_fax, 113, **239**  
 —techeditor\_name, 193, **373**  
 —techeditor\_name, 113, **239**  
 —techeditor\_notes, 193, **373**  
 —techeditor\_notes, 113, **239**  
 —techeditor\_phone, 193, **373**  
 —techeditor\_phone, 84, 113, **239**  
 —volume, 193, **372**, **373**

### JOURNAL

—volume, 113, **239**, 239  
 —year, 193, **372**, **373**  
 —year, 113, **239**, 239  
 JOURNAL\_INDEX, 113, 193, 194, **239**,  
**373**  
 —subterm, 193, **373**, 373  
 —subterm, 113, 114, **239**, 239  
 —term, 193, **373**, 373  
 —term, 113, 114, **239**, 239  
 —type, 193, **373**, **374**  
 —type, 113, 114, **239**, 239

\_list, *see* DDL1  
 \_list\_level, *see* DDL1  
 \_list\_link\_child, *see* DDL1  
 \_list\_link\_parent, *see* DDL1  
 \_list\_mandatory, *see* DDL1  
 \_list\_reference, *see* DDL1  
 \_list\_uniqueness, *see* DDL1

\_method\_list.code, *see* DDL2  
 \_method\_list.detail, *see* DDL2  
 \_method\_list.id, *see* DDL2  
 \_method\_list.inline, *see* DDL2  
 \_method\_list.language, *see* DDL2  
 METHOD\_LIST, 67, 69, 70, **477**

### MIF (Molecular Information File)

\_atom\_attach\_all, 51, **467**  
 \_atom\_attach\_h, 46, 47, 47, 48, 48–51, **467**  
 \_atom\_attach\_nh, 48, 49, **467**  
 \_atom\_attach\_ring, **467**  
 \_atom\_charge, 48, 49, **467**, 468  
 \_atom\_cip, 48, 48, 50, 51, **467**  
 \_atom\_coord\_x, 46, 47, 47, **467**  
 \_atom\_coord\_y, 46, 47, 47, **467**  
 \_atom\_coord\_z, 46, 47, 47, **467**  
 \_atom\_environment, 48, 49, **467**  
 \_atom\_frag\_id, 48, 49, **467**  
 \_atom\_frag\_key, 48, 49, **467**  
 \_atom\_id, 46, 47, 47, 48, 48–51, **467**, 468, 470  
 \_atom\_label, 46, 47, **467**  
 \_atom\_mass\_number, 45, **467**  
 \_atom\_radical\_count, **467**, 468  
 \_atom\_spin\_multiplicity, **467**  
 \_atom\_type, 45, 46, 47, 47–51, **467**  
 \_atom\_valency, **468**  
 \_bond\_cip, 48, 48, **468**  
 \_bond\_environment, **468**  
 \_bond\_id\_1, 46–49, 51, **468**  
 \_bond\_id\_2, 46–49, 51, **468**  
 \_bond\_type\_casreg3, 48, 48, **468**  
 \_bond\_type\_ccdc, 48, 48, 51, **468**  
 \_bond\_type\_mif, 46, 47, 47, 48, 48, 49, 51, **468**  
 \_define\_bonding\_convention, 467, **468**  
 \_define\_stereo\_relationship, 48, 50, 51, **468**  
 \_display\_colour, 45, 46, 47, **468**  
 \_display\_conn\_colour, 46, 48, **469**  
 \_display\_conn\_id, 46, 47, **469**  
 \_display\_conn\_symbol, 46, 48, **469**  
 \_display\_coord\_x, 46, **469**  
 \_display\_coord\_y, 46, **469**  
 \_display\_define\_origin, 47, **469**  
 \_display\_define\_scale, 46, **469**  
 \_display\_define\_span\_x, 46, **470**  
 \_display\_define\_span\_y, 46, **470**  
 \_display\_id, 45, 46, 48, 469, **470**  
 \_display\_object, 46, 47, 469, **470**  
 \_display\_size, 46, 47, **470**  
 \_display\_symbol, 46, 468, 469, **470**  
 \_molecule\_name\_cas\_10ci, **470**  
 \_molecule\_name\_cas\_8ci, **470**  
 \_molecule\_name\_cas\_9ci, **470**  
 \_molecule\_name\_common, 47–51, **470**  
 \_molecule\_name\_iupac, 50, 51, **470**  
 \_reference\_conformation, 47, **470**  
 \_reference\_stereo\_group, **468**, **470**  
 \_stereo\_atom\_id, 48, 50, 51, 468, **470**  
 \_stereo\_bond\_id\_1, 48, 50, 468, **470**  
 \_stereo\_bond\_id\_2, 48, 50, 468, **470**

## INDEX OF CATEGORIES AND DATA NAMES

- MIF (Molecular Information File)  
 \_stereo\_geometry, 48, 50, 50, 51, 468, **470**  
 \_stereo\_vertex\_id, 48, 50, 51, 468, **470**  
 \_molecule\_name\_cas\_10ci, *see* MIF  
 \_molecule\_name\_cas\_8ci, *see* MIF  
 \_molecule\_name\_cas\_9ci, *see* MIF  
 \_molecule\_name\_common, *see* MIF  
 \_molecule\_name\_iupac, *see* MIF  
 \_name, *see* DDL1
- PD\_BLOCK, 123, **258**, 282  
 —\_diffractogram\_id, 124  
 —\_id, 123, 124, 124, 125, 125, **258**, 259, 263, 266, 282
- PD\_CALC, 121, 122, **258**  
 —\_method, 122, 125, **259**
- PD\_CALIB, 118, 119, **259**  
 —\_detector\_id, 119, 127, **259**, 261  
 —\_detector\_response, 119, 127, **259**  
 —\_std\_external\_block\_id, 119, 124, **259**, 259  
 —\_std\_external\_name, 119, **259**, 259  
 —\_std\_internal\_mass\_%, 119, **259**  
 —\_std\_internal\_name, 119, **259**  
 —\_2theta\_off\_max, 119, **259**  
 —\_2theta\_off\_min, 119, **259**  
 —\_2theta\_off\_point, 119, **259**  
 —\_2theta\_offset, 119, 127, 127, **259**
- PD\_CALIBRATION, 118, 119  
 —\_conversion\_eqn, 119, 127, **259**, 259, 263  
 —\_special\_details, 119, **260**
- PD\_CHAR, 118, 119, **260**  
 —\_atten\_coef\_mu\_calc, 118, **260**  
 —\_atten\_coef\_mu\_obs, 118, **260**  
 —\_colour, 118, **260**  
 —\_particle\_morphology, 118, **260**  
 —\_special\_details, 118, **260**
- PD\_DATA, 77, 118–122, **260**  
 \_pd\_calc\_intensity\_net, 122, 128, **259**  
 \_pd\_calc\_intensity\_total, 122, 125, 128, **259**, 260, 268  
 \_pd\_calc\_point\_id, 122, **259**, 260  
 \_pd\_instr\_beam\_size\_ax, 119, 120, **261**  
 \_pd\_instr\_beam\_size\_eq, 119, 120, **261**  
 \_pd\_instr\_var\_illum\_len, 119, 120, 261, **263**  
 \_pd\_meas\_angle\_chi, 120, 127, **263**  
 \_pd\_meas\_angle\_omega, 120, 127, **263**  
 \_pd\_meas\_angle\_phi, 120, 127, **263**  
 \_pd\_meas\_angle\_2theta, 120, **263**  
 \_pd\_meas\_counts\_background, 120, 127, **263**  
 \_pd\_meas\_counts\_container, 120, 127, **263**  
 \_pd\_meas\_counts\_monitor, 120, 126, 128, **263**  
 \_pd\_meas\_counts\_total, 120, 126–128, **263**  
 \_pd\_meas\_detector\_id, 120, 126, 127, 259, **263**, 264  
 \_pd\_meas\_intensity\_background, 121, **264**  
 \_pd\_meas\_intensity\_container, 121, **264**  
 \_pd\_meas\_intensity\_monitor, 121, 128, **264**  
 \_pd\_meas\_intensity\_total, 121, 125, 126–128, 260, **264**, 268  
 \_pd\_meas\_point\_id, 120, 121, 125, 260, **264**, 268  
 \_pd\_meas\_position, 120, 127, 259, **264**  
 \_pd\_meas\_rocking\_angle, 120, 128, **264**  
 \_pd\_meas\_step\_count\_time, 120, 126, 263, 263, **264**, 265  
 \_pd\_meas\_time\_of\_flight, 120, 125, 127, 128, **265**  
 \_pd\_meas\_2theta\_scan, 120, 126–128, 264, **265**  
 \_pd\_proc\_d\_spacing, 121, 122, 125, 127, 128, **266**  
 \_pd\_proc\_energy\_detection, 121, 127, **266**  
 \_pd\_proc\_energy\_incident, 121, **266**  
 \_pd\_proc\_intensity\_bkg\_calc, 121, 122, 125, 260, **267**  
 \_pd\_proc\_intensity\_bkg\_fix, 121, 122, **267**  
 \_pd\_proc\_intensity\_incident, 121, 122, 127, **267**  
 \_pd\_proc\_intensity\_net, 121, 126–128, 259, **267**, 268
- PD\_DATA  
 \_pd\_proc\_intensity\_norm, 121, 122, **267**  
 \_pd\_proc\_intensity\_total, 121, 125, 128, **267**, 268  
 \_pd\_proc\_ls\_weight, 121, 125, 128, 260, **268**  
 \_pd\_proc\_point\_id, 121, 125, 260, **268**  
 \_pd\_proc\_recip\_len\_Q, 121, 127, 128, **268**  
 \_pd\_proc\_2theta\_corrected, 121, 122, 127, 128, 259, 265, **267**  
 \_pd\_proc\_wavelength, 121, 122, 267, **268**  
 —\_point\_id, 118, 120, 121, 259, **260**, 260, 264, 268
- PD\_INSTR, 118, 119, **261**  
 —\_cons\_illum\_flag, 119, 120, 120, **261**, 261  
 —\_cons\_illum\_len, 119, 120, **261**, 263  
 —\_dist\_anal/detc, 119, **261**  
 —\_dist\_mono/spec, 119, **261**  
 —\_dist\_spec/anal, 119, **261**  
 —\_dist\_spec/detc, 119, **261**  
 —\_dist\_src/mono, 119, **261**  
 —\_dist\_src/spec, 119, **261**  
 —\_divg\_ax\_anal/detc, 119, **261**  
 —\_divg\_ax\_mono/spec, 119, **261**  
 —\_divg\_ax\_spec/anal, 119, **261**  
 —\_divg\_ax\_spec/detc, 119, **261**  
 —\_divg\_ax\_src/mono, 119, **261**  
 —\_divg\_ax\_src/spec, 119, **261**  
 —\_divg\_eq\_anal/detc, 119, **261**  
 —\_divg\_eq\_mono/spec, 119, **261**  
 —\_divg\_eq\_spec/anal, 119, **261**  
 —\_divg\_eq\_spec/detc, 119, **261**  
 —\_divg\_eq\_src/mono, 119, **261**  
 —\_divg\_eq\_src/spec, 119, **261**  
 —\_geometry, 119, 126, 261, **262**  
 —\_location, 119, **262**  
 —\_monochr\_post\_spec, 119, 261, **262**, 263  
 —\_monochr\_pre\_spec, 119, 120, **262**, 263  
 —\_slit\_ax\_anal/detc, 119, **262**  
 —\_slit\_ax\_mono/spec, 119, **262**  
 —\_slit\_ax\_spec/anal, 119, **262**  
 —\_slit\_ax\_spec/detc, 119, **262**  
 —\_slit\_ax\_src/mono, 119, **262**  
 —\_slit\_ax\_src/spec, 119, **262**  
 —\_slit\_eq\_anal/detc, 119, 261, **262**  
 —\_slit\_eq\_mono/spec, 119, **262**  
 —\_slit\_eq\_spec/anal, 119, **262**  
 —\_slit\_eq\_spec/detc, 119, **262**  
 —\_slit\_eq\_src/mono, 119, **262**  
 —\_slit\_eq\_src/spec, 119, 261, **262**  
 —\_soller\_ax\_anal/detc, 119, **262**  
 —\_soller\_ax\_mono/spec, 119, **262**  
 —\_soller\_ax\_spec/anal, 119, **262**  
 —\_soller\_ax\_spec/detc, 119, **262**  
 —\_soller\_ax\_src/mono, 119, **262**  
 —\_soller\_ax\_src/spec, 119, **262**  
 —\_soller\_eq\_anal/detc, 119, **262**  
 —\_soller\_eq\_mono/spec, 119, **262**  
 —\_soller\_eq\_spec/anal, 119, **262**  
 —\_soller\_eq\_spec/detc, 119, **262**  
 —\_soller\_eq\_src/mono, 119, **262**  
 —\_soller\_eq\_src/spec, 119, **262**  
 —\_source\_size\_ax, 119, 120, **263**  
 —\_source\_size\_eq, 119, 120, **263**  
 —\_special\_details, 119, **263**  
 —\_2theta\_monochr\_post, 119, **263**  
 —\_2theta\_monochr\_pre, 119, 120, **263**
- PD\_MEAS, 118, **263**
- PD\_MEAS\_INFO, 118, 121  
 —\_author\_address, 121, **263**, 263  
 —\_author\_email, 121, **263**, 263  
 —\_author\_fax, 121, **264**  
 —\_author\_name, 121, 263, 263, **264**  
 —\_author\_phone, 121, **264**
- PD\_MEAS\_METHOD, 118, 121  
 \_pd\_meas\_datetime\_initiated, 120, 121, 258, **263**, 263  
 \_pd\_meas\_number\_of\_points, 121, 125, 126, **264**  
 \_pd\_meas\_rocking\_axis, 121, 127, **264**
- PD\_MEAS\_METHOD  
 \_pd\_meas\_scan\_method, 121, 126, 127, 263, **264**, 265  
 \_pd\_meas\_special\_details, 121, **264**  
 \_pd\_meas\_2theta\_fixed, 120, 125, 127, 127, **264**, 265  
 \_pd\_meas\_2theta\_range\_inc, 120, 126, 263, **265**  
 \_pd\_meas\_2theta\_range\_max, 120, 126, 263, **265**  
 \_pd\_meas\_2theta\_range\_min, 120, 126, 263, **265**  
 \_pd\_meas\_units\_of\_intensity, 121, 126, 264, **265**
- PD\_PEAK, 121, 122, **265**  
 —\_d\_spacing, 122, **265**  
 —\_id, 122, 123, 129, **265**, 268  
 —\_intensity, 122, **265**  
 —\_pk\_height, 122, **265**  
 —\_2theta\_centroid, 122, 129, **265**  
 —\_2theta\_maximum, 122, **265**  
 —\_wavelength\_id, 122, 130, **265**  
 —\_width\_d\_spacing, 122, **265**  
 —\_width\_2theta, 122, **265**
- PD\_PEAK\_METHOD, 121, 122  
 \_pd\_peak\_special\_details, 122, **265**
- PD\_PHASE, 123, **265**  
 —\_block\_id, 123, 124, 125, 129, 258, 265, **266**  
 —\_id, 123, 125, 129, 265, **266**, 268  
 —\_mass\_%, 123, 125  
 —\_name, 123, 124, 129, **266**
- PD\_PREP, 118, 119, **266**  
 —\_conditions, 118, **266**  
 —\_cool\_rate, 118, **266**  
 —\_pressure, 118, **266**  
 —\_temperature, 118, **266**
- PD\_PROC, 121, **266**  
 \_pd\_block\_diffractogram\_id, 123, 124, 129, **258**
- PD\_PROC\_INFO, 121  
 \_pd\_proc\_number\_of\_points, 125, 259, **268**  
 \_pd\_proc\_2theta\_range\_inc, 121, **267**  
 \_pd\_proc\_2theta\_range\_max, 121, **267**  
 \_pd\_proc\_2theta\_range\_min, 121, **267**  
 —\_author\_address, 121, **266**  
 —\_author\_email, 121, **266**  
 —\_author\_fax, 121, **266**  
 —\_author\_name, 121, **266**  
 —\_author\_phone, 121, **266**  
 —\_data\_reduction, 121, 122, **266**  
 —\_datetime, 121, 125, 258, **266**  
 —\_excluded\_regions, 121, 122, **267**, 268  
 —\_special\_details, 121, **267**
- PD\_PROC\_LS, 121, **267**  
 —\_background\_function, 121, 122, **267**  
 —\_peak\_cutoff, 121, 125, **267**  
 —\_pref\_orient\_corr, 121, **267**  
 —\_prof\_R\_factor, 121, **268**  
 —\_prof\_wR\_expected, 121, 125, **268**  
 —\_prof\_wR\_factor, 121, 124, 125, **268**  
 —\_profile\_function, 121, 129, **268**  
 —\_special\_details, 121, **268**
- PD\_REFLN, **268**
- PD\_SPEC, 118, 119, **269**  
 —\_description, 119, **269**  
 —\_mount\_mode, 119, **269**, 269  
 —\_mounting, 119, **269**, 269  
 —\_orientation, 119, **269**, 269  
 —\_preparation, 119, 260, **269**, 269  
 —\_shape, 119, **269**  
 —\_size\_axial, 119, **269**  
 —\_size\_equat, 119, **269**  
 —\_size\_thick, 119, **269**  
 —\_special\_details, 119, **269**
- PHASING, 152, 153, 167, **374**  
 —.method, 153, 153, **374**, 374
- PHASING\_AVERAGING, 152, 153, **374**  
 —.details, 153, 153, **374**, 374  
 —.entry\_id, 153, 153, **374**, 374  
 —.method, 153, 153, **374**, 374

## INDEX OF CATEGORIES AND DATA NAMES

- PHASING\_ISOMORPHOUS, 152–154, **374**  
 —.details, 153, 154, **374**, 374  
 —.entry\_id, 153, 154, **374**  
 —.method, 153, **374**  
 —.parent, 153, 154, **374**, 374
- PHASING\_MAD, 152, 154, 155, 157, **374**  
 —.details, 154, **374**  
 —.entry\_id, 154, 154, **374**, 374  
 —.method, 154, **375**
- PHASING\_MAD\_CLUST, 152, 154, 155, **375**,  
 376, 377  
 —.expt\_id, 154, 154, **375**, 375  
 —.id, 154, 154, **375**, 375, 376, 377  
 —.number\_set, 154, 154, **375**, 375
- PHASING\_MAD\_EXPT, 153–155, **375**, 376, 377  
 —.delta\_delta\_phi, 154, 154, **375**, 375  
 —.delta\_phi, 154, **375**  
 —.delta\_phi\_sigma, 154, 154, **375**, 375  
 —.id, 154, 154, **375**, 375, 376, 377  
 —.mean\_fom, 154, 154, **375**, 375  
 —.number\_clust, 154, 154, **375**, 375  
 —.R\_normal\_all, 154, 154, **375**, 375  
 —.R\_normal\_anom\_scatt, 154, 154, **375**, 375
- PHASING\_MAD\_RATIO, 153–155, **375**  
 —.clust\_id, 154, 154, **376**, 376  
 —.d\_res\_high, 154, 154, 155, **376**, 376  
 —.d\_res\_low, 154, 154, 155, **376**, 376  
 —.expt\_id, 154, 154, **376**, 376  
 —.ratio\_one\_wl, 154, 154, **376**, 376  
 —.ratio\_one\_wl\_centric, 154, 154, **376**, 376  
 —.ratio\_two\_wl, 154, 154, **376**, 376  
 —.wavelength\_1, 154, 154, **376**, 376  
 —.wavelength\_2, 154, 154, **376**, 376
- PHASING\_MAD\_SET, 153–155, 376, **377**  
 —.clust\_id, 154, 154, **377**, 377  
 —.d\_res\_high, 154, 154, **377**, 377  
 —.d\_res\_low, 154, 154, **377**, 377  
 —.expt\_id, 154, 154, **377**, 377  
 —.f\_double\_prime, 154, 154, **377**, 377  
 —.f\_prime, 154, 154, **377**, 377  
 —.set\_id, 154, 154, **377**, 377  
 —.wavelength, 154, 154, **376**, **377**, 377  
 —.wavelength\_details, 154, 154, **377**, 377
- PHASING\_MIR, 153–157, **377**  
 —.d\_res\_high, 155, **377**  
 —.d\_res\_low, 155, **377**  
 —.details, 155, **377**  
 —.entry\_id, 155, 157, **377**  
 —.FOM, 155, **378**  
 —.FOM\_acentric, 155, **378**  
 —.FOM\_centric, 155, **378**  
 —.method, 155, 157, **377**, **378**  
 —.reflns, 155, **378**  
 —.reflns\_acentric, 155, **378**  
 —.reflns\_centric, 155, **378**  
 —.reflns\_criterion, 155, **378**
- PHASING\_MIR\_DER, 153, 155, 156, **378**,  
 380–383  
 —.d\_res\_high, 155, **378**  
 —.d\_res\_low, 155, **378**  
 —.der\_set\_id, 155, 156, **378**  
 —.details, 155, 157, **378**, 378  
 —.id, 155, 157, **378**, 378, 380, 381, 383  
 —.native\_set\_id, 155, 156, **378**  
 —.number\_of\_sites, 155, 157, **378**, 378  
 —.power\_acentric, 155, **379**  
 —.power\_centric, 155, **379**  
 —.R\_cullis\_acentric, 155, **379**  
 —.R\_cullis\_anomalous, 155, **379**  
 —.R\_cullis\_centric, 155, **379**  
 —.reflns\_acentric, 155, **379**  
 —.reflns\_anomalous, 155, **379**  
 —.reflns\_centric, 155, **379**  
 —.reflns\_criteria, 155, **379**
- PHASING\_MIR\_DER\_REFLN, 153, 155, 156,  
**380**  
 —.der\_id, 155, 156, 157, **380**, 380  
 —.F\_calc, 155, **380**  
 —.F\_calc\_au, 155, 157, **380**, 380
- PHASING\_MIR\_DER\_REFLN  
 —.F\_meas, 155, **380**  
 —.F\_meas\_au, 155, 157, **380**, 380  
 —.F\_meas\_sigma, 155, 157, **380**, 380  
 —.F\_meas\_sigma\_au, 155, **380**  
 —.HL\_A\_iso, 155, 157, **380**, 380  
 —.HL\_B\_iso, 155, 157, **380**, 380  
 —.HL\_C\_iso, 155, 157, **380**, **381**  
 —.HL\_D\_iso, 156, 157, **380**, **381**  
 —.index\_h, 155, 157, **380**, **381**  
 —.index\_k, 155, 157, **380**, **381**  
 —.index\_l, 155, 157, **380**, **381**  
 —.phase\_calc, 156, 157, **380**, **381**  
 —.set\_id, 155, 156, 157, **380**, **381**
- PHASING\_MIR\_DER\_SHELL, 153, 156, **381**  
 —.d\_res\_high, 156, 157, **381**, 381  
 —.d\_res\_low, 156, 157, **381**, 381  
 —.der\_id, 156, 157, **381**, 381  
 —.fom, 156, **381**  
 —.ha\_ampl, 156, 157, **381**, **382**  
 —.loc, 156, 157, **381**, **382**  
 —.phase, 156, **382**  
 —.power, 156, **382**  
 —.R\_cullis, 156, **382**  
 —.R\_kraut, 156, **382**  
 —.reflns, 156, **382**
- PHASING\_MIR\_DER\_SITE, 153, 156, **382**, 383  
 —.atom\_type\_symbol, 156, 157, **382**, 382  
 —.B\_iso, 156, 157, **382**, 382  
 —.B\_iso\_esd, **382**  
 —.Cartn\_x, 156, **382**, 383  
 —.Cartn\_x\_esd, **383**  
 —.Cartn\_y, 156, **383**  
 —.Cartn\_y\_esd, **383**  
 —.Cartn\_z, 156, **383**  
 —.Cartn\_z\_esd, **383**  
 —.der\_id, 156, 157, 382, 382, **383**  
 —.details, 156, **383**  
 —.fract\_x, 156, 157, 382, **383**  
 —.fract\_x\_esd, **383**  
 —.fract\_y, 156, 157, 382, **383**  
 —.fract\_y\_esd, **383**  
 —.fract\_z, 156, 157, 382, **383**  
 —.fract\_z\_esd, **383**  
 —.id, 156, 157, 382, **383**  
 —.occupancy, 156, 157, 382, **383**  
 —.occupancy\_anom, 156, **383**  
 —.occupancy\_anom\_su, 156, **383**  
 —.occupancy\_iso, 156, **383**  
 —.occupancy\_iso\_su, 156, **383**
- PHASING\_MIR\_SHELL, 155, 156, **384**  
 —.d\_res\_high, 155, 157, **384**, 384  
 —.d\_res\_low, 155, 157, **384**, 384  
 —.FOM, 155, **384**, 384  
 —.FOM\_acentric, 155, **384**  
 —.FOM\_centric, 155, **384**  
 —.loc, 155, **384**  
 —.mean\_phase, 155, **384**  
 —.power, 155, **384**  
 —.R\_cullis, 155, **384**  
 —.R\_kraut, 155, **384**  
 —.reflns, 155, 157, **384**, **385**  
 —.reflns\_acentric, 155, **385**  
 —.reflns\_anomalous, 155, **385**  
 —.reflns\_centric, 155, **385**
- PHASING\_SET, 153, 155, 157, 377, 378, 381,  
**385**, 386  
 —.cell\_angle\_alpha, 157, 157, **385**, 385  
 —.cell\_angle\_beta, 157, 157, **385**, 385  
 —.cell\_angle\_gamma, 157, 157, **385**, 385  
 —.cell\_length\_a, 157, 157, **385**, 385  
 —.cell\_length\_b, 157, 157, **385**, 385  
 —.cell\_length\_c, 157, 157, **385**, 385  
 —.detector\_specific, 157, 157, **385**, 385  
 —.detector\_type, 157, 157, **385**, 385  
 —.id, 157, 157, 377, 378, 381, **385**, 385, 386  
 —.radiation\_source\_specific, 157, **385**  
 —.radiation\_wavelength, 157, 157, **385**, 385  
 —.temp, 157, **385**
- PHASING\_SET\_REFLN, 153, 155–158, 380, **386**  
 —.F\_meas, 157, **386**  
 —.F\_meas\_au, 157, 157, **386**, 386  
 —.F\_meas\_sigma, 157, **386**  
 —.F\_meas\_sigma\_au, 157, 157, **386**, 386  
 —.index\_h, 157, 157, **386**, 386  
 —.index\_k, 157, 157, **386**, 386  
 —.index\_l, 157, 157, **386**, 386  
 —.set\_id, 157, 157, 158, **386**, 386
- PUBL, 114, 145, 190, 193, 194, **239**, **386**  
 —.contact\_author, 194, **386**  
 —.contact\_author, 114, **239**  
 —.contact\_author\_address, 194, **386**  
 —.contact\_author\_address, 114, **240**, 565  
 —.contact\_author\_email, 194, **386**  
 —.contact\_author\_email, 114, **240**, 565  
 —.contact\_author\_fax, 194, **387**  
 —.contact\_author\_fax, 114, **240**, 565  
 —.contact\_author\_id\_iucr, 114, **240**  
 —.contact\_author\_name, 194, 386, **387**  
 —.contact\_author\_name, 114, 239, **240**, 565  
 —.contact\_author\_phone, 194, **387**  
 —.contact\_author\_phone, 114, **240**, 565  
 —.contact\_letter, 194, **387**  
 —.contact\_letter, 114, **240**, 565  
 —.entry\_id, 194, **387**  
 —.manuscript\_creation, 194, **387**  
 —.manuscript\_creation, 24, 114, **240**  
 —.manuscript\_processed, 194, **387**, 388  
 —.manuscript\_processed, 24, 114, **240**  
 —.manuscript\_text, 194, **387**, 388  
 —.manuscript\_text, 114, **240**  
 —.requested\_category, 194, **387**  
 —.requested\_category, 114, **240**, 565  
 —.requested\_coeditor\_name, 194, **387**  
 —.requested\_coeditor\_name, 114, **240**  
 —.requested\_journal, 194, **387**  
 —.requested\_journal, 114, **240**, 565  
 —.section\_abstract, 194, 386, **387**  
 —.section\_abstract, 114, 239, **240**, 559, 565  
 —.section\_acknowledgements, 194, **387**  
 —.section\_acknowledgements, 114, **240**, 565  
 —.section\_comment, 194, **387**  
 —.section\_comment, 114, **240**, 559, 565  
 —.section\_discussion, 194, **387**  
 —.section\_discussion, 114, **240**  
 —.section\_experimental, 194, **388**  
 —.section\_experimental, 6, 114, **240**  
 —.section\_exptl\_prep, 194, **388**  
 —.section\_exptl\_prep, 114, **240**, 565  
 —.section\_exptl\_refinement, 194, **388**  
 —.section\_exptl\_refinement, 114, **240**, 561, 565  
 —.section\_exptl\_solution, 194, **388**  
 —.section\_exptl\_solution, 98, 114, **240**  
 —.section\_figure\_captions, 194, **388**  
 —.section\_figure\_captions, 114, **240**, 565  
 —.section\_introduction, 194, **388**  
 —.section\_introduction, 114, **240**  
 —.section\_references, 191, 194, **388**  
 —.section\_references, 83, 84, 112, 114, 191,  
**240**, 565  
 —.section\_synopsis, 194, **388**  
 —.section\_synopsis, 114, **240**, 565  
 —.section\_table\_legends, 194, **388**  
 —.section\_table\_legends, 114, **240**  
 —.section\_title, 194, **388**  
 —.section\_title, 114, **240**, 559, 565  
 —.section\_title\_footnote, 194, 386, **388**  
 —.section\_title\_footnote, 114, 239, **240**, 565
- PUBL\_AUTHOR, 114, 115, 193, 194, **241**, 388,  
**388**  
 —.address, 194, **388**, 388, 389  
 —.address, 114, **241**, **241**, 559, 565  
 —.email, 194, **388**  
 —.email, **241**  
 —.footnote, 194, **388**  
 —.footnote, 114, **241**, 565  
 —.id\_iucr, 194, **389**  
 —.id\_iucr, 114, **241**

## INDEX OF CATEGORIES AND DATA NAMES

### PUBL\_AUTHOR

- name, 194, 388, 388, **389**
- name, 114, **241**, 241, 559, 565

### PUBL\_BODY, 114, 193, 194, 239, **241**, **389**

- contents, 194, **389**, 389
- contents, 114, **241**, 241
- element, 194, **389**, 389
- element, 114, **241**, 241, 242
- format, 194, **389**, 389
- format, 114, 241, **242**
- label, 194, **389**, 389
- label, 114, 241, **242**
- title, 194, **389**, 389
- title, 114, 241, **242**

### PUBL\_MANUSCRIPT\_INCL, 114, 193, 194, **242**, **389**, 558

- entry\_id, 194, **389**, 389
- extra\_defn, 194, 389, **390**
- extra\_defn, 114, **242**, 242, 559, 560, 566
- extra\_info, 194, 389, **390**
- extra\_info, 114, 114, **242**, 242
- extra\_item, 194, 389, **390**
- extra\_item, 114, 114, **242**, 242, 559, 560, 562, 566

—reference\_conformation, *see* MIF

—reference\_stereo\_group, *see* MIF

### REFINE, 98–100, 102, 134, 152, 158–161, **242**, **287**, **390**

- aniso\_B[m][n] ( $m, n = 1, 2, 3$ ), 158, **390**
- B\_iso\_max, 158, **390**
- B\_iso\_mean, 158, **391**
- B\_iso\_min, 158, **391**
- correlation\_coeff\_Fo\_to\_Fc, 158, 159, **391**
- correlation\_coeff\_Fo\_to\_Fc\_free, 158, **391**
- details, 158, 159, 390, **391**, 392–395
- diff\_density\_max, 158, 390, **391**
- diff\_density\_max, 6, 98, 99, 242, **243**, 565, 566
- diff\_density\_max\_esd, **391**
- diff\_density\_min, 158, 390, **391**
- diff\_density\_min, 6, 98, 99, 242, **243**, 565, 566
- diff\_density\_min\_esd, **391**
- diff\_density\_rms, 158, **391**
- diff\_density\_rms, 98, **243**
- diff\_density\_rms\_esd, **391**
- entry\_id, 158, 159, 159, 390, **391**
- ls\_abs\_structure\_details, 158, 390, **391**
- ls\_abs\_structure\_details, 6, 98, 99, 242, **243**, 565, 566
- ls\_abs\_structure\_Flack, 158, 390, **391**
- ls\_abs\_structure\_Flack, 98, **243**, 565, 566
- ls\_abs\_structure\_Flack\_esd, **391**
- ls\_abs\_structure\_Rogers, 158, **391**, 392
- ls\_abs\_structure\_Rogers, 98, **243**, 565, 566
- ls\_abs\_structure\_Rogers\_esd, **392**
- ls\_d\_res\_high, 158, **392**, 393–397
- ls\_d\_res\_high, 98, 100, **243**, 244–247, 249
- ls\_d\_res\_low, 158, **392**, 393–397
- ls\_d\_res\_low, 98, 100, **243**, 245–247, 249
- ls\_extinction\_coef, 158, 390, **392**
- ls\_extinction\_coef, 6, 98, 99, 99, 242, **243**, 565
- ls\_extinction\_coef\_esd, **392**
- ls\_extinction\_expression, 158, 390, **392**
- ls\_extinction\_expression, 98, 99, 242, **243**
- ls\_extinction\_method, 158, 390, **392**
- ls\_extinction\_method, 6, 98, 99, 99, 242, **243**, 565
- ls\_goodness\_of\_fit\_all, 158, 390, **392**, 395
- ls\_goodness\_of\_fit\_all, 98, 99, 242, **243**
- ls\_goodness\_of\_fit\_all\_esd, **392**
- ls\_goodness\_of\_fit\_gt, 158, **392**
- ls\_goodness\_of\_fit\_gt, 98, 99, 242, **244**
- ls\_goodness\_of\_fit\_obs, 158, 390, **393**, 395
- ls\_goodness\_of\_fit\_obs, 6, 98, **244**
- ls\_goodness\_of\_fit\_obs\_esd, **393**
- ls\_goodness\_of\_fit\_ref, 158, **393**

### REFINE

- ls\_goodness\_of\_fit\_ref, 98, **244**, 565, 566
- ls\_hydrogen\_treatment, 158, 390, **393**
- ls\_hydrogen\_treatment, 6, 98, 99, 99, 242, **244**, 565, 566
- ls\_matrix\_type, 158, 390, **393**
- ls\_matrix\_type, 98, 99, 242, **244**
- ls\_mod\_func\_description, 134, 138, **287**
- ls\_mod\_hydrogen\_treatment, 134, **287**
- ls\_mod\_overall\_phason\_coeff, 134, **288**
- ls\_mod\_overall\_phason\_formula, 134, **288**
- ls\_number\_constraints, 158, 301, 390, **393**
- ls\_number\_constraints, 98, 99, 212, 242, **244**
- ls\_number\_parameters, 158, 159, 390, **393**
- ls\_number\_parameters, 6, 98, 99, 242, **244**, 245, 246, 565, 566
- ls\_number\_refins, 6, 98, 99, 242, **244**, 565, 566
- ls\_number\_refins\_all, 158, **393**
- ls\_number\_refins\_obs, 158, 159, 390, **393**, 395
- ls\_number\_refins\_R\_free, 158, **393**
- ls\_number\_refins\_R\_work, 158, **393**
- ls\_number\_restraints, 158, 159, 303, 390, **394**, 395
- ls\_number\_restraints, 98, 99, 213, 242, **244**, 245, 246
- ls\_percent\_refins\_obs, 158, 159, **394**
- ls\_percent\_refins\_R\_free, 158, **394**
- ls\_R\_factor\_all, 158, 390, **394**
- ls\_R\_factor\_all, 98, 99, 99, 242, **244**, 268
- ls\_R\_factor\_gt, 158, **394**, 412
- ls\_R\_factor\_gt, 98, 99, 99, 242, **245**, 251, 565, 566
- ls\_R\_factor\_obs, 158, 159, 159, 390, **394**, 395
- ls\_R\_factor\_obs, 6, 98, **245**
- ls\_R\_factor\_R\_free, 158, **394**
- ls\_R\_factor\_R\_free\_error, 158, **394**
- ls\_R\_factor\_R\_free\_error\_details, 158, **394**, 406
- ls\_R\_factor\_R\_work, 158, 159, 394, **395**
- ls\_R\_Fsqd\_factor, 98, 125, **245**, 268
- ls\_R\_Fsqd\_factor\_obs, 158, **395**
- ls\_R\_I\_factor, 98, **245**, 268
- ls\_R\_I\_factor\_obs, 158, **395**
- ls\_redundancy\_refins\_all, 158, **395**
- ls\_redundancy\_refins\_obs, 158, **395**
- ls\_restrained\_S\_all, 158, 392, **395**
- ls\_restrained\_S\_all, 98, **245**
- ls\_restrained\_S\_gt, 98, **245**
- ls\_restrained\_S\_obs, 158, 393, **395**
- ls\_restrained\_S\_obs, 98, **246**
- ls\_shift/esd\_max, 6, 98, **246**
- ls\_shift/esd\_mean, 98, **246**
- ls\_shift/su\_max, 98, 99, 242, **246**, 565, 566
- ls\_shift/su\_max\_lt, 98, **246**
- ls\_shift/su\_mean, 98, 99, 242, **246**
- ls\_shift/su\_mean\_lt, 98, **246**
- ls\_shift\_over\_esd\_max, 158, 390, **395**
- ls\_shift\_over\_esd\_mean, 158, 390, **396**
- ls\_shift\_over\_su\_max, 158, **396**
- ls\_shift\_over\_su\_max\_lt, 158, **396**
- ls\_shift\_over\_su\_mean, 158, **396**
- ls\_shift\_over\_su\_mean\_lt, 158, **396**
- ls\_structure\_factor\_coef, 158, 390, 392, 393, **395**, **396**, 397, 403, 406, 407, 413
- ls\_structure\_factor\_coef, 6, 98, 99, 99, 242, 243–245, **246**, 247, 248, 252, 565, 566
- ls\_weighting\_details, 158, 159, 390, 396, **396**
- ls\_weighting\_details, 98, 99, 99, 242, **246**, 565
- ls\_weighting\_scheme, 158, 159, 390, **396**
- ls\_weighting\_scheme, 6, 99, 99, 242, **246**, 565, 567
- ls\_wR\_factor\_all, 158, 390, **396**
- ls\_wR\_factor\_all, 99, 99, 242, **246**
- ls\_wR\_factor\_gt, 99, 99, 242, **246**
- ls\_wR\_factor\_obs, 158, 390, **396**
- ls\_wR\_factor\_obs, 6, 99, **247**

### REFINE

- ls\_wR\_factor\_R\_free, 158, **396**
  - ls\_wR\_factor\_R\_work, 158, **397**
  - ls\_wR\_factor\_ref, 99, **247**, 565, 566
  - occupancy\_max, 158, **397**
  - occupancy\_min, 158, **397**
  - overall\_FOM\_free\_R\_set, 158, **397**
  - overall\_FOM\_work\_R\_set, 158, **397**
  - overall\_SU\_B, 158, 159, **397**
  - overall\_SU\_ML, 158, 159, **397**
  - overall\_SU\_R\_Cruickshank\_DPI, 158, 159, **398**
  - overall\_SU\_R\_free, 158, 159, **398**
  - solvent\_model\_details, 158, **398**
  - solvent\_model\_param\_bsol, 158, **398**
  - solvent\_model\_param\_ksol, 158, **398**
  - special\_details, 99, 99, 242, 243, 244, **247**
- ### REFINE\_ANALYZE, 158–160, **398**
- entry\_id, 159, 160, **398**, 398
  - Luzzati\_coordinate\_error\_free, 160, **398**
  - Luzzati\_coordinate\_error\_obs, 160, 160, **398**, 398
  - Luzzati\_d\_res\_low\_free, 160, **398**
  - Luzzati\_d\_res\_low\_obs, 160, 160, **398**, 398
  - Luzzati\_sigma\_a\_free, 160, **399**
  - Luzzati\_sigma\_a\_free\_details, 160, **399**
  - Luzzati\_sigma\_a\_obs, 160, **399**
  - Luzzati\_sigma\_a\_obs\_details, 160, **399**
  - number\_disordered\_residues, 160, **399**
  - occupancy\_sum\_hydrogen, 160, **399**
  - occupancy\_sum\_non\_hydrogen, 160, **399**
  - RG\_d\_res\_high, 160, **399**
  - RG\_d\_res\_low, 160, **399**, 400
  - RG\_free, 160, **399**
  - RG\_free\_work\_ratio, 160, **399**
  - RG\_work, 160, 399, **400**
- ### REFINE\_B\_ISO, 158, 161, 162, **400**
- class, 161, 161, 162, **400**, 400
  - details, 161, **400**
  - treatment, 161, 161, **400**, 400
  - value, 161, **400**
- ### REFINE\_FUNCT\_MINIMIZED, 158, 159, **400**
- number\_terms, 158, 159, **400**, 400
  - residual, 158, 159, **400**, 400
  - type, 158, 159, **400**, 400
  - weight, 158, **400**
- ### REFINE\_HIST, 158, 159, 162, **400**, 401
- cycle\_id, 162, 162, **401**, 401
  - d\_res\_high, 162, 162, **401**, 401, 402
  - d\_res\_low, 162, 162, **401**, 401
  - details, 162, 162, **401**, 401
  - number\_atoms\_solvent, 162, 162, **401**, 401
  - number\_atoms\_total, 162, 162, **401**, 401
  - number\_refins\_all, 162, 162, **401**, 401
  - number\_refins\_obs, 162, 162, **401**, 401
  - number\_refins\_R\_free, 162, 162, **401**, 401
  - number\_refins\_R\_work, 162, 162, **401**, 401
  - R\_factor\_all, 162, 162, **401**, 401
  - R\_factor\_obs, 162, 162, **401**, 401
  - R\_factor\_R\_free, 162, 162, **401**, 401
  - R\_factor\_R\_work, 162, 162, **401**, **402**
- ### REFINE\_LS\_CLASS, 98–100, 158, 160, 161, 164, **247**, **402**
- code, 160, **402**
  - code, 99, 100, **247**, 247
  - d\_res\_high, 160, **402**, 403
  - d\_res\_high, 99, **247**
  - d\_res\_low, 160, **402**, 403
  - d\_res\_low, 99, **247**, 248
  - R\_factor\_all, 160, **402**
  - R\_factor\_all, 99, **247**
  - R\_factor\_gt, 160, **402**
  - R\_factor\_gt, 99, **247**, 247
  - R\_Fsqd\_factor, 160, **402**
  - R\_Fsqd\_factor, 99, **247**
  - R\_I\_factor, 160, **402**
  - R\_I\_factor, 99, **248**
  - wR\_factor\_all, 160, 402, **403**
  - wR\_factor\_all, 99, **248**

## INDEX OF CATEGORIES AND DATA NAMES

- REFINE\_LS\_RESTR, 158, 160, 161, **403**, 404  
 —.criterion, 160, 161, **403**, 403  
 —.dev\_ideal, 160, 161, **403**, 403, 404  
 —.dev\_ideal\_target, 160, 161, **403**, 403, 404  
 —.number, 160, 161, **403**, 403, 404  
 —.rejects, 160, 161, **403**, 403  
 —.type, 160, 161, 161, **403**, 403, 404, 404  
 —.weight, 160, **403**
- REFINE\_LS\_RESTR\_NCS, 158, 160, 161, **404**  
 —.dom\_id, 160, **404**, 404  
 —.ncs\_model\_details, 160, 161, **404**, 404  
 —.rms\_dev\_B\_iso, 160, **404**, 404  
 —.rms\_dev\_position, 160, **404**, 404  
 —.weight\_B\_iso, 160, **404**, 404  
 —.weight\_position, 160, **404**, 404
- REFINE\_LS\_RESTR\_TYPE, 158, 160, 161, **404**  
 —.distance\_cutoff\_high, 160, **404**, 404  
 —.distance\_cutoff\_low, 160, **404**, 404  
 —.type, 160, **404**, 404
- REFINE\_LS\_SHELL, 158, 160, 161, **405**  
 —.d\_res\_high, 160, 161, **405**, 405, 406, 407  
 —.d\_res\_low, 160, 161, **405**, 405, 406, 407  
 —.number\_reflns\_all, 160, **405**  
 —.number\_reflns\_obs, 160, 161, **405**, 405  
 —.number\_reflns\_R\_free, 160, **405**  
 —.number\_reflns\_R\_work, 160, **405**  
 —.percent\_reflns\_obs, 160, **405**  
 —.percent\_reflns\_R\_free, 160, **405**  
 —.R\_factor\_all, 160, **405**  
 —.R\_factor\_obs, 160, 161, **405**, 405  
 —.R\_factor\_R\_free, 160, **406**  
 —.R\_factor\_R\_free\_error, 160, **406**  
 —.R\_factor\_R\_work, 160, **406**  
 —.redundancy\_reflns\_all, 160, **406**  
 —.redundancy\_reflns\_obs, 160, **406**  
 —.wR\_factor\_all, 160, **406**  
 —.wR\_factor\_obs, 160, **406**  
 —.wR\_factor\_R\_free, 160, **406**  
 —.wR\_factor\_R\_work, 160, **407**
- REFINE\_OCCUPANCY, 158, 161, 162, **407**  
 —.class, 161, 161, 162, **407**, 407  
 —.details, 161, 161, **407**, 407  
 —.treatment, 161, 161, **407**, 407  
 —.value, 161, 161, **407**, 407
- REFLN, 96–98, 100, 101, 118, 121, 122, 134, 152, 162, 163, **248**, 249, 250, 252, **288**, 347, 349, 350, **407**, 409–411, 413  
 —.pd\_refl\_peak\_id, 122, 123, 129, 130, 265, **268**  
 —.pd\_refl\_phase\_id, 122, 123, 125, 129, 130, 265, 266, **268**  
 —.pd\_refl\_wavelength\_id, 122, 123, 265, **268**  
 —.A\_calc, 162, **407**  
 —.A\_calc, 100, **248**  
 —.A\_calc\_au, 162, **407**  
 —.A\_meas, 162, **407**  
 —.A\_meas, 100, **248**  
 —.A\_meas\_au, 162, **407**  
 —.B\_calc, 162, **408**  
 —.B\_calc, 100, **248**  
 —.B\_calc\_au, 162, **408**  
 —.B\_meas, 162, **408**  
 —.B\_meas, 100, **248**  
 —.B\_meas\_au, 162, **408**  
 —.class\_code, 162, **408**  
 —.class\_code, 100–102, **248**  
 —.crystal\_id, 162, **408**  
 —.crystal\_id, 100, 235, **248**  
 —.d\_spacing, 162, **408**  
 —.d\_spacing, 100, 123, 125, **248**  
 —.F\_calc, 162, **408**  
 —.F\_calc, 100, 248, **249**, 566  
 —.F\_calc\_au, 162, **408**  
 —.F\_meas, 162, **408**  
 —.F\_meas, 100, 248, **249**, 566  
 —.F\_meas\_au, 162, **408**  
 —.F\_meas\_sigma, 162, **408**  
 —.F\_meas\_sigma\_au, 162, **408**  
 —.F\_sigma, 100, 248, **249**, 566  
 —.F\_squared\_calc, 162, 163, 407, **408**
- REFLN  
 —.F\_squared\_calc, 100, 100, 123, 125, 129, **249**, 566  
 —.F\_squared\_meas, 162, 163, 407, **408**  
 —.F\_squared\_meas, 100, 100, 123, 125, **249**, 566  
 —.F\_squared\_sigma, 162, 163, 407, **408**  
 —.F\_squared\_sigma, 100, 100, **249**, 566  
 —.fom, 162, 163, **408**  
 —.include\_status, 162, **408**  
 —.include\_status, 100, 100, 101, 248, **249**  
 —.index\_h, 162, 163, 407, **409**  
 —.index\_h, 77, 100, 100, 123, 125, 129, 217, 229, 230, 248, **249**, 566  
 —.index\_k, 162, 163, 407, **409**  
 —.index\_k, 77, 100, 100, 123, 125, 129, 248, **249**, 566  
 —.index\_l, 162, 163, 407, **409**  
 —.index\_l, 77, 100, 100, 123, 125, 129, 248, **249**, 566  
 —.index\_m\_n ( $n = 1, \dots, 8$ ), 134, **288**  
 —.intensity\_calc, 162, **409**  
 —.intensity\_calc, 100, 123, **249**  
 —.intensity\_meas, 162, **409**  
 —.intensity\_meas, 100, 123, **249**  
 —.intensity\_sigma, 162, **409**  
 —.intensity\_sigma, 100, **249**  
 —.mean\_path\_length\_tbar, 162, **409**  
 —.mean\_path\_length\_tbar, 100, **249**  
 —.observed\_status, 100, 125, **249**  
 —.phase\_calc, 162, **409**  
 —.phase\_calc, 100, 125, **249**  
 —.phase\_meas, 162, **409**  
 —.phase\_meas, 100, **249**  
 —.refinement\_status, 162, **409**  
 —.refinement\_status, 100, **249**  
 —.scale\_group\_code, 162, **409**, 413  
 —.scale\_group\_code, 100–102, 248, **249**, 252  
 —.sint/lambda, 100, 248, **249**  
 —.sint\_over\_lambda, 162, **409**  
 —.status, 162, 163, 407, **409**  
 —.symmetry\_epsilon, 162, **409**  
 —.symmetry\_epsilon, 100, **249**  
 —.symmetry\_multiplicity, 162, **409**  
 —.symmetry\_multiplicity, 100, **249**  
 —.wavelength, 162, **409**  
 —.wavelength, 100, **250**  
 —.wavelength\_id, 163, **409**  
 —.wavelength\_id, 100, 101, 123, **250**
- REFLN\_SYS\_ABS, 162, 163, **410**  
 —.I, 163, **410**, 410  
 —.I\_over\_sigmaI, 163, **410**, 410  
 —.index\_h, 163, **410**, 410  
 —.index\_k, 163, **410**, 410  
 —.index\_l, 163, **410**, 410  
 —.sigmaI, 163, **410**, 410
- REFLNS, 98, 100–102, 134, 162–164, 248, **250**, **288**, 407, **410**  
 —.B\_iso\_Wilson\_estimate, 163, **410**  
 —.d\_resolution\_high, 163, 164, **410**, 410, 412  
 —.d\_resolution\_high, 101, **250**, 250  
 —.d\_resolution\_low, 163, 164, **410**, 410, 412  
 —.d\_resolution\_low, 101, **250**, 250  
 —.data\_reduction\_details, 163, 164, **410**, 410  
 —.data\_reduction\_method, 163, 164, 410, **411**  
 —.details, 163, 164, 410, **411**, 413  
 —.entry\_id, 163, 164, 410, **411**  
 —.Friedel\_coverage, 163, **411**  
 —.Friedel\_coverage, 101, **250**  
 —.limit\_h\_max, 163, 164, 410, **411**  
 —.limit\_h\_max, 101, **250**, 250  
 —.limit\_h\_min, 163, 164, 410, **411**  
 —.limit\_h\_min, 101, **250**, 250  
 —.limit\_index\_m\_n\_max ( $n = 1, \dots, 8$ ), 134, **288**  
 —.limit\_index\_m\_n\_min ( $n = 1, \dots, 8$ ), 134, **288**  
 —.limit\_k\_max, 163, 164, 410, **411**  
 —.limit\_k\_max, 101, **250**, 250
- REFLNS  
 —.limit\_k\_min, 163, 164, 410, **411**  
 —.limit\_k\_min, 101, **250**, 250  
 —.limit\_l\_max, 163, 164, 410, **411**  
 —.limit\_l\_max, 101, **250**, 250  
 —.limit\_l\_min, 163, 164, 410, **411**  
 —.limit\_l\_min, 101, **250**, 250  
 —.number\_all, 163, 410, **411**  
 —.number\_gt, 163, 394, **411**, 412  
 —.number\_gt, 101, 245, **250**, 250, 251, 565, 566  
 —.number\_obs, 163, 164, 410, **411**  
 —.number\_observed, 6, 101, 125, **250**  
 —.number\_total, 6, 101, **250**, 250, 565–567  
 —.observed\_criterion, 163, 164, 393–397, 401, 402, 405–407, 410, **411**, 412, 414, 415  
 —.observed\_criterion, 6, 100, 101, 244, 245, 247, **250**, 252–254  
 —.observed\_criterion\_F\_max, 163, **411**  
 —.observed\_criterion\_F\_min, 163, **412**  
 —.observed\_criterion\_I\_max, 163, **412**  
 —.observed\_criterion\_I\_min, 163, **412**  
 —.observed\_criterion\_sigma\_F, 163, **412**  
 —.observed\_criterion\_sigma\_I, 163, 164, **412**  
 —.percent\_possible\_obs, 163, **412**  
 —.R\_free\_details, 159, 163, 394–397, 401, 402, 405–407, **412**  
 —.Rmerge\_F\_all, 163, **412**  
 —.Rmerge\_F\_obs, 163, **412**  
 —.special\_details, 101, 250, **251**  
 —.threshold\_expression, 163, 394, 402, 411, **412**, 413–415  
 —.threshold\_expression, 99, 101, 244–250, 250, **251**, 252–254, 565, 566
- REFLNS\_CLASS, 98, 100–102, 162–164, **251**, **412**  
 —.code, 163, 402, 408, **412**  
 —.code, 100–102, 247, 248, **251**, 251  
 —.d\_res\_high, 163, **412**, 413  
 —.d\_res\_high, 101, **251**, 252  
 —.d\_res\_low, 163, **412**, 413  
 —.d\_res\_low, 101, **251**, 252  
 —.description, 163, **412**  
 —.description, 101, 102, **251**  
 —.number\_gt, 163, **413**  
 —.number\_gt, 101, 102, **251**, 251  
 —.number\_total, 163, **413**  
 —.number\_total, 101, **251**  
 —.R\_factor\_all, 163, **413**  
 —.R\_factor\_all, 101, **251**  
 —.R\_factor\_gt, 163, **413**  
 —.R\_factor\_gt, 101, **251**  
 —.R\_Fsqd\_factor, 163, **413**  
 —.R\_Fsqd\_factor, 101, **251**  
 —.R\_I\_factor, 163, **413**  
 —.R\_I\_factor, 101, **252**  
 —.wR\_factor\_all, 163, **413**  
 —.wR\_factor\_all, 99, 101, **252**
- REFLNS\_SCALE, 98, 100–102, 162–164, **252**, 409, **413**  
 —.group\_code, 163, 409, **413**, 413, 414  
 —.group\_code, 101, 102, 249, **252**, 252  
 —.meas\_F, 163, 413, 413, **414**  
 —.meas\_F, 101, **252**, 252  
 —.meas\_F\_squared, 163, **414**  
 —.meas\_F\_squared, 101, **252**  
 —.meas\_intensity, 163, 413, **414**  
 —.meas\_intensity, 101, **252**
- REFLNS\_SHELL, 98, 100–102, 162–164, **252**, **414**  
 —.d\_res\_high, 163, 164, 384, **414**, 414, 415  
 —.d\_res\_high, 101, 102, **252**, 252  
 —.d\_res\_low, 163, 164, 384, **414**, 414, 415  
 —.d\_res\_low, 101, **252**, 252  
 —.meanI\_over\_sigI\_all, 163, **414**  
 —.meanI\_over\_sigI\_all, 101, **252**  
 —.meanI\_over\_sigI\_gt, 163, **414**  
 —.meanI\_over\_sigI\_gt, 101, **252**  
 —.meanI\_over\_sigI\_obs, 163, 164, **414**, 414  
 —.meanI\_over\_sigI\_obs, 101, **252**

## INDEX OF CATEGORIES AND DATA NAMES

### REFLNS\_SHELL

—meanI\_over\_uI\_all, 163, **414**  
 —meanI\_over\_uI\_all, 101, **253**  
 —meanI\_over\_uI\_gt, 163, **414**  
 —\_meanI\_over\_uI\_gt, 101, 252, **253**  
 —\_number\_measured\_all, 163, **414**  
 —\_number\_measured\_all, 101, **253**  
 —\_number\_measured\_gt, 163, **414**  
 —\_number\_measured\_gt, 101, 252, **253**  
 —\_number\_measured\_obs, 163, 164, **414, 414**  
 —\_number\_measured\_obs, 101, **253**  
 —\_number\_possible, 163, **414**  
 —\_number\_possible, 101, **253**  
 —\_number\_unique\_all, 163, **414**  
 —\_number\_unique\_all, 101, **253**  
 —\_number\_unique\_gt, 163, **414**  
 —\_number\_unique\_gt, 101, 252, **253**  
 —\_number\_unique\_obs, 163, 164, **414, 415**  
 —\_number\_unique\_obs, 101, **253**  
 —percent\_possible\_all, 163, **415**  
 —percent\_possible\_all, 101, **253**  
 —percent\_possible\_gt, 163, **415**  
 —percent\_possible\_gt, 101, 252, **253**  
 —percent\_possible\_obs, 163, 164, **414, 415**  
 —percent\_possible\_obs, 101, **253**  
 —Rmerge\_F\_all, 163, **415**  
 —Rmerge\_F\_all, 101, **253**  
 —Rmerge\_F\_gt, 163, **415**  
 —Rmerge\_F\_gt, 101, 252, **253**  
 —Rmerge\_F\_obs, 163, 164, **414, 415**  
 —Rmerge\_F\_obs, 101, **254**  
 —Rmerge\_I\_all, 163, **415**  
 —Rmerge\_I\_all, 101, **254**  
 —Rmerge\_I\_gt, 163, **415**  
 —Rmerge\_I\_gt, 101, **254**  
 —Rmerge\_I\_obs, 163, **415**  
 —Rmerge\_I\_obs, 101, **254**  
 \_related\_function, *see* DDL1  
 \_related\_item, *see* DDL1

### SOFTWARE, 91, 113, 153, 154, 190, 191, 337, 374, 375, 378, 411, **416**

—citation\_id, 191, 191, **416, 416**  
 —classification, 191, 191, **416, 416**  
 —compiler\_name, 191, 191, **416, 416**  
 —compiler\_version, 191, 191, **416, 416**  
 —contact\_author, 191, 191, **416, 416**  
 —contact\_author\_email, 191, 191, **416, 416**  
 —date, 191, 191, **416, 416**  
 —dependencies, 191, 191, **416, 416**  
 —description, 191, 191, **416, 416**  
 —hardware, 191, 191, **416, 416**  
 —language, 191, 191, **416, 416**  
 —location, 191, 191, **416, 416**  
 —mods, 191, 191, **416, 416**  
 —name, 191, 191, **416, 416**  
 —os, 191, 191, **416, 416**  
 —os\_version, 191, 191, **416, 416**  
 —type, 191, 191, **416, 417**  
 —version, 191, 191, **416, 417**

### SPACE\_GROUP, 110, 111, 132, 134, 136, 190, 207, **254, 288, 417, 459**

—Bravais\_type, 207, **459, 459**  
 —centring\_type, 207, **459, 460**  
 —crystal\_system, 190, 207, **417, 417, 459, 460**  
 —\_crystal\_system, 111, **254, 254**  
 —id, 190, 207, **417, 417, 418, 459, 460, 466**  
 —id, 111, **254, 254, 255**  
 —IT\_coordinate\_system\_code, **459**  
 —IT\_number, 190, 207, **417, 417, 459, 460, 461**  
 —IT\_number, 111, **254, 254, 255**  
 —Laue\_class, 207, **459, 460**  
 —name\_H-M\_alt, 190, 206, 207, **417, 417, 460, 461**  
 —name\_H-M\_alt, 110, 111, **254, 254**  
 —name\_H-M\_alt\_description, 207, **460**  
 —name\_H-M\_full, 207, **460**  
 —name\_H-M\_ref, 206, 207, **459, 461**

### SPACE\_GROUP

—name\_Hall, 190, 207, **417, 417, 459, 460, 461, 462**  
 —\_name\_Hall, 111, 254, **255**  
 —name\_Schoenflies, 207, **459, 460, 461, 462**  
 —Patterson\_name\_H-M, 207, **459, 460**  
 —point\_group\_H-M, 207, **462**  
 —reference\_setting, 207, 460, 461, **462, 465**  
 —ssg\_IT\_number, 136, **288**  
 —ssg\_name, 136, **288**  
 —ssg\_name\_IT, 136, **138, 288**  
 —ssg\_name\_WJ, 136, **138, 288, 289**  
 —ssg\_WJ\_code, 136, **289**  
 —transform\_Pp\_abc, 207, 462, **465**  
 —transform\_Qq\_xyz, 207, 462, **465**  
 SPACE\_GROUP\_SYMOP, 110, 111, 132, 134, 136, 190, 207, **255, 289, 418, 465, 466**  
 —generator\_xyz, 207, **465**  
 —id, 190, 207, **418, 418, 465, 465**  
 —id, 111, 111, 236–238, **255, 255**  
 —operation\_description, 207, **465, 465**  
 —operation\_xyz, 190, 207, **418, 418, 465, 465, 466**  
 —operation\_xyz, 111, 111, **255, 255**  
 —sg\_id, 190, 207, **418, 466**  
 —sg\_id, 111, **255**  
 —sg\_id, 136, **138, 286, 287, 289, 289**  
 —ssg\_operation\_algebraic, 136, **138, 289, 289**

### SPACE\_GROUP\_WYCKOFF, 207, **466**

—coords\_xyz, 207, **466**  
 —id, 207, **466, 466**  
 —letter, 207, **466, 466**  
 —multiplicity, 207, **466, 466**  
 —sg\_id, 207, 208, **466**  
 —site\_symmetry, 207, **466, 466**  
 \_stereo\_atom\_id, *see* MIF  
 \_stereo\_bond\_id\_1, *see* MIF  
 \_stereo\_bond\_id\_2, *see* MIF  
 \_stereo\_geometry, *see* MIF  
 \_stereo\_vertex\_id, *see* MIF

### STRUCT, 91, 145, 164, 166, 174–176, 178–180, **418**

—entry\_id, 5, 179, **418, 418**  
 —title, 5, 179, 180, **418, 418**  
 STRUCT\_ASYM, 145, 166, 174, 178–180, 302, 352, **418, 419, 438**  
 —details, 145, 179, 180, **418, 418**  
 —entity\_id, 145, 179, 180, **418, 418**  
 —id, 145, 166, 179, 180, 180, 181, 302, **418, 418, 419, 438, 439**  
 STRUCT\_BIOL, 145, 178–180, 353, **419, 420, 433**  
 —details, 146, 179, 180, 180, **419, 419**  
 —id, 146, 179, 180, **419, 419, 420, 433**

### STRUCT\_BIOL\_GEN, 178–181, **419, 420, 421**

—\_asym\_id, 146, 179, 180, **419, 419**  
 —biol\_id, 146, 179, 180, **419, 419**  
 —details, 179, **419**  
 —symmetry, 146, 179, 180, **419, 419**

### STRUCT\_BIOL\_KEYWORDS, 178–180, **419**

—biol\_id, 179, **420, 420**  
 —text, 179, **420, 420**

### STRUCT\_BIOL\_VIEW, 178, 179, 181, **420**

—biol\_id, 179, **420, 420**  
 —details, 179, 181, **420, 420, 421**  
 —id, 179, **420, 420**  
 —rot\_matrix[m][n] ( $m, n = 1, 2, 3$ ), 179, **420, 420, 421**

### STRUCT\_CONF, 145, 178, 181, **421, 422**

—beg\_auth\_asym\_id, 181, **421**  
 —beg\_auth\_comp\_id, 181, **421**  
 —beg\_auth\_seq\_id, 181, **421**  
 —beg\_label\_asym\_id, 146, 181, 181, **421, 421**  
 —beg\_label\_comp\_id, 146, 181, 181, **421, 421**  
 —beg\_label\_seq\_id, 146, 181, 181, **421, 421**  
 —conf\_type\_id, 146, 181, 181, **421, 421**  
 —details, 146, 181, 182, **421, 421**  
 —end\_auth\_asym\_id, 181, **422**  
 —end\_auth\_comp\_id, 181, **422**  
 —end\_auth\_seq\_id, 181, **422**

### STRUCT\_CONF

—end\_label\_asym\_id, 146, 181, 181, **421, 422**  
 —end\_label\_comp\_id, 146, 181, 181, **421, 422**  
 —end\_label\_seq\_id, 146, 181, 181, **421, 422**  
 —id, 146, 181, 181, **421, 422**

### STRUCT\_CONF\_TYPE, 178, 181, 421, **422**

—criteria, 181, 181, 182, **422, 422**  
 —id, 181, 181, 182, 421, **422, 422**  
 —reference, 181, 182, **422, 422**

### STRUCT\_CONN, 146, 173, 178, 182, 183, **423**

—conn\_type\_id, 146, 182, 183, **423, 423**  
 —details, 146, 182, **423, 423**  
 —id, 146, 182, 183, **423, 423**  
 —ptrn1\_auth\_asym\_id, 182, **423**  
 —ptrn1\_auth\_atom\_id, 182, **423**  
 —ptrn1\_auth\_comp\_id, 182, **423**  
 —ptrn1\_auth\_seq\_id, 182, **423**  
 —ptrn1\_label\_alt\_id, 182, **423**  
 —ptrn1\_label\_asym\_id, 146, 182, 183, **423, 423**  
 —ptrn1\_label\_atom\_id, 146, 182, 183, **423, 423**  
 —ptrn1\_label\_comp\_id, 146, 182, 183, **423, 423**  
 —ptrn1\_label\_seq\_id, 146, 182, 183, **423, 423**  
 —ptrn1\_role, 146, 182, 183, **423, 423**  
 —ptrn1\_symmetry, 146, 182, 183, **423, 423**  
 —ptrn2\_auth\_asym\_id, 182, **423**  
 —ptrn2\_auth\_atom\_id, 182, **423**  
 —ptrn2\_auth\_comp\_id, 182, **423**  
 —ptrn2\_auth\_seq\_id, 182, **423**  
 —ptrn2\_label\_alt\_id, 182, **424**  
 —ptrn2\_label\_asym\_id, 146, 182, 183, **423, 424**  
 —ptrn2\_label\_atom\_id, 146, 182, 183, **423, 424**  
 —ptrn2\_label\_comp\_id, 146, 182, 183, **423, 424**  
 —ptrn2\_label\_seq\_id, 146, 182, 183, **423, 424**  
 —ptrn2\_role, 146, 182, 183, **423, 424**  
 —ptrn2\_symmetry, 146, 182, 183, **423, 424**

### STRUCT\_CONN\_TYPE, 178, 182, 183, 423, **424**

—criteria, 182, 183, 183, **424, 424**  
 —id, 182, 183, 423, **424, 424**  
 —reference, 182, 183, **424, 424**

### STRUCT\_KEYWORDS, 179, 180, **424**

—entry\_id, 179, **424, 424**  
 —text, 179, **424, 424**

### STRUCT\_MON\_DETAILS, 178, 183, 184, **424, 425, 428**

—entry\_id, 183, **424**  
 —prot\_cis, 183, 184, **424, 430**  
 —RSCC, 183, **425, 426, 427, 429**  
 —RSR, 183, 184, **425, 427, 429, 430**

### STRUCT\_MON\_NUCL, 178, 183, 184, 424, **425, 428**

—alpha, 183, **425, 425**  
 —auth\_asym\_id, 183, **425**  
 —auth\_comp\_id, 183, **425**  
 —auth\_seq\_id, 183, **425**  
 —beta, 183, **425, 425**  
 —china ( $n = 1, 2$ ), 183, **425**  
 —delta, 183, **425, 426**  
 —details, 183, **426**  
 —epsilon, 183, **425, 426**  
 —gamma, 183, **425, 426**  
 —label\_alt\_id, 183, **425, 426**  
 —label\_asym\_id, 183, **425, 426**  
 —label\_comp\_id, 183, **425, 426**  
 —label\_seq\_id, 183, **425, 426**  
 —mean\_B\_all, 183, **426**  
 —mean\_B\_base, 183, **426**  
 —mean\_B\_phos, 183, **426**  
 —mean\_B\_sugar, 183, **426**  
 —nun ( $n = 0, \dots, 4$ ), 183, **426**  
 —P, 183, **426**  
 —RSCC\_all, 183, **426**  
 —RSCC\_base, 183, **427**  
 —RSCC\_phos, 183, **427**  
 —RSCC\_sugar, 183, **427**  
 —RSR\_all, 183, **427**  
 —RSR\_base, 183, **427**  
 —RSR\_phos, 183, **427**  
 —RSR\_sugar, 183, **427**  
 —taun ( $n = 0, \dots, 4$ ), 183, **428**

## INDEX OF CATEGORIES AND DATA NAMES

- STRUCT\_MON\_NUCL  
 —.taum, 183, **428**  
 —.zeta, 183, **425, 428**
- STRUCT\_MON\_PROT, 178, 183, 184, 424, 425, **428**  
 —.auth\_asym\_id, 183, **428**  
 —.auth\_comp\_id, 183, **428**  
 —.auth\_seq\_id, 183, **428**  
 —.chin ( $n = 1, \dots, 5$ ), 183, **184, 428, 428**  
 —.details, 183, **429**  
 —.label\_alt\_id, 183, **184, 428, 429**  
 —.label\_asym\_id, 183, **184, 428, 429**  
 —.label\_comp\_id, 183, **184, 428, 429**  
 —.label\_seq\_id, 183, **184, 428, 429**  
 —.mean\_B\_all, 183, **184, 428, 429**  
 —.mean\_B\_main, 183, **184, 428, 429**  
 —.mean\_B\_side, 183, **184, 428, 429**  
 —.omega, 183, **184, 428, 429**  
 —.phi, 183, **184, 428, 429**  
 —.psi, 183, **184, 428, 429**  
 —.RSCC\_all, 183, **184, 425, 428, 429**  
 —.RSCC\_main, 183, **425, 429**  
 —.RSCC\_side, 183, **429**  
 —.RSR\_all, 183, **184, 425, 428, 429**  
 —.RSR\_main, 183, **425, 430**  
 —.RSR\_side, 183, **425, 430**
- STRUCT\_MON\_PROT\_CIS, 178, 183, 184, **430**  
 —.auth\_asym\_id, 183, **430**  
 —.auth\_comp\_id, 183, **430**  
 —.auth\_seq\_id, 183, **430**  
 —.label\_alt\_id, 183, **430, 430**  
 —.label\_asym\_id, 183, **430, 430**  
 —.label\_comp\_id, 183, **430, 430**  
 —.label\_seq\_id, 183, **430, 430**
- STRUCT\_NCS\_DOM, 161, 178, 184–186, 404, **430, 431, 432**  
 —.details, 184, **430, 430**  
 —.id, 184, **186, 404, 430, 431, 432**
- STRUCT\_NCS\_DOM\_LIM, 178, 184–186, **431**  
 —.beg\_auth\_asym\_id, 185, **431**  
 —.beg\_auth\_comp\_id, 185, **431**  
 —.beg\_auth\_seq\_id, 185, **431**  
 —.beg\_label\_alt\_id, 184, **186, 431, 431**  
 —.beg\_label\_asym\_id, 184, **186, 431, 431**  
 —.beg\_label\_comp\_id, 184, **186, 431, 431**  
 —.beg\_label\_seq\_id, 185, **186, 431, 431**  
 —.dom\_id, 185, **186, 431, 431**  
 —.end\_auth\_asym\_id, 185, **431**  
 —.end\_auth\_comp\_id, 185, **431**  
 —.end\_auth\_seq\_id, 185, **431**  
 —.end\_label\_alt\_id, 185, **186, 431, 431**  
 —.end\_label\_asym\_id, 185, **186, 431, 431**  
 —.end\_label\_comp\_id, 185, **186, 431, 431**  
 —.end\_label\_seq\_id, 185, **186, 431, 431**
- STRUCT\_NCS\_ENS, 178, 184–186, **431, 432**  
 —.details, 184, **431, 432**  
 —.id, 184, 185, **186, 431, 432**  
 —.point\_group, 184, **186, 432**
- STRUCT\_NCS\_ENS\_GEN, 179, 184–186, **432**  
 —.dom\_id\_1, 184, **186, 432, 432**  
 —.dom\_id\_2, 184, **186, 432, 432**  
 —.ens\_id, 184, **186, 432, 432**  
 —.oper\_id, 184, **186, 432, 432**
- STRUCT\_NCS\_OPER, 179, 185, 186, **432**  
 —.code, 185, 186, **432, 432**  
 —.details, 185, **432, 432**  
 —.id, 185, **432, 432**  
 —.matrix[m][n] ( $m, n = 1, 2, 3$ ), 185, **432, 432, 433**  
 —.vector[1], 185, **432, 433**  
 —.vector[2], 185, **432, 433**  
 —.vector[3], 185, **432, 433**
- STRUCT\_REF, 179, 186, 187, 192, **433, 434**  
 —.biol\_id, 186, **186, 187, 433, 433**  
 —.db\_code, 186, **186, 433, 433**  
 —.db\_name, 186, **186, 433, 433**  
 —.details, 186, **433, 433**  
 —.entity\_id, 186, **186, 187, 433, 433**  
 —.id, 186, **186, 187, 433, 433, 434**
- STRUCT\_REF  
 —.seq\_align, 186, **186, 433, 433**  
 —.seq\_dif, 186, **186, 433, 433, 434**
- STRUCT\_REF\_SEQ, 179, 186, 433, **434**  
 —.align\_id, 186, **186, 434, 434**  
 —.db\_align\_beg, 186, **186, 434, 434**  
 —.db\_align\_end, 186, **186, 434, 434**  
 —.details, 186, **186, 434, 434**  
 —.ref\_id, 186, **186, 434, 434**  
 —.seq\_align\_beg, 186, **186, 434, 434**  
 —.seq\_align\_end, 186, **186, 434, 434**
- STRUCT\_REF\_SEQ\_DIF, 179, 186, 433, **434**  
 —.align\_id, 186, **434, 434**  
 —.db\_mon\_id, 186, **434, 434**  
 —.details, 186, **434, 434**  
 —.mon\_id, 186, **434, 434**  
 —.seq\_num, 186, **434, 434**
- STRUCT\_SHEET, 145, 179, 187, 188, **435, 436–439**  
 —.details, 187, **435, 436**  
 —.id, 187, **188, 435, 436, 437–439**  
 —.number\_strands, **179, 188, 435, 436**  
 —.type, 187, **435, 436**
- STRUCT\_SHEET\_HBOND, 179, 187, 188, **436**  
 —.range\_1\_beg\_auth\_atom\_id, 187, **436**  
 —.range\_1\_beg\_auth\_seq\_id, 187, **436**  
 —.range\_1\_beg\_label\_atom\_id, 187, **188, 436, 436**  
 —.range\_1\_beg\_label\_seq\_id, 187, **188, 436, 436**  
 —.range\_1\_end\_auth\_atom\_id, 187, **436**  
 —.range\_1\_end\_auth\_seq\_id, 187, **436**  
 —.range\_1\_end\_label\_atom\_id, 187, **436, 436**  
 —.range\_1\_end\_label\_seq\_id, 187, **436, 436**  
 —.range\_2\_beg\_auth\_atom\_id, 187, **437**  
 —.range\_2\_beg\_auth\_seq\_id, 187, **437**  
 —.range\_2\_beg\_label\_atom\_id, 187, **188, 436, 437**  
 —.range\_2\_beg\_label\_seq\_id, 187, **188, 436, 437**  
 —.range\_2\_end\_auth\_atom\_id, 187, **437**  
 —.range\_2\_end\_auth\_seq\_id, 187, **437**  
 —.range\_2\_end\_label\_atom\_id, 187, **436, 437**  
 —.range\_2\_end\_label\_seq\_id, 187, **436, 437**  
 —.range\_id\_1, 187, **188, 436, 437**  
 —.range\_id\_2, 187, **188, 436, 437**  
 —.sheet\_id, 187, **188, 436, 437**
- STRUCT\_SHEET\_ORDER, 179, 187, 188, **437, 439**  
 —.offset, 187, **437, 437**  
 —.range\_id\_1, 187, **188, 437, 437**  
 —.range\_id\_2, 187, **188, 437, 437**  
 —.sense, 187, **188, 437, 437**  
 —.sheet\_id, 187, **188, 437, 437**
- STRUCT\_SHEET\_RANGE, 179, 187, 188, 437, **438, 439**  
 —.beg\_auth\_asym\_id, 187, **438**  
 —.beg\_auth\_comp\_id, 187, **438**  
 —.beg\_auth\_seq\_id, 187, **438**  
 —.beg\_label\_asym\_id, 187, **188, 438, 438**  
 —.beg\_label\_comp\_id, 187, **188, 438, 438**  
 —.beg\_label\_seq\_id, 187, **188, 438, 438**  
 —.end\_auth\_asym\_id, 187, **438**  
 —.end\_auth\_comp\_id, 187, **438**  
 —.end\_auth\_seq\_id, 187, **438**  
 —.end\_label\_asym\_id, 187, **188, 438, 438**  
 —.end\_label\_comp\_id, 187, **188, 438, 438**  
 —.end\_label\_seq\_id, 187, **188, 438, 438**  
 —.id, 187, **188, 437, 438, 438, 439**  
 —.sheet\_id, 187, **188, 438, 438**  
 —.symmetry, 187, 188, **438, 438**
- STRUCT\_SHEET\_TOPOLOGY, 179, 187, 437, **439**  
 —.offset, 187, **439, 439**  
 —.range\_id\_1, 187, **439, 439**  
 —.range\_id\_2, 187, **439, 439**  
 —.sense, 187, **439, 439**  
 —.sheet\_id, 187, **439, 439**
- STRUCT\_SITE, 82, 188, 189, **439, 440, 441**  
 —.details, 82, 188, 189, **189, 439, 439**  
 —.id, 82, 188, 189, **189, 439, 439, 440, 441**
- STRUCT\_SITE\_GEN, 82, 179, 189, **439, 440, 441**  
 —.auth\_asym\_id, 189, **439**  
 —.auth\_atom\_id, 189, **440**  
 —.auth\_comp\_id, 189, **440**  
 —.auth\_seq\_id, 189, **440**  
 —.details, 82, 189, **439, 440**  
 —.id, 82, 189, **189, 439, 440**  
 —.label\_alt\_id, 189, **440**  
 —.label\_asym\_id, 82, 189, **189, 439, 440**  
 —.label\_atom\_id, 189, **440**  
 —.label\_comp\_id, 82, 189, **189, 439, 440**  
 —.label\_seq\_id, 82, 189, **189, 439, 440**  
 —.site\_id, 82, 189, **189, 439, 440**  
 —.symmetry, 82, 189, **189, 439, 440**
- STRUCT\_SITE\_KEYWORDS, 179, 180, 189, **440**  
 —.site\_id, 189, **189, 440, 440**  
 —.text, 189, **189, 440, 440**
- STRUCT\_SITE\_VIEW, 179, 189, **440**  
 —.details, 189, **189, 440, 440, 441**  
 —.id, 189, **189, 440, 440**  
 —.rot\_matrix[m][n] ( $m, n = 1, 2, 3$ ), 189, **189, 440, 441**  
 —.site\_id, 189, **189, 441**
- \_sub\_category.description, *see* DDL2  
 \_sub\_category.id, *see* DDL2  
 \_sub\_category\_examples.case, *see* DDL2  
 \_sub\_category\_examples.detail, *see* DDL2  
 \_sub\_category\_examples.id, *see* DDL2  
 \_sub\_category\_methods.method\_id, *see* DDL2  
 \_sub\_category\_methods.sub\_category\_id, *see* DDL2
- SUB\_CATEGORY, 70, **477**
- SUB\_CATEGORY\_EXAMPLES, 70, **478**
- SUB\_CATEGORY\_METHODS, 70, **478**
- SYMMETRY, 110, 134, 164, 190, 207, 236–238, **255, 286–288, 362, 364, 366, 367, 369, 441**  
 —.cell\_setting, 190, **441, 442**  
 —.cell\_setting, 6, 21, 110, **124, 255, 255, 559, 563, 565, 567**  
 —.entry\_id, 190, **441, 442**  
 —.equiv\_pos\_as\_xyz, 21  
 —.Int\_Tables\_number, 190, **441, 442**  
 —.Int\_Tables\_number, 110, **255, 563**  
 —.space\_group\_name\_H-M, 5, 190, **441, 442**  
 —.space\_group\_name\_H-M, 6, 21, 110, 111, **124, 255, 256, 559, 563, 565–567**  
 —.space\_group\_name\_Hall, 190, **442**  
 —.space\_group\_name\_Hall, 110, 255, **256, 559, 563, 567**
- SYMMETRY\_EQUIV, 110, 111, 190, **256, 289, 442**  
 —.id, **442, 442**  
 —.pos\_as\_xyz, 190, **442, 442**  
 —.pos\_as\_xyz, 6, 85, 111, **111, 124, 256, 256, 559, 563, 565, 567**  
 —.pos\_site\_id, 109, 111, **111, 124, 256, 256**
- \_type, *see* DDL1  
 \_type\_conditions, *see* DDL1  
 \_type\_construct, *see* DDL1
- \_units, *see* DDL1  
 \_units\_detail, *see* DDL1
- VALENCE\_PARAM, 111, 190, **256, 442**  
 —.atom\_1, 190, **442, 442**  
 —.atom\_1, 111, **112, 256, 256**  
 —.atom\_1\_valence, 190, **442, 442**  
 —.atom\_1\_valence, 111, **112, 256, 256**  
 —.atom\_2, 190, **442, 442**  
 —.atom\_2, 111, **112, 256, 256**  
 —.atom\_2\_valence, 190, **442, 443**  
 —.atom\_2\_valence, 111, **112, 256, 256**  
 —.B, 190, **442, 443**  
 —.B, 111, **112, 256, 256**

## INDEX OF CATEGORIES AND DATA NAMES

VALENCE\_PARAM  
—\_details, 190, 442, **443**  
—\_details, 111, 112, **256**, 256  
—\_id, 190, **443**  
—\_id, 111, 256, **257**

VALENCE\_PARAM  
—\_ref\_id, 190, 442, **443**  
—\_ref\_id, 111, 112, 256, **257**  
—\_Ro, 190, 442, **443**  
—\_Ro, 111, 112, 256, **257**

VALENCE\_REF, 111, 190, 256, **257**, 442, **443**  
—\_id, 190, 442, **443**  
—\_id, 111, 112, 256, **257**  
—\_reference, 190, 442, **443**  
—\_reference, 111, 112, 256, **257**